

New method of patient repertorization
A. Matison
(Firm "MATISONS" SIA, Riga, Latvia)

The repertory method is a method used in homeopathy to find and prescribe a single dilution or dynamization drug that is prescribed as closely as possible to the patient's complaints. The symptoms caused by the drug should be as similar as possible, but not identical, to the symptoms of the patient. During its more than two hundred years of existence, the method of homeopathy has acquired both very many supporters who use it in their practice, and ardent opponents who do not understand the essence of such a treatment and refer to the failures of this method of treatment.

What is the reason for the failure? One of them is subjectivization. The method of homeopathy implies the preparation of medicines using a special technology, and then testing the resulting medicines on healthy people before they develop symptoms of a medicinal, or informational, disease. This method is called the drug proving method. Subsequently, the collection of these complaints and symptoms in protocols, and their systematization constitute the MATERIA MEDICA of homeopathy, or the basis of knowledge about the drugs that are used in homeopathic treatment.

This already implies a problem associated with subjectivization, because the symptoms that a given proving causes may be different for different subjects, there may be a different degree of their severity or interpretation by the subject.

It must be remembered that the action of a dynamized drug has two phases:

- 1) the occurrence of a drug disease,
- 2) the recovery phase.

Moreover, the drug disease should be similar to the symptoms of the patient's disease and stronger in terms of their impact. Only in this case a complete recovery of the body will occur.

The repertorization method involves a detailed collection of anamnesis and symptoms of the patient's discomfort, which, in turn, is also highly susceptible to subjectivity both on the part of the doctor examining the patient and on the part of the patient, since the degree of openness and trust in the doctor may vary, which is undoubtedly can and does lead to the appointment of an inappropriate drug, and this, in turn, leads to the expenditure of the patient's vitality, but does not lead to his recovery.

In order to make it easier for the doctor to work with the patient, and for a more convenient orientation in the multitude of symptoms, various repertories have been proposed, allowing for more successful selection of the appropriate medication for the patient's treatment. But at the same time, each repertory was based on the experience of the doctor who created it, while the proportion of subjectivity increased. So, the symptoms of the same medication, according to data from different authors, can have very strong differences.

Fundamentally new opportunities have arisen for doctors with the advent of

method of electroacupuncture diagnostics (EPD) according to R. Voll. When it became possible not only to select a medication, to use an effective potency, but also the amount of this medication. But even with this method, the success of the use of dynamized drugs left much to be desired.

The development of EPD and the emergence of the autonomic resonance test (ART) method, and especially the ART + method, made it possible to move to a qualitatively new level of prescribing potentiated drugs, as well as to use them in multiresonant therapy.

The study of homeopathy for fifteen years, and the use of very convenient equipment, such as the APK "IMEDIS-EXPERT", still did not get rid of subjectivization when prescribing a medication.

The question was posed: "Is it possible to objectify the method of repertorization as much as possible?" And the answer was found - "YES".

Since our whole world is built of atoms and molecules, then for the "questioning" of our body, the ART method was used with the use of electromagnetic induction by the frequencies of the elements of the periodic table, when setting the amplitude of the signal to 100 conventional units, which made it possible to find elements significant for the body, which was indicated by a decrease in the measuring level. It should be understood that a decrease in the measuring level when measuring the effect of the frequency of an element is not the same as when measuring a potentiated drug, but indicates only a significant element.

This cycle of studies was carried out using the MINIEKSPERT-D apparatus at two levels:

- at the second level, showing the importance of this element for the functioning of the cell membrane,
- at the third level, showing the state of the cell cytoplasm. It should be noted that before the start of this repertorization, the patient is examined with the help of the AIC "IMEDIS-EXPERT" at all levels, and the core of the pathology is located.

After the repertorization has been carried out and the elements significant for the body have been identified, the question arises: how to choose the element that is leading in the occurrence of the body's problems from the found elements. And here it is not difficult to find it through the pointer to the primary affected organ (Zn met D400).

Do not forget that this frequency of the element has a load value for identifying the element and is not therapeutic.

At the second stage of repertorization using this method, it is necessary to find the only potentized drug, which will normalize all the previously obtained data that determine the patient's pathology.

To do this, you need to enter the drug selector mode and find all drugs containing this element, and select all the available potencies of the drugs for further finding the one that will, like a director's key, normalize all previously identified pathological indicators processes.

Found in this way a drug the drug may be very different from the
found by others methods of repertorization, but it will
as correct as possible, since in this case the share of

subjectivization both from the patient's side, since we receive a direct response from the organism itself, bypassing the censorship of the patient's psyche, and the subjectivity of questioning and interpretation on the part of the doctor, because we receive the organism's response with the help of ART +.

Prescribing a medication in this way will be as similar as possible, and therefore most useful for the patient's recovery.

This method makes it possible to qualitatively improve the medical care provided to the patient, and thereby reduce the number of incurable diseases.

The question is legitimate: what to do if there was no medication in the selector to normalize all previously identified problems? In this case, you need to take the periodic table and test preparations containing a nearby element either vertically or horizontally. If these searches do not lead to the desired result, then, probably, the constitutional type of the patient may correspond more to the plant type, and not to the mineral one. Then, using plant reference books, which indicate the ability of certain plants to accumulate various elements in themselves (for example, field horsetail accumulates silicon in itself, and garlic - selenium), you can try to find a drug from the plant world.

Or if you have already prescribed the drug, and it had a positive trend, but there is no higher potency in the medication selector, then in this case you can rewrite the problem pointers on several granules of homeopathic grits, place them on the medication plate and, by rotating the potentiometer knob, find the effective potency of the previously found drug and write it down on homeopathic crumbs, after removing the markers from the medication plate. After you have received the drug in the potency required for treatment, you return the potentiometer pointer to its original position (7) and continue everything according to the classic or tactics you have invented.

Good luck with your work and development of the method.

A. Matison A new method of patient repertorization // XIII