On the use of general-purpose ART pointers for conducting sequential therapy with BRT and homeopathy O.A. Postnikova, E.V. Postnikova (Moscow, Russia)

The authors propose compulsory examination of general-body level ART indicators when diagnosing by ART. These are the following indicators: biological indices, psychoemotional state according to Makhonkina L.B. with the identification of depression (the author's interpretation of the index), health levels, pointers to the electromagnetic spectrum of a person (the author's index), miasmatic, hereditary nosodes, indicators of degeneration and malignant brain tumors, pointers to the vital feeling of life according to the author's scale.

It is important that among the pointers to problems in the process of selecting a treatment, it is imperative to use the most integrative and most difficult ones, because it is they that provide the direction of treatment to alleviate the condition of the body.

The concept of miasms known in homeopathy reflects the sequence of accumulation of destructive tendencies in the body, and the most severe miasm is luesinum.

However, in addition to it, taking into account the frequency of occurrence and the danger to life, in our time, the miasm of carcinosinum comes to the main place in the diagnosis, which must be checked through the corresponding nosode. The difficulty in identifying cancerous degenerative processes in the ART method is due to the fact that brain tumors are not used in the preparation of the carcinosinum nosode.

Brain tumors are more severe diseases than organ tumors, and testing should always be done with the most malignant poorly differentiated tumors such as

medulloblastomas, spongioblastomas, then more differentiated, such as glioblastoma, and a new drug should be made of them carcinosinum.

Positivetestsuchpointersaskscorrectsequence for curativeprocess. This pointer at the same timeof the general organism level, because it is associated with the nervous system, and it alsosets a program for unloading the severe degenerative processes of the cancer miasm, andtherefore it is extremely important in the diagnosis and selection of a treatment program.

It is surprising how often degenerative states of the nervous system are tested in ART studies. The method allows you to see even the initial processes, reactions leading under unfavorable conditions to

the development of these diseases, the the presence in the body of the process of definition of the tumor development creation It is obvious that for the nervous program. unfavorable conditions system are existence in conditions electromagnetic smog, abuse of mobile phones, other electronic devices, numerous chemical and other loads in a civilized society, affecting the sensitive nervous system.

Promote premature degenerative processes mental

characteristics of patients associated with destructive ideas, suppressiohad fitual feelings, desires, excessive control and ignoring their own human needs when setting tasks above the normal capabilities of the body, this is facilitated by a person's orientation towards a goal, and not to a life process. At the same time, depending on which feelings are suppressed, which thoughts, which images, which part of the personality is suppressed, it is possible to predict the development of degenerative processes of a particular localization.

Fortunately, in life, in addition to homeopathy, BRT and other therapeutic measures, there are natural natural ways of cleansing the body, including the brain, which regulate their activity, but in conditions of life in cities and with little contact with nature, the role of natural regulation is insufficient.

The functions of the meninges of the brain and spinal cord, their sufficient permeability and the ability to remove toxic substances and waste products of the brain are important for unloading the brain, and when diagnosing by ART, the state of the meninges should be assessed using organ preparations.

If there are deviations in the life program, a defect in the ethical sphere, selfdestructive thoughts, etc., the author's test for the electromagnetic spectrum of a person will manifest itself as an ART load. Correction of this disorder can give an initial deterioration on the body during the treatment of BRT, unless a softer correction is carried out with homeopathy in low potencies, a psychological correction of life attitudes. To avoid this initial deterioration, treatment should be carried out in small steps, work with individual areas of the body, not immediately integrating procedures and prescriptions. When working on the head area, they use the connection of head electrodes, which are not necessarily placed in the frontal area, but on individually selected places of the head to restore intracerebral connections and improve the level of personality awareness.

In the course of therapy, while observing Hering's law, the level of the problem is reduced from the nervous system to the neuroendocrine level, then to the endocrine, immune and only after that to the organ level.

Such dynamics, reflecting the relief of the condition, will be the transition from the level of the possibility of a malignant to a benign brain tumor, and then to a pituitary adenoma, then to other degenerative conditions, including connective tissue, fibrosarcoma, histiocytoma, plasmacytoma, etc. I would like to note the especially effective action at this stage of the helleborus. Degenerative nosodes of all organs should be checked repeatedly during therapy sessions. there is a transition of the detected degenerative process from organ to organ as a result of facilitation of the previous more severe process and the manifestation of its causal factors in the form of insufficiency or degeneration of an earlier affected organ or system, i.e. the treatment process takes place in the form of a sequential change of links in the chain. followed by inflammatory nosodes and indicators of dysbacteriosis, with a transition through hereditary nosodes through tuberculinum, medorrinum, pyrogenium to psorinum. After that, with a specific known localization of the problem, in addition to the nosode and the histological preparation of the organ, you can also use an X-ray image of the diseased organ, a computed tomogram, an ultrasound photograph, where pathological conditions are detected, as well as the local maximum close location of the pointer electrode over the diseased organ as an indicator of the disease.

In the course of therapy, the question arises of how many nosodes should be given to the patient, which nosodes disappear when tested during treatment with homeopathy and BRT, i.e. the diseases associated with them disappear, and which ones remain, and this means that in order to cure the disease, they really need to be prescribed to the patient.

In a more difficult situation, with the premature use of pointers to benign tumor processes of inflammatory nosodes as pointers without using pointers to more severe degenerative diseases, it is possible to correct the given parameter by the body "at any cost" - that is, including at the cost of deepening the pathology, which can be traced in the appearance of pointers to degenerative nosodes of a heavier and deeper level in the pathogenetic chain. For example, despite the "correct" appointment for testing the uterine fibroid nosodes, in some cases, uterine degeneration nosodes, fibrosarcoma, medorrinum may appear in testing instead of it, which means the transition of the disease to a more severe stage.

In some cases, the observed improvement in solving a specific problem, for example, when carrying out local interventions without taking into account the need for a program for correcting the general body level, can transfer the problem to a deeper level according to the anti-Hering's law, which often happens in medicine. However, when the solution of both problems is combined, it is possible get a good result in the right direction.

So, in addition to solving a specific problem of momentary assistance to a patient, it is necessary to remember about the direction of the body's action, how the problem will be solved, how the actual problem will be unloaded - inward or outward, according to Hering's law, i.e. whether progressive or regressive vicarization, in this regard, what diagnostic parameters should be monitored during any therapy, including homeopathic therapy and during each BRT session. The proposed general body tests, indicators, including a test for the electromagnetic spectrum of a person with testing of destructive programs, as well as an indicator of degenerative conditions, brain tumors as a new variant of the carcinosinum nosode, according to the authors, make it possible to choose the most optimal path in therapy in compliance with Hering's law.

O.A. Postnikova, E.V. Postnikova On the use of general-purpose ART pointers for sequential therapy with ART and homeopathy // XIII