

Experience with a bioresonance therapy apparatus that implements  
impact along the anterior and posterior median meridians

N. Kempe

(Research Group on Biosensorics of the Ludwig Boltzmann Society, St.  
Graz, Austria)

The anterior (PS) and posterior median (WS) meridians are very special meridians. According to the canons of traditional Chinese medicine, the PS - meridian regulates the Yin energy of the front of the body, it receives and concentrates the Yin energy of the meridians. 3C - the meridian connects and concentrates the energy of the Yang meridians. These are the oldest original meridians, which are inherent in even the simplest vertebrates. Energy flows along the ZS meridian from bottom to top, the direction of the energy flow in the ZS meridian can be both from top to bottom and, conversely, from bottom to top. The ZS meridian coordinates various functions of the central nervous system. Energy flows along this meridian are connected with all chakras. This meridian is especially associated with the psyche and supports purposefulness and strategic thinking (gallbladder), analytical and systems thinking (large intestine), perception of knowledge and detail (stomach), assimilation of thoughts and ideas (small intestine), wakefulness (triple heater) and spiritual calmness and inner harmony (bladder). Ancestral energy, inherited from ancestors and accumulated in the kidneys, circulates along this meridian. This energy is gradually expended during an excessive life or in severe illness. PS meridian regulates the functions of the genitals and all related processes, regulates processes in the chest, abdomen and pelvis. This meridian regulates feelings and emotions. The PS meridian is responsible for the development of a sense of trust, openness, acceptance and return of feelings. It supports the creation of inner stability, strength and self-confidence. It is associated with the soul. There are very important points on the path of these meridians.

PS and GS meridians are very important for therapy. In the most diverse approaches to bioresonance therapy, we have previously used the information of these meridians: MK - meridian complex preparations (homeopathic complex preparations). However, this cannot be compared with the use of vibrational spectra of oscillations inherent in these meridians.

Further, having considered the possible options for conducting therapy along these meridians, both independently and together with the ImedisExpert complex and the IMEDIS-BRT-A apparatus.

1) Therapy along one of or along a pair of median meridians. This is a very good general stabilizing therapy. Time the therapy - pause ratio is set individually (for example, assessed using a biotensor). The required duration of therapy is short, usually less than two minutes (control based on the results of segmental diagnostics). With a longer session of therapy, the patient may experience a state of euphoria and dizziness.

2) Entering additional information of drugs by connecting to

the second container of the device during therapy along one of or along a pair of median meridians.

There is a very strong impact! The duration of therapy usually does not exceed one minute. Be sure to accurately control the gain setting. The higher the potency of the injected drug, and the lower the amplification factor, the stronger the effect. It is imperative to accurately control the dosage and frequency of administration of the drugs created in this case.

Very interesting results are obtained in the treatment of mental conditions such as anxiety, anxiety, depression. The organ preparations Epiphysis, Pituitary gland and Hypothalamus and the corresponding psychosomatic drugs (for example, OHOM, Roy Martin's Biooscillators, Guna or Medpharm) should be introduced into the therapy circuit. At the same time, it is better to record a bioresonance preparation with high-quality water. We carried out a joint effect with a device for bioresonance therapy, which implements an effect along the anterior and posterior median meridians, by acting through the UMT "Belt" and a session of bioresonance therapy with the connection of drugs from a drug selector to the AIC "IMEDISEXPERT" carrying out the effect through the UMT or electrodes. Moreover, bioresonance preparations can be recorded on both devices, however, they have slightly different effects. The drugs created on the apparatus for bioresonance therapy, which implements the impact along the anterior and posterior median meridians, act more widely, with greater coverage, and well support the drug recorded by the traditional apparatus for BRT.

3) Introduction during therapy along PS and / or GS meridians of color and / or color information.

We observed an increase in the effect of color light therapy (a color source - a probe for color therapy) when exposed to points located along the PS or GS meridians.

4) Combination of bioresonance therapy using devices of the series "IMEDIS-BRT" with the use of electrodes with simultaneous therapy along the PS and GS meridian using the UMT "Belt".

The use of parallel exposure opens up new possibilities, since a synergistic effect occurs, and the therapy gives stronger results. All known therapy strategies can be carried out on the IMEDIS-BRT device. As already mentioned, in this case, the therapy is much more effective and takes less time. The use of methods with inversion on a bioresonance therapy apparatus that implements action along the anterior and posterior median meridians requires great care. Preliminary testing is required. Otherwise, the patient's energy parameters can be greatly weakened and the reserves of adaptation can be greatly impaired. When conducting strategies with inversion on the device "IMEDIS-BRT", parallel therapy along the PS and GS meridians gives a high harmonizing effect. We have tested a number of such strategies with pre- and post-segmental control. The result is positive and very interesting. Briefly, this can be expressed as follows: complex therapy launches deep healing mechanisms of the body, homeostasis is restructured at different levels of control systems, which is confirmed by the results of segmental diagnostics, autonomic resonance test and

subjective feelings of the patient.

The drugs created in this case are prescribed less frequently and at a lower dosage. Points on the SS and GS meridians are especially interesting.

5) Combination of electropuncture therapy implemented by contact or through UMT with simultaneous therapy along the PS and GS meridians, implemented using the UMT "Belt".

When these influences are combined, a synergistic effect is clearly manifested. For example, headache relief: an electromagnetic effect with a bipolar meander at a frequency of 5.5 Hz with an amplitude of 30-50 units is carried out through the UMT "Loop" placed on the patient's head, while bioresonance therapy is carried out along the PS and ZS meridians by means of the UMT "Belt" located also on the patient's head, the headache is relieved much faster and (which is very important) you can immediately record a bioresonance preparation in container 1. To optimize the process, you need to control the amplification factor on the bioresonance therapy apparatus, which implements action along the anterior and posterior median meridians. In some cases, a very good effect was observed at a gain of 8.4.

6) Induction therapy in combination with bioresonance therapy according to the anterior and posterior median meridians.

Parallel application of bioresonance therapy along the anterior and posterior median meridians with exposure through the UMT during a therapy cycle of 2-4 seconds, the "golden section" mode significantly enhances the effect of the programs. We studied in detail such a combination for the programs "Children's", "Stress 1, 2, 3, 4", "Overcoming your own fear", "Beta rhythm" (to relieve the effects of anesthesia), "Depression 1", and especially successfully "Program pain relief". Induction therapy was carried out mainly in the modulation mode of bioresonance therapy, when used in the mode

electropuncture therapy has also been observed to enhance effects. We have noted that under certain conditions only one of the median meridians should be used based on prior testing. The programs "Oncoprotein", "Normal protein" and "Kuprum meth" were tested when working with patients suffering from oncology. Here

the impact on both median meridians is mainly used. The use of the apparatus for bioresonance therapy, which implements the action along the anterior and posterior median meridians, made it possible to reduce the therapy time from 30 to 30 minutes.

#### 7) Psychosomatic therapy

We work with the simultaneous action of signals from the middle meridians and the "Alpha rhythm" induction program (hypnosis according to Erickson and work with the subconscious through sound affirmations). An increase in the effect is observed. The use of bioresonance therapy along the anterior and posterior median meridians gives a greater effect than complex meridian drugs. Interestingly, with such work, patients do not fall asleep, which has happened before. In most cases, only one of the median meridians is used. Research in this area is ongoing.

#### 8) Energy work with chakras

The classic version of chakra therapy according to the method of P. Schmidt by placing the patient's left little finger on the corresponding

image chakras at parallel connecting apparatus for bioresonance therapy, which implements the impact on the anterior and posterior median meridians through the UMT "Loop" not only gives good results, but also works much stronger and therefore can be used in acute conditions, such as, for example, a sharp increase in blood pressure.

The device is very interesting and important. When integrating the functions of bioresonance therapy along the anterior and posterior median meridians into serial equipment, it is desirable to preserve the possibility of parallel bioresonance therapy, as it is now.

---

N. Kempe Experience with a device for bioresonance therapy, which implements the impact along the anterior and posterior median meridians // XIII ##### "### #####  
##### "- M.:  
"IMEDIS", 2007, vol.2 - p.10-15