

Light probe and light chronosemantics in bioresonance therapy

A.E. Kudaev, K.N. Mkhitarian, N.K. Khodareva

(LPTs "Artemida", GUZ "TsVMiR No. 1" RO, Rostov-on-Don, Center "IMEDIS", Moscow, Russia)

1. Introduction

Research carried out by a team of authors established the phenomenon of transfer of a control signal (as it is often said, "information") from one biological system to another using a light beam with certain characteristics of electromagnetic radiation [1]. On the basis of these experiments, a new apparatus for transferring information was developed - a light probe, with the help of which the transfer of "information" from one biological system to another is carried out by a laser beam. The use of a light probe in chronosemantics and in the practice of targeting drugs at KMH radically changed these procedures in terms of their technical execution. What used to take hours is now taking minutes. In addition, it became possible to record processes that practically cannot be carried out using a contact probe [2]. However, the introduction of any new tool for transferring "information" generates many "pitfalls". To date, there are no objective tests developed and / or

criteria that make it possible to compare (according to some quality) different channels of transfer of a control signal between biological systems. Therefore, it is necessary to assess the quality of information transfer with the help of any new instrument on the basis of the effectiveness of its use in clinical practice. The examples of the use of a light probe for chronosemantics and targeting of energy-information preparations given below show that this instrument, at least in some cases, is no less, and possibly more effective for transferring information than its predecessors - the contact probe and inductor. Parsing these examples at the same time is:

- a good reason to acquaint the reader with the new scheme constitutionally oriented adaptation preparations - according to the light CMH, as well as with a new chronosemantic scheme - light chronosemantics (the definition of these concepts is given in the next subsection).
- a good reason to think about the possibility of changing the patient's life scenario with the help of special techniques for the better. That is, the possibility of correcting his fate, no matter how heretical it may look from the point of view of modern ideas.

2. Necessary concepts: "external burden", special drugs, light chronosemantics and constitutionally-oriented adaptation of drugs to light KMH

The practice of diagnostics and therapy used by our group includes several techniques that have proven diagnostic and therapeutic efficacy:

one. "External burden", its diagnosis and use in therapy. Under the "external burdening" means a specific state of the body, which:

- within the framework of ART it looks like a vegetative resonance of the body in response to its load by most of the following test indicators:
 - "radioactive burden";
 - "pineal gland meridian" from the PCR;
 - "Inputs and Outputs of Chakras 1-7" by "OTI";
 - a pointer to the multiplicity of biological indices;
 - the last three biological indices (19, 20, 21);
 - the first three levels of adaptation (drying up constitutionally oriented adaptation);
- the potency of the oncoprotein;
- the potency of the drug Fuzailova;
- the potency of HIV infection.

The decision on the positiveness of the test for "external burden" is made in the case when all or most of the above test indicators cause a vegetative

resonance:

- in clinical manifestations it looks like the inability of the body to provide an adequate response (the inclusion of a suitable functional system) when trying to therapy the body "directly": for example, with the help of a general or particular BR drug (PBS) [3] or even with the help of building a suitable functional system according to A. BUT. Hovsepyan [4].
- in the anamnesis it is often present as a presumptive consequence of a person's appeal to a psychic (sorcerer) or the influence of a psychic on him, as well as a person getting into situations in which an energy-informational influence from other people or even technical objects could be exerted on him (prolonged stay in a geopathogenic zone, overload during resonance therapy of a large number of patients, etc.).

The composition of the group of test pointers used to determine external burden may vary. In this work, only the unchanged "core" of this group is indicated, which is included in all variants of the test for "external burden" without exception.

The role of "external burden" in therapy, in principle, is not too different from the role of any other burdens: without removing it, first, it is impossible to carry out adequate therapy for the body. The importance of the concept of "external burden" is due to:

- firstly, the fact that this condition is often found in the practice of ART and BRT,
- secondly, by the fact that, having removed the state of "external burden", we often carry out, figuratively speaking, "more than half" of the work on the patient's therapy. In this sense, the test for external burden can be considered as one of the solutions to the problem of compactification of the patient's diagnosis [5].

2. Special drugs. Quite a large group of energy-information drugs developed by us and gradually (as tested) introduced into the drug selector. A complete listing of drugs from this group is beyond the scope of this work, and it is impossible due to:

- the inconstancy of its composition over time;
- use, in the manufacture of drugs from this group of some of the authors' know-how. The group of special drugs includes, in particular:
- systemic spiritual adaptants (SDA), which are energy-informational copies (EIC) of confessional shrines [6]. Of these, the examples often mention the drugs "Life-giving cross" (LC) and "Nikolai the Wonderworker" (LF);
- S-drugs, which are the sums of recordings of signals of several energy-informational processes of the same type, for example, diseases of the same or similar nosology in different patients;
- special fateful drugs (SP), such as, for example, the joint venture "Happiness", "Material well-being", "Good luck". The recipe for the manufacture of these drugs is still the know-how of the authors;
- drugs of class A, which are energy-information copies artifacts, those objects with "strange fate" and "strange behavior", for some reason interested people. Examples are the EIC of the Sikhote-Alin meteorite substances provided to us by the research team of the Synergy Center under the leadership of S.L. Sobotovich, currently included in the drug selector, Vitim body, substances of height 606, etc.

3. Light chronosemantics. A kind of chronosemantics, in which the information the patient is exposed to a light probe, and the signal-response is written off from his head (i.e., presumably, the reactions of the central nervous system to this signal are written off). The light chronosemantic preparation is designated below as SHSP.

4. Light KMH (SKMH). Equivalent to KMX, obtained with a light probe, by "writing off" information through the light channel from each mantic BAP of the main chiroglyphic lines of the palm.

5. Optimization (in "live speech" - optimization). Modification of the original energy-information preparation M into preparation M' in order to fulfill for preparation M' a certain set of VRT conditions of the form:

$$K_i + M', i \in K,$$

where K is a set of test pointers describing, for example, a specific or

the ecological part of the diagnosis, or even both of these parts [5], - sign "belonging", K - a set of indices numbering the set of test indicators K (i.e. numbers of individual test indicators from K to K). In the practice of the LPTs "Artemida" and TsVMiR No. 1 of the Rostov region, to optimize the energy-informational preparation, only its potentiation, or potentiation with preliminary inversion, i.e. preparation M 'was sought in the form of $M' \text{Pot}_\alpha M$ or $M' \text{Pot}_\alpha(i M)$, and the VRT optimality conditions were as follows:

$$K_i + \text{Pot}_\alpha M, i \in K,$$

respectively:

$$K_i + \text{Pot}_\alpha(i M), i \in K,$$

in the case of using preliminary inversion of the drug.

6. Constitutional-oriented optimization (in "living speech" - adaptation, or constitutional optimization) of an energy-informational preparation - optimization of the preparation according to the SKMH test-index. those. (taking into account that the optimization of the drug was carried out exclusively with the help of its potentiation or potentiation with preliminary inversion), before the fulfillment of the VRT conditions:

$$SCMH + \text{Pot}_\alpha M,$$

respectively:

$$SCMH + \text{Pot}_\alpha(i M).$$

Indexing is not needed here, since the set of test pointers consists of a single element.

7. "Drug-response" - a slightly modified BPS for the manufacture of which in as a marker, the inversion of the signal written off from pain zone the patient, and in order to ensure the therapeutic effect of the drug, a time selection of the signal is performed: the recording of the therapeutic drug is carried out after the patient compensates for the load by inverting the pain signal [6].

3. Some features of the use of ART and BRT techniques in the work of the LPC "Artemida" and TsVMiR No. 1 of the Rostov region

In the treatment-and-prophylactic work of the LPC "Artemida" and TsVMiR No. 1 of the Rostov region, the methods of ART and BRT were used with certain peculiarities:

- on the one hand, the methods of therapy and diagnostics were widely used, which proved their effectiveness in practice,
- on the other hand, no methods were used, the application of which caused clinical complications or "inconsistencies" between the results of ART and BRT with the clinically expected effects.

In particular:

1. Treatment of patients was carried out exclusively by a combination of chronosemantic methods (last year - light), therapy with optimized nosodes and optimized special drugs.

2. Preparations OBR and BPS were not used, since during testing they often showed constitutional inconsistency, and during therapy they did not always turn out to be quite effective (methods for optimizing the OBR and PBS were developed and tested only in 2007 and are presented in [5]). An exception is the method of obtaining a "response preparation" used by the authors to interrupt acute conditions and pain syndromes.

3. When treating a patient, the "fateful" aspect of therapy has always been considered, the task was to improve his life circumstances. The disease was not considered in isolation from the general disruption of the patient's normal course of life.

4. Statistical data on the application of the BRT method in joint medical practice

MCIT "Artemis" and GUZ "TsVMiR No. 1" RO

All patients shown in Table 1 were taken for treatment after unsuccessful therapy by methods of classical medicine.

Table 1

Nosology	Rack. improved (number of patients)	Relates. improved (number of patients)	Without. improved (count sick.)	Total (number sick.)
Ill. respiratory organs Bronchial asthma	69	twenty	-	89
Diseases of the heart vessel systems	47	56	-	103
System diseases digestion	187	45	nine	241
Kidney disease and urinary systems	157	41	-	198
Diseases of the central nervous system and peripheral nervous systems	12	21	five	38
Diseases of the musculoskeletal locomotor apparatus	26	21	-	47
Skin diseases and scalp	22	49	12	83
Genital diseases spheres	128	87	-	215
Diseases of the endocrine system	17	65	7	89
Fate science	28	18	one	47
Total	693	423	34	1150
Total,%	60.2	36.8	3	

Notes:

1. Persistent improvement was understood as either complete recovery, or the onset stable remission during a chronic disease. Relative improvement was understood as an improvement in the general condition, the transition of the disease to a subacute state, accompanied by the presence of the main symptoms.

2. The column "Fateology" describes a group of patients who applied to one of the centers, with an order to change a life scenario (figuratively speaking, "the degree of luck" in a particular area of life circumstances). The success or failure of the "fate correction" supposedly made to these patients was assessed solely by the occurrence (or non-occurrence) of events that changed the patient's life scenario in the direction he desired, i.e. subjective assessments of the situation by the patient or the doctor were not taken into account. For example, if the main fateful complaint was about the lack of personal life, then persistent improvement corresponded to marriage or the appearance of a permanent partner, relative improvement - the appearance of one or more non-permanent partners, in all other cases the impact was assessed according to the column "no improvement".

5. Examples showing the effectiveness of the devices used and the methods described their application

1. Patient K., 35 years old. Diagnosis: Secondary infertility. Anamnesis: has a 10-year-old child first marriage, second marriage within 6 years, infertility. An academic examination of the woman and her husband did not reveal any pathology.

Diagnosis was performed using the ART method. The test for "external influence" is positive. A joint venture was selected - a proadapater to eliminate the "external influence" - "The amount of negative information programs". The adaptant was optimized according to the SCM (the marker was obtained using a light probe), the resulting adaptant was assigned to 3 croup each. 2 times a day daily. In addition, an inverse blood autonosode was made, optimized according to the list of resonant organopreparations from the "endocrine system" group, the prepared preparation was prescribed for 4 croup each. 2 times a day daily.

Reappointment after 3 months. The patient has a pregnancy of 4-5 weeks. With ART, there are no signs of "external influence". The patient said that the next day after taking the prescribed drugs, she was surprised to see that at her homelily bloomed,

which has not bloomed for 6 years before, at the same time, 6 flowers appeared on the plant at once, which is not typical for this species. This case, from the point of view of the authors, may indicate the unity of the information system of a person and his environment.

2. A man of 30 years old. Works as a loader. I contacted the Center "Artemis" in order to solve the question of the possibility of socialization (fate correction). During the ART study, signs of "external influence" were found. Attention was drawn to the absence of the line of Saturn (Destiny) on both hands. Light chronosemantics with the marker ZhK + LF + SP "Happiness" has been produced. The resulting ChSP was prescribed for 3 croup. 2 times a day. In parallel, JA preparations were prescribed for 3 croup. 2 times a day and LF for 3 croup. 1 per day.

Reappointment in a month. A fate line appeared on both hands of the patient. He said that a week after he started taking medications, he lost his job, and a week later he found a new job - he went into business. The patient underwent light chronosemantics with a marker aimed at increasing well-being, the drug was prescribed 3 croup each. 2 times a day daily. Reappointment in another month. The patient has a second parallel line of fate. An optimized blood autosode was made according to the list of tested organopreparations, the drug was prescribed for 5 cereals. 2 times a day daily.

In 3 months. The patient organized his own company, engaged in the construction of cottages. At the present time (2 years of observation) he continues to successfully engage in business.

3. Patient O., 32 years old. Diagnosis: Fibrocystic mastopathy of both mammary glands, chronic adnexitis, cystic changes in the ovaries.

The patient turned to the LPC "Artemis" in order to correct her fate in connection with the disorder in her personal life and socialization (lack of work).

The study with the help of ART revealed "external influence", positive tests confirming the clinical gynecological diagnosis, revealed chlamydia, ureaplasma, mycoplasma (the presence of these infections was confirmed by immunological diagnostic methods). The patient underwent light chronosemantics with the marker ZhK + LF + SP "Happiness". The prepared KhSP is assigned to 3 cereals. 2 times a day every other day. At the same time, the patient was prescribed FA preparations, 3 croup each. 2 times a day and LF 3 croup. 1 time per day every day. Reappointment after 1 month. The patient notes an increase in pain in the lower abdomen, in the mammary glands. In connection with the exacerbation of clinical symptoms, therapy was prescribed: an autosode of blood optimized according to the list of tested organopreparations and nosodes, 5 croup each. 2 times a day daily, an optimized nosode of the joint venture "Sexual Infections", 4 croup each. 2 times daily. At the same time, a constitutionally oriented adaptation of the Loneliness joint venture was made and assigned to the patient using the SKMH marker (the marker was obtained using a light probe). The patient also continues to take JA and NP preparations.

A month later, repeated admission. The patient found a job. Positive clinical dynamics is noted - pain in the abdomen, the mammary glands are not disturbed. With ART research: chlamydia, ureaplasma, mycoplasma were not identified (confirmed immunological tests). The patient was made optimized, according to the list of tested in higher potencies nosodes of diseases and OP, blood autosode, the drug was prescribed 4 croup 2 times a day daily. In addition, a constitutionally oriented adaptation of the ZAGS JV (prescribed 3 cereals 1 time per day every day) and a drug aimed at increasing material well-being (prescribed 3 cereals 2 times a day daily) to the KMH marker (the marker was obtained from using a light probe). The patient continues to take the previously assigned SDA.

One more month later. Subjectively, the patient feels good, there are no complaints. A permanent young man appeared. Light chronosemantics with marker JV "Loneliness" + JV "ZAGS" the drug was + Joint Venture Material Wellbeing + LCD + LF, prescribed for 4 cereals. 2 times a day, assigned daily. The patient continues to take to her earlier by the SDA.

Similar therapy was carried out in flow ninemonths, moreover destination optimized nosodes and SCHSP alternated between itself (light chronosemantics was carried out once every 3 months). After 8 months, the patient got married and left for Italy for permanent residence.

4. Patient T., 30 years old. Diagnosis: chronic adnexitis, endometritis, fibrocystic mastopathy, chlamydia, ureaplasmosis. The diagnosis was confirmed clinically, instrumentally, immunologically, by ART research.

The patient is socially provided, the main purpose of the treatment is to correct her fate in connection with problems in her personal life (the absence of an intimate life for about 3 years). The patient underwent therapy with alternation of optimized (with respect to the list of resonant organopreparations and disease nosodes) autosodes and chronosemantic drugs. Light chronosemantics was carried out with markers JK, LF, as well as SP "Happiness", "Loneliness", "Love", "ZAGS", in various combinations, with preliminary constitutional optimization of the used target markers in relation to SCMH. After 10 months, the patient got married.

5. Patient R., 53 years old. Diagnosis: Menopause, climacteric neurosis, asthenic-depressive syndrome. When testing the Bach Flowers group of drugs, 2/3 of the group are positive. A "response preparation" was made according to the tested preparations "Flowers of Bach". The resulting drug was prescribed to the patient, 3 croup each. 2 times a day daily. At the same time, an FA preparation was prescribed for 3 croup. 2 times a day.

The patient came in a month later, there are no complaints, she feels well, and she is in a good mood.

6. Patient K., 48 years old. Diagnosis: cervical osteochondrosis, recurrent pain syndrome, exacerbation. At the reception, severe pain in the neck worries. In the course of an ART study, organ products of muscles and ligaments related to the problem were tested. According to the tested list, a "response preparation" was made using a light probe. After taking 4 cereals. the drug after 10 minutes the pain subsided. Subsequently, the patient underwent therapy with a constitutionally optimized urine nosode.

7. Patient A, 32 years old. Diagnosis: Coxarthrosis of the right hip joint 3-4 tbsp. The patient was offered surgical treatment - joint prosthetics. The patient underwent systemic therapy for a long time using targeted urine nosodes, "response drugs" (to relieve acute pain), light chronosemantic therapy (with markers of GI, LF, SP "Happiness", in various combinations).

After 8 months, stable positive results were obtained. There are no pains and stiffness in the joint, there are no restrictions on movements in the joint (the patient wears high-heeled shoes). The question of surgical intervention has been removed. To date (observation for 2 years), periodically supportive therapy is carried out with a prophylactic purpose.

8. Boy 4 years old. Diagnosis: stuttering. With ART, an "external influence" was revealed. At testing of the child's mother also revealed signs of "external influence". To remove the "external influence", the drugs "The amount of negative information programs" (for the mother) and "the amount of SDA" (for the child) were prescribed. All drugs are constitutionally optimized (optimized relative to SCMH). Mom was additionally prescribed an optimized blood autosode according to the list of organopreparations resonant to her body from the "endocrine system" group of drugs (4 croup. 2 times a day daily). The child was additionally prescribed FA and NP preparations, 1 croup each. 2 times a day.

2 weeks after taking the drugs, the boy stopped stuttering.

Repeated admission in a month, the child was recommended to continue taking SDA, the mother was prescribed an LF drug.

Literature

1. Kudaev A.E., Mkhitarian K.N. Khodareva N.K. Methods of objectifying the phenomenon "Information transfer" of the action of material (material) drugs // Abstracts and reports of the XII International conference "Theoretical and clinical aspects of the use of bioresonance and multiresonance therapy", Part I. - M.: IMEDIS, 2006. - P. 156-167.

2. Brichuk V.A., Koritskiy OV, Koritskiy Yu.V., Mkhitarian K.N. Evolutionary program lizard regeneration // In this collection.

3. Avanesova TS, Avanesova EG, Gotovsky Yu.V. Algorithm of therapy using ART in the treatment of patients with various clinical pathologies // Abstracts and reports IX

International conference "Theoretical and clinical aspects of the use of adaptive bioresonance therapy." Part I. - M.: IMEDIS, 2003. - P. 23–29.

4. Ovsepyan A.A., Machanyan A.S., Gotovsky Yu.V. New approaches to simulation modeling the processes of diagnostics and therapy using the AIC "IMEDIS-Voll" // Abstracts and reports of the IX International conference "Theoretical and clinical aspects of the use of adaptive bioresonance therapy". Part I. - M.: IMEDIS, 2003. - pp. 65–84.

5. Gotovsky M.Yu., Goltsov A.V., Kudaev A.E., Mkhitarian K.N., Khodareva N.K. Compactification of the diagnosis in ART // In this collection.

6. Kudaev A.E., Mkhitarian K.N. Khodareva N.K. Multilevel systemic therapy targeted energy-informational preparations and Systemic Spiritual Adapters. - Taganrog: LLC Lukomorye Publishing House, 2005. - 128 p.

A.E. Kudaev, K.N. Mkhitarian, N.K. Khodareva Light probe and light chronosemantics in bioresonance therapy // XIII