

Influence of viruses on human health

Vitrik L.A.

(Moscow, Russia)

Viral infections pose a great danger to the body, especially latent, slow-moving ones. We must never forget that, settling in the DNA of a cell, the virus leads to immunodeficiency, oncology, and autoimmune diseases. Often people are calm about herpetic eruptions on the lips, but they do not know that viruses are located in the sheath of nerves, ganglia, plexuses and disrupt the work of internal organs.

They do not know that the "harmless" herpes virus lives and multiplies in the pancreas, liver, kidneys, sinuses, leading to weakness, heaviness in the head, impairment of memory and vision, and causes chronic fatigue syndrome. In the blood, the number of CD4 T-lymphocytes decreases. If resonance frequency therapy (RFT) is performed for the herpes simplex virus, then the titer of Jg G rises in the blood. For example, before treatment - 1: 6400, after treatment - 1: 12800. Early diagnosis is difficult, but RF diagnosis still helps discover it. An increase in the level of early diagnosis of latent infections is possible due to ART "IMEDIS-TEST +" on the device "IMEDIS-EXPERT", which means that the quality of treatment of obvious problems will be better. This is also important in terms of prevention for the future.

The rapid spread of HIV infection forces us to seek better approaches to treatment. It is possible that the use of RFT, BRT, homeopathy and medicines is more effective at the same time, because energy-informational therapy will work at the DNA level and remove viral DNA into the blood, and medications will work in the blood, including the immune system. When treating HIV-infected people, it is necessary not only to remove HIV viruses, but also not to forget about AIDS-indicator pathogens: CMV, hepatitis viruses, toxoplasmosis, aspergillosis, candidiasis, trichomoniasis, varieties of herpes viruses, tk. they also reduce the indicators of CD4 and CD8 of T-lymphocytes. When prescribing drugs, one should not forget about the immunocorrecting properties of some nosodes of bacteria and fungi: nosodes of mycobacterium tuberculosis, whooping cough sticks, anaerobic corynobacteria, salmonella, brucella, Escherichia coli, staphylococci and streptococci. Mushrooms are best tested using Sanum Kehlbeck's products (these are non-pathogenic strains that can cause cross-immune reactions). These nosodes stimulate the production of T- and B-lymphocytes, macrophages.

Example 1

Patient A., born in 1973. Since 1999, a positive reaction to HIV infection and the hepatitis C virus. Minor pains in the right hypochondrium, skin rashes. On the x-ray of the lungs - areas of pneumosclerosis. The examination revealed HIV infection, hepatitis C virus. Drugs were prescribed, including Spec. Crotalus preparation. Reaction to Special. the drug Crotalus was as follows: fever, loose stools, vomiting, chills, pain in the liver. Subsequent visits revealed: Cocksackie B4 virus, herpes simplex. Reception of prescribed drugs Spec. preparation Elaps and Spec. Naja preparation was accompanied by skin rashes, sweating,

rise in body temperature, chills, loose stools. Against this background, overall health improved. Chronosemantic therapy was carried out, where the target marker was the chromosomes and nosodes of the viruses. According to the ART method "IMEDISTEST +" were detected at Level 3: CMV, varicella-zoster virus, measles and hepatitis C virus. Vipera drug was accompanied by a rise in body temperature up to 38 °, aches like with the flu. There is no pain anywhere. The general state of health is good. Upon contact, the patient had the following blood counts:

February 18, 2003: CD4 + - 230 cells. (18%)

CD8 + - 820 cells. (66%)

SD4 + / SD8 + = 0.3 December 15, 2003 SD4 + -133 cells. (11%) CD8

+ - 895 cells. (74%)

SD4 + / SD8 + = 0.1

Before this examination, he suffered from the flu, but was feeling well. The last survey was dated February 17, 2004. Jg A, M, G - normal. CD4 + -384 class. (thirty%)

SD8 + -640 cells, (50%) SD4 + / SD8 + = 0.6

The treatment was carried out without additional medications, but now IMUNOVIT and PROTEFLAZID are connected.

On the X-ray of the lungs, there are no signs of pneumosclerosis. Ultrasound of internal organs - no pathology, biochemical blood test - all indicators are within normal limits. The treatment will continue.

Example 2

Patient A., born in 1981. Positive reaction to HIV and hepatitis C since 2001. The treatment was carried out against the background of RAFERON. Taking medications Spec. preparation Elaps, Spec. preparation Drosera, Spec. Vipera was accompanied by pustular skin rashes, enlarged cervical lymph nodes, headache, dizziness and nausea. There are no viruses in the last blood test.

Applying the diagnostics of ART "IMEDIS-TEST +" on the device "MINIEXPERT-D" since June 2003, I drew attention to the fact that at Levels 1 and 2 the autoimmune process is not tested, but at Level 3 it appears. Therefore, it is effective to use Spec. preparations of poisons, tk. they inhibit the production of auto-Ab and increase phagocytosis. At Level 3, catalysts are well tested.

Through diagnostics at Levels 2-3, it is better to carry out chronosemantic therapy, where pathogens, nosodes or various indicators of the depth of the lesion in the body can be the target marker.

Thus, thanks to more in-depth diagnostics on the device "MINI-EXPERT-DT" (module for VRT +), it is possible to more accurately diagnose and better treat acute and chronic processes in the body.