

## Using the equipment of the Center "IMEDIS" in solving complex problems of cosmetology

Deryabina<sup>one</sup> N.K., Makarova<sup>one</sup> N.S., Deryabina<sup>2</sup> U.V., Levykh<sup>3</sup> V. Ya.  
(<sup>one</sup>Saratov, <sup>2</sup>Voronezh, Russia; <sup>3</sup>Berlin, Germany)

The goal at the very beginning of treatment was not at all cosmetic skin defects, but other more significant problems - uterine fibroids, nodes in the thyroid gland, endometriosis, functional disorders of the nervous system, disorders in the liver and gastrointestinal tract, prostate adenoma, chronic prostatitis, dysbiosis ... It should be noted right away that the work was carried out by specialists not dermatologists and not cosmetologists. We do not at all deny the importance and role of cosmetic products (if they really meet existing standards), decorative cosmetics. The positive changes obtained in skin diseases were concomitant and at first unexpected for the patients. The main ones were the diagnoses mentioned above. In each case - a long history, many diseases, and, as they say, "not to the skin." As the problems "went away" skin how organ according to other (somewhat different) schemes. By that time, each patient had confidence in the method of treatment based on the positive results already obtained. It is known that an integrated approach to the treatment of not one organ, but the whole organism is the key to success. This is what distinguishes multiresonance therapy and gives it clear benefits. We select the core of pathology, work with it. In parallel, a lot of problems "go away". What skin diseases did our group of patients have, with which we worked as "with an accompanying problem"?

Acne - various. Against the background of our treatment in a short time, face and body became cleaner, and then, for many years, the existing problem disappeared altogether. There were many such patients (50% were men and 50% were women). Everyone's skin has become elastic, lighter, and rejuvenated. There are no wide pores, scars (after acne). A more complex treatment for conglobate - "piled up" - acne conglobatae eels. There is an opinion in classical homeopathy that such acne occurs in persons with a predominance of Tuberculinum as a "miasma" (not to be confused with tuberculosis). These patients received treatment regimens that exist in classical homeopathy - according to the prevailing "miasm" and according to the constitution (unfortunately, there are few "pure" constitutions - and this is the difficulty). However, the use of ART and BRT turned out to be very effective and quickly giving results - acne disappeared even in such patients. Once again, it must be emphasized that the cleansing of the skin was concomitant, not the main problem. The treatment regimen was drawn up individually for each, but according to one principle - they eliminated geopathogenic, radioactive load, interference fields, etc. The state of the endocrine system and neuropsychic activity was restored. In all cases, general and specific BR drugs were used. The same applies to warts and papillomas, which have been successfully "removed" and "removed" without external influences according to the same principles and schemes. Additionally, resonance frequency therapy was used according to the programs

F61–67 (for acne) and F223–232 (frequency of warts), intensity 100 conv. units We used the frequencies that were appropriate for testing. Usually, warts were the first to disappear, then papillomas, and acne last. Further, there was a general improvement in the structure of the skin, it became soft, elastic, and its color improved. The skin seemed to rejuvenate from the inside.

Hair - various problems: impaired growth, thin hair, oily or dry, increased hair loss, etc. We treat all this (and is considered as a concomitant) in our work with chronic diseases. Such cases are not isolated, there are many of them. There is only one scheme - we highlight the main problem. In the presence of psycho-vegetative loads, endocrine disorders, we work with them. Although the etiology of premature baldness is not fully understood, and there is no unified theory, the state of the nervous system is of great importance: intense mental work, overwork, insomnia, mental stress.

A regularity was found: hyperfunction of the thyroid gland is often accompanied by hair loss and premature graying, and hypofunction - their dryness and brittleness. Disturbances in estrogen-androgen hormonal balance often lead to baldness. The above dysfunctions may be the result of disorders on the part of the neuro-autonomic system or the result of chronic pathology on the part of the liver, gastrointestinal tract and other organs. Premature hair loss is often caused by changes in protein and mineral metabolism (there is a deficiency of iron, magnesium, zinc, copper, calcium), and, as you know, trace elements play an important role in intracellular processes.

Avitaminosis, taking certain medications, heredity can also cause premature hair loss. The theory that attaches great importance to the effect of mechanical factors is not rejected (they include everything that leads to difficulty in blood and lymph circulation, which contributes to the malnutrition of the head tissues). The mechanical theory served as the basis for the surgical treatment of premature baldness. There are many theories. In each case, an individual approach is required, there may be a predominance of some factor or a combination of several. If indicated, we use resonance frequency therapy for dermatophyte fungi (affecting the epidermis, hair, nails - the Trichophyton group), viruses, protozoa and helminths, fixed frequency therapy according to programs E (oily skin, dry skin, baldness, thin hair). (The schemes are described in detail in the materials of the Conferences, they are studied in the primary courses of study). We select programs, frequencies at the reception during testing.

What you need to pay special attention to are locally scattered, clearly marked foci of baldness among outwardly healthy hair. Alopecia areata is an important medical problem. It is difficult to work, but promising. There were two observations - a woman and a man, both had good results in the treatment. In the places of baldness, hair grew (after about 1-1.5 months the first ones appeared - vellus), then they got stronger, new ones grew. Now there are no signs of baldness. Follow-up - three years. It should be emphasized that before multiresonance therapy, our patients used various methods, including homeopathy, treatment by cosmetologists, dermatologists, numerous medicinal balms, shampoos, physiotherapeutic procedures and much more. In these cases, private BRs were used.

preparations ("anti-baldness" from the surface and "anti-baldness" from the depths) according to the schemes for hair. In both cases, frequency therapy was used according to programs F (fungi), E (hair). It is important to emphasize especially - we have always used a common BR-drug - "the drug of Yu.V. Gotovsky." By the way, the result in these cases exceeded the expectations of not only patients, but also doctors.

Nails. Frequent complaint - exfoliate, transversely or longitudinally striated, brittle. This problem is not complicated, often such manifestations are found in violation of mineral metabolism, endocrine dysfunctions. If we correctly determine the causes, then we eliminate these violations relatively quickly (not counting the consequences of severe injuries with mechanical damage to the nail). If there is a fungal infection, we work with this problem without using medications. Resonance-frequency diagnostics and therapy helps - programs F263-372. However, the recommendations of a dermatologist are never canceled (unless it is an operation or gross manipulation). We worked with disfigured thick gray-whitish-dull nails, with an uneven nail plate. On the cross section, there is a honeycomb-like mesh. Such nails also succumbed to ART and bioresonance therapy while taking a general BR-drug, resonance frequency therapy (program F263-272, intensity 100 conventional units). Always (this is mandatory) nail treatment has been carried out against the background of the underlying disease in the context of the whole organism.

Knotted fingers with limited movement in small joints. Should we attribute this problem to cosmetology or not? In any case, it occurs and interferes - restricts movement and is not aesthetically pleasing (as noted by the patients). We are working with this, and we are "removing" it.

#### Example

Patient L., 57 years old. We continue to work with her due to the presence of chronic pathology. A list of diagnoses alone will take up a lot of space. Now she is experiencing an improvement in her health. At the same time, the fingers of the hands became completely different - the disfiguring "bumps", due to which there were significant restrictions on the range of movements, disappeared, the fingers did not straighten. The patient did not count on this and did not hope for it. Currently, there are only small thickenings on the 1st phalanx of the index fingers of both hands (in the joint area), but they are soft and movements have been outlined there. The skin of the hands became light and soft. By the way, for many years existing knotty thickening of the joints of the fingers with limited movement in them was not the complaint that led the patient to the doctor (see the treatment regimen below).

Keloid scars Is a mystery and pain for the doctor and the patient. They even isolated in a separate group, because in appearance, pathogenesis and treatment, they differ from other scars. They occur at any age - after burns, injuries, abrasions, at the site of the former injection, after acne, puncture of the earlobes ... Carefully performed operation, in compliance with all the rules of medicine, plus high skill and skill of the surgeon - this, unfortunately, is not yet the final result ... The keloid begins to form 2-3 weeks after the wound heals by primary intention. Initially, this is a limited induration in the thickness of the delicate scar tissue. Then it quickly increases, turning into a rough scar, reaches a significant size, maintaining a tendency to grow for many years, accompanied by itching, burning, soreness, tingling sensation and tissue tension (as a result, -

sleep disturbance, asthenic state). Most often, keloid scars have clear outlines that sharply delimit it from healthy tissue. The surface of young scars is smooth, shiny, has a juicy purple-red color, and at a later stage, the color is cyanotic or pigmented. At the same time, when in the middle zone there is a resorption of the scar tissue with its atrophy, in the area of the end sections the scar continues to grow with the involvement of externally unchanged tissues in the process. Localization - on the face, neck or other open areas of the body, not only leads to disfigurement and deformation, but is often the cause of severe neurosis. And if such scars appear after a planned cosmetic surgery, then an even more acute problem is understandable and obvious. Legal aspects are added to the issues of treatment (it is long-term and not always effective). The purpose of this article is not to describe the various existing methods, but it is worth noting that this treatment is rather complicated and does not always bring the desired success. First, conservative therapy is used with the use of medication and

physiotherapeutic methods (X-ray therapy, ultrasound, phonophoresis, electrophoresis - lidase, ronidase, pyrogenal, potassium iodide, hormones, etc. according to the appropriate schemes, with their own contraindications).

In addition to the above, they use the healing properties of natural sources (mud therapy, hydrogen sulfide and radon baths, naphthalan), although the effect of their use is small. Several courses of such treatment are often required.

As a last resort - a method of surgical excision of keloid scars, but it gives a high percentage of relapses. Surgical interventions are resorted to after the completion of the growth of scars and conservative therapy. In the case of a planned surgical treatment of patients with a history of wound healing with the formation of a keloid scar, complex therapy is applied to them in advance of the operation and in the postoperative period, trying to prevent wound healing through the keloid, taking into account general indications and contraindications, a number of measures are carried out aimed at prevention of such wound healing, but this is not enough - a keloid scar is formed. How to assess all this? What is the reason?

Wound healing is a complex biological defense reaction of the body in response to damage to a cell or tissue. The growth of keloid scars is based on a violation of the development of connective tissue: a delay in the processes of the final differentiation of cellular elements, long-term preservation of their active state, the development of connective tissue according to the embryonic type. These are the main provisions and views that exist in medicine and what we are taught at the medical institute.

If we look at the existing problem more broadly and, applying the knowledge of traditional medicine, treat the patient, we will get certain positive results. A keloid scar from the standpoint of classical homeopathy and the doctrine of "miasms" is the healing of a wound with "sycosis" in a person with a certain constitution inherent in him. This type of response to trauma (operation) is typical for a given person, and does not depend on the skill and class of the surgeon. Only through the keloid does it "heal" the wounds - this type of response is inherent in this patient (with the formation of "+" tissue). Therefore, any claims against medical workers are unfounded. Like this

prove? It is necessary to carry out treatment according to the existing schemes, that is, to give homeopathic remedies according to the rules of classical homeopathy, taking into account the provisions on "miasms" - we will get an improvement. Quite amazing results are observed with multiresonant therapy. We know the schemes, they are already known when teaching in primary courses.

Special mention should be made of the drug Caripazim (Caripazynum 350 PU) - lyophilized powder, recently appeared on the Russian pharmacological market. Derived from papaya. It is a proteolytic enzyme preparation of direct action of plant origin, of a wide spectrum. It is introduced by electrophoresis. It is used for osteochondrosis of the spine, including in various forms of hernias of intervertebral discs and discogenic radiculitis, Schmorl's hernias (causing their resorption), post-traumatic flexion contractures of the fingers, spinal and cerebral arachnoiditis, facial nerve neuritis, arthralgia arthritis (which is important for us) keloid scars of various origins (see below).

Another problem, unfortunately, is not uncommon - condylomas (with localization on the genitals). There is speculation about their viral etiology. As a method of treatment in cosmetic institutions and in dermatology clinics, "moxibustion" is used with the use of medicines or devices. Relapses often occur, or after removal of one condyloma, a mass of others appears, i.e. the condition worsens (with all the ensuing consequences, especially when you consider that the treatment is carried out on a paid basis). In our observations, several patients received treatment (50% - men and 50% - women). Moreover, the candidiasis were not the reason for the treatment (these were the chronic progressive diseases indicated at the beginning of the article). The patients had other complaints. With regard to genital warts, they have already received many courses of various treatments that exist in medicine. In all cases, there was no positive effect or was insignificant and short-lived, in others - deterioration in the form of the appearance of new kondilom. Applying our knowledge, using the methods of multiresonance therapy, we received a stable (follow-up 3-4 years) positive effect already on the third or fourth day. Moreover, there were no externally visible changes on the skin after our treatment. In two cases, these were men with recurrent genital warts after "cauterization" in the clinic of dermato-venereology. At the first visit - complaints of a bad mood, a feeling of hopelessness, a desire to kill the culprit of the created conflict situation, sleep disturbances, hypertension and a host of other complaints, and not at all condylomas or their relapse. After a positive result obtained after a while on the above problems, the method of treating genital warts was applied, reported by patients. The effect for the patients was amazing, unexpected and very fast - on the 3rd day, the skin became clear without any rashes or formations.

In some cases, not 2-3 warts, but a mass - on the inner thighs with spread to the genitals, lower abdomen. In these examples, a large area would have to be "cauterized". We got an excellent result in a short time without any external influences (at the control examination after 1 year, the skin was still clean).

What is done? In all cases, different treatment options are available. Including for the removal of genital warts, resonance-frequency therapy was used according to programs F223-232 (warts), intensity 100 conv. units. Several patients were treated with homeopathic remedies (in particular, Thuja in low potencies), in other cases, constitutional remedies or predominant miasm treatment were used. Always - an individual approach, but in all cases bioresonance therapy was used.

Separately, it should be emphasized that in almost all patients in the course of treatment (other problems), the skin regains freshness and rejuvenates, much of the skin pathology that has existed for years disappears. This again underlines the importance of the skin as an organ in human life. As the function of the liver, kidneys, pancreas, gastrointestinal tract improves and restores, the body is cleansed, the regressive Vicarization according to Reckeweg is carried out (taking into account the biological barrier and the six phases of homotoxicosis), the quality of life improves. This became possible especially thanks to bio- and multi-resonance therapy.

The above cases and the following example confirm the above.

Patient K., 42 years old (with whom we continue to work). Lives and works in Moscow. For many years he has suffered from herpes, often recurrent. It has been treated for a long time, it is observed by the specialists of the clinics. They use a lot, but the effect is unstable. She applied in November 2004. During examination by the ART method, HPN was found (with localization - thyroid gland, uterus), electromagnetic, radioactive load. Determined the presence of nodes in the thyroid gland, uterine fibroids (then confirmed by ultrasound). Treatment was prescribed. It should be noted that the patient had only one complaint upon treatment - recurrent herpes. She did not know anything about the presence of nodular goiter and uterine fibroids. Attention was drawn to the complexion - earthy with brownish spots, the skin itself - greasy with enlarged pores, all over the face - acne (different - black dots, numerous halos of inflammation, traces of former acne). She had no complaints about her skin condition. It should be noted that the patient very carefully monitored her condition, regularly visited a beautician, did various cosmetic procedures, used expensive elite cosmetics. Significant changes in the condition of the skin of the face (this was also noticed by the cosmetologist of our patient). We continue the treatment according to our schemes. The skin is clean, fresh, rejuvenated. The other color is lighter with a blush. The structure of the skin has changed. The patient notes: "I do not believe my reflection in the mirror and shop windows - white skin, rejuvenated. I want to look at myself - I can't believe my eyes ...".

What treatment regimens are used? In all cases, they started, as usual, with a general diagnosis using the ART method. They are described in detail in the Materials of the last Conferences. Determined the presence of GPN, EMN, radioactive load. Eliminated them according to the existing schemes. Almost all psychovegetative disorders are determined. In these cases, Bach Flowers work very effectively. As a rule, many have low rates

bactericidal activity - up to 1-2 tbsp. nutritional value. Despite the absence of complaints, there are changes in the state of the endocrine system. In the presence of depletion, the organ in this state was determined, and hormones were determined through depletion (for details, see Conference proceedings, primary training courses). It should be noted that during the work (in particular, with the skin, as with an organ), among other things, the native preparations of the Heel company were used: Gepar, Coenzyme, Ubiquinon, Cutis, Tonsilla compositum and others (for testing). It is desirable to introduce Homeosiniatrium into acupuncture points (when performing BRT, add it to 2 containers of the device) daily or every 1-2 days. The next injection was indicated by a decrease in the activity of the ongoing regressive vicarization (especially after Tonsilla compositum). The scheme consisted of alternating drugs, and not the introduction of any one. The course is 15-20-30 injections (depending on the problem and the severity of the patient's condition). This treatment was carried out, of course, in conjunction with the use of bioresonance and multiresonance therapy. Drainage means, control by biological indices were used without fail. When carrying out bioresonance therapy, we used the introduction through 2 containers of organopreparations - "Skin", "Embryonic skin", "Connective tissue", and through 3 containers in inversion, what needs to be removed. For example, when working with keloid scars (or simply with scars), the "scar" preparation is inverted, and through 2 containers - the above preparations + Karipazim (it was also added to the cream and given in its native form). Any nourishing cream can be used as a base, but we took Traumeel homeopathic ointment from Heel. The combined use of various directions in existing medicine, centuries of accumulated knowledge of traditional medicine and officially recognized bioresonance and multiresonance therapy give completely unexpected results, improving human health and quality of life. This is the existing reality.

#### Conclusions:

1. The skin should be considered as an organ. Work the way we work with body - according to the same schemes and rules. Only then will we get a lasting positive effect.
2. There are no uniform dogmas, schemes, each case of skin disease is unique for his own.
3. Apply and take into account the treatment of skin diseases according to the schemes allopathic medicine, rather than reject it. Do not discard the recipes that have existed for centuries, try to figure out their expediency.
4. To resort to surgical interventions in extreme cases, applying in the beginning, all the views, methods existing in traditional medicine. Work, guided by the principle: "do no harm!"
5. The skin, as an organ, should not be separated from the whole organism. Working with dermal problems, while restoring the activity of all organs and systems.

---

Deryabina N.K., Makarova N.S., Deryabina U.V., Levykh V.Ya. Using the equipment of the Center "IMEDIS" in solving complex problems of cosmetology // X "IMEDIS", 2005, v.2 - P.86-97

---