Multiresonance therapy for severe chronic diseases
Minina L.N., Polovyan M.Yu., Eliseeva O.I.
("Eliseeva Methodological Center", Moscow, Russia)

In 2004, under the conditions of round-the-clock treatment, the doctors of the Center treated 494 patients, including 121 men, 360 women, and 13 children. All these patients were repeatedly treated in polyclinics and clinics of orthodox medicine for many years without effect.

According to the nosological forms of the disease, the patients were distributed as follows (taking into account the fact that one patient had several diseases):

I. Diseases	of the	gastrointestinal	tract

Chronic gastro-udodenitis	103 (20.9%)
Peptic ulcer	41 (8.3%)
Chronic colitis	171 (34.6%)
Dysbacteriosis	191 (38.7%)
Chronic cholecystitis	102 (20.6%)
Chronic pancreatitis	94 (19.02%)
Cholelithiasis	43 (8.7%)
Chronic hepatitis	37 (7.5%)

II. Diseases of the broncho-pulmonary system

Chronic bronchitis 81 (16.4%)

Bronchial asthma

(27 of them are hormone dependent) 44 (8.9%) Sarcoidosis 3 (0.5%)

III. The cardiovascular system

Ischemic heart disease, hypertension 107 (21.7%)

IV. Endocrine system:

Diabetes mellitus (15 of them on insulin therapy) 17 (3.4%)

Nodular goiter 27 (5.5%) Hypothyroidism 8 (1.6%)

Autoimmune thyroiditis 52 (10.5%)

V. Gynecological diseases

Myoma of the uterus	92 (18.6%)
Endometriosis	56 (11.3%)
Chronic adnexitis	14 (16.4%)
Polycystic ovary	53 (10.7%)
Fibrocystic mastopathy Breast	117 (123.7%)
fibroadenoma	86 (17.4%)

Vi. Andrology

Chronic prostatitis 64 (13%) BPH 17 (3.4%)

Vii. Skin diseases	
Dermatitis, eczema	115 (23.3%)
Neurodermatitis	81 (16.4%)
Psoriasis	4 (0.8%)
Mycotic lesions of the feet	132 (26.7%)

VIII. Kidney disease

 Jade
 72 (14.6%)

 Urolithiasis disease
 53 (10.7%)

 Kidney cysts
 18 (3.6%)

IX. Diseases of the spine and joints Rheumatoid arthritis 15 (3.0%) Osteochondrosis 132 (26.7%)

X. Oncology III-IV stage 18 (3.6%)

XI. Other diseases

Gloucoma 5 (1.0%)
Lymphadenitis 7 (1.4%)
Echinococcosis 3 (0.6%)

The etiology of diseases tested by ART (taking into account the combination of several microorganisms in one patient) was distributed as follows:

Worms	
Hookworm	135 (27.3%)
Ascariasis	170 (34.4%)
Strongyloidosis	65 (13.1%)
Trichinosis	172 (34.8%)
Schistosomiasis	164 (33.2%)
Opisthorchiasis	101 (20.4%)
Enterobiasis	142 (28.7%)
Echinococcosis	12 (2.4%)
Paragonimiasis	32 (6.5%)
Fascioliasis	143 (28.9%)
Hymenolepiasis	41 (8.3%)
Dipyldiosis	32 (6.5%)
Diphyllobothriasis	17 (3.4%)
Teniosis	6 (1.2%)
Giardiasis	291 (58.9%)
The simplest	
Trichomoniasis	247 (50.0%)
Toxoplasmosis	101 (20.3%)

Bacteria

Chlamydia	240 (48.6%)
Mycoplasmosis	160 (32.4%)
Ureaplasmosis	120 (24.3%)
Mucorosis	71 (14.4%)

Mushrooms

Mycosis fungoides 35 (7.1%) Aspergillosis 64 (13%) Candidiasis 494 (100%) Cytomegalovirus (CMV) 115 (23.3%)

Viruses

Epstein-Barr virus 126 (25.5%)

Herpes simplex 1 and 2 types 343 (69.4%) Dr. bacterial infections 494 (100%)

In the course of treatment, the following were used: EPT, exogenous and on endogenous BRT, BRT to the tested meridians using allopathic, homeopathic medicines, as well as their electronic counterparts, BRT according to the "golden section" using frontal electrodes. OBR and BSR preparations; induction therapy. Drainages of the ONOM company and immunocorrectors were widely used. A 7-day course of cleansing the body was used according to the methods of O. I. Eliseeva with the use of collecting herbs, irrigation of the intestines, classical massage, and therapeutic gymnastics. There were lectures on spiritual cleansing.

The results of treatment were assessed by the ART method, the general condition of the body, clinical analyzes (laboratory, ultrasound, X-ray, computer, ECG, gastroscopy, blood pressure control, etc.).

As a result of the therapy, 36 people recovered, a marked improvement - in 233 people, an improvement - in 111 people, a slight improvement - in 27 people, no changes - 17 people, worsening - in 4 people.

Conclusions: the use of multiresonance therapy in the treatment of severe chronic patients contributes to a faster recovery and improvement of the body's condition.

Minina L.N., Polovyan M.Yu., Eliseeva O.I. Multiresonance therapy for severe chronic diseases // XI

[&]quot; IMEDIS ", 2005, vol.2 - p. 177-181