

Complex treatment of chronic and oncological patients
(herbal medicine, EPT, BRT)
Eliseeva O.I.
("Eliseeva Methodological Center", Moscow, Russia)

Most of the patients who come to us for testing using the ART method are categorically opposed to surgical, radiation treatments and chemotherapy. Therefore, we have to study other methods of treatment in combination with new alternative methods, in particular, BRT, EPT, induction therapy.

The presence of phytopreparations in the selector of the hardware-software complex of the company "IMEDIS" allowed me to classify and develop complex treatment regimens (phyto, medicines, BRT, EPT, induction therapy, body cleansing).

For chronic and oncological diseases of the I-II stage, I recommend a preparatory treatment regimen.

Preparatory stage before using herbal poisons
one.

a) Sodium thiosulfate (Glauber's salt)

Dissolve 20 g of Glauber's salt in 20 g of cold boiled water. Drink 10 days at night (17^{thirty}). Every 3rd day, do an enema fractionally 4.0 liters. Apply 10 consecutive days monthly for 6 months;

or

b) Guttalax

Dissolve 20 drops in 20 g of cold boiled water. On every 3rd day, do a fractional enema of 4.0 liters. Apply 10 consecutive days monthly for 6 months.

2. Hydrogen peroxide 3% (pharmacy)

Drink, starting at 1 drop 3 times a day (morning - 7⁰⁰, day - 13^{thirty}, evening - 18⁰⁰). Add 1 drop a day, bring to 10 drops, i.e. 30 drops a day. Break for 3 days. Start again with 7 drops and add 1 to 10 drops. Already drink 10 drops 3 times a day up to 10 days. Then break for 5 days and now always start with 7 drops. Drink for 10 days. No more than 30 drops per day. Duration of use: all life.

3. Metronidazole (table) (pharmacy)

Take 1 tablet 2 times a day before meals for 10 days: in the morning - 7^{fifteen}, in the evening - 18^{fifteen}. Repeat after 2 months.

4. The next month, instead of Metronidazole - Tinidazole (table)

(pharmacy)

Take before meals 1 tablet 2 times a day: in the morning - 7^{fifteen}, in the evening - 18^{fifteen}, within 7 days. Repeat after 2 months.

5. Eating

Strictly adhere to the diet of Dr. Moerman: in the morning - 7^{thirty}, lunch - 14^{thirty},

in the evening - 18^{thirty}. Duration of use: all life.

6. Flumicon (table) (pharmacy)

Monthly alternating with Orungal, 1 tablet 3 times a day with meals: in the morning - 7^{thirty}, lunch - 14^{thirty}, in the evening - 18^{thirty}. Repeat every month.

7. Vermox (tab.) (Pharmacy)

Take 3 days, 2 tablets 2 times a day: in the morning - 7⁴⁵, in the evening - 18^{twenty}.

8. Pirantel (table).

7 days after Vermox. Take 3 days, 1 tablet 3 times a day: in the morning - 7⁴⁵, day - 16^{twenty}, in the evening - 18^{twenty}.

nine.

a) Linseed oil.

Take 2 teaspoons 3 times a day: in the morning - 8⁰⁰, lunch - 14^{thirty}, in the evening - 18^{thirty}, within 6 months. Can be added to salad during meals;

or

b) Flax seed decoction.

Broth: a teaspoon of flax seed in a glass of water, boil the mixture for 3 minutes. Take 50 g 3 times a day for 6 months.

10. Vitamin B (tab.) Complex

Take vitamins of group B in a complex (Multi-tabs B-complex) 1 tablet 3 times a day: in the morning - 9⁰⁰, lunch - 15⁰⁰, in the evening - 19⁰⁰, within 6 months.

11. Vitamin C (ascorbic acid or Prophylactin C) Take 6 tablets 3 times a day: in the morning - 9^{thirty}, lunch - 15^{thirty}, in the evening - 19^{thirty}, for 6 months or more. You can drink 2 tablets every hour, but no more than 18 tablets per day.

12. "Selenaktiv" (tab.)

Take 2 tablets 3 times a day: in the morning - 10⁰⁰, lunch - 16⁰⁰, in the evening - 18⁰⁰, for 6 months or more.

13. Nystatin (tab.) (Pharmacy)

Take 1 tablet 3 times a day on the days of taking metronidazole and tinidazole: in the morning - 10⁰⁰, lunch - 16¹⁰, in the evening - 18¹⁰, within 14 days. Repeat once every 3 months.

14. Cycloferon (2.0 ampoules injections) or thymalin (pharmacy), or polyoxidonium, or derinat, etc.

Select a medication by testing. Intramuscular injection of 2.0 ml in the evening - 19⁰⁰. Give 10 injections. Repeat 10 days in 3 months.

15. Bioresonance therapy

Carry out therapy 2 times a day for 20 minutes: in the morning - 10^{thirty}, in the evening - 19^{thirty}. Influence the selected meridians for 7 days, 3 days off. Duration of use: within 6 months.

16. Resonant frequency therapy (apparatus "MINI-EXPERT-T")

Time and intensity depend on the identified microorganisms. The therapy time for each frequency program is 7 minutes, the intensity is from 80 to 100 conventional units. Carry out therapy for 10 days. Repeat after 10 days, then - once every 3 months.

17. Induction therapy (apparatus "MINI-EXPERT-T") Anti-stress program 25 min. Carry out therapy once a day, in the evening - 20⁰⁰, within 7 days. The intensity of the impact is from 10 to 20 conv. units Carry out therapy for 7 days. Repeat after 2 weeks.

18. Milk thistle or silymar to protect the liver

Take 1 tablet with each meal. Duration of use: constantly.

The above scheme of recommendations is preparatory to the intake of herbal poisons. Preparation takes an average of 15–20 days. After this preparation, you can proceed to the following recommendations.

My practical medical experience has shown that at stages III and IV of cancers (truly malignant, not helminthic), treatment is often necessary to start immediately with poisonous herbs, there is simply no time for preparation. The process is developing rapidly and with antiparasitic therapy, we can aggravate the process, cause a deterioration in the state of the human body. Therefore, if the relative safety of immunity is tested (to a pronounced degree of depletion) and the process does not turn into severe metastasis, then you can start with preparation, then proceed to treatment.

I recommend starting with treatment for oncological patients with stages III – IV of the disease, having previously tested which medicinal plant to start with - aconite or hemlock.

It is recommended to change the herbal intake after 3 months, for example, start with aconite, - after 3 months of hemlock, or vice versa.

Warning: for patients with chronic diseases and oncology of stages I-II, I recommend taking aconite and hemlock according to the "slide" scheme: start with 1 drop per day on an empty stomach and add 1 drop every day to 40 drops, then reduce by 1- nd drop, bring to 1, break 5 days and start over.

Cancer patients with stages III and IV of the disease (with the spread of cancer cells) should be treated according to the scheme below.

I recommend that you first consult with a phyto-oncologist.

Recommendations for complex treatment of oncological
and severe chronic diseases

1. Aconite (alcohol tincture)

Take 1 to 10 drops and 10 to 1 drops 3 times a day 30 minutes before meals: in the morning - 6⁰⁰, day - 12⁰⁰, in the evening - 17⁰⁰. Dilute drops with 30-50 g of water. Dosing regimen: add 1 drop every day, after reaching 10 drops, reduce 1 drop every day. Cycle: 20 days to drink, 5 days off.

Repeated course: from 1 to 13 drops and back 3 times a day: in the morning - 6⁰⁰, day - 12⁰⁰, in the evening - 17⁰⁰. Cycle: 26 days to drink, 5 days off.

Carry out 3 cycles.

2. Hemlock (alcohol tincture) - after 3 cycles of Aconite

Take 1 to 13 drops and 13 to 1 drops 3 times a day: in the morning - 6⁰⁰, day - 12⁰⁰, in the evening - 17⁰⁰. Dilute drops in 100 g of water. Reception scheme: add 1 drop every day, after reaching 13 drops, reduce 1 drop every day. Cycle: 26 days to drink, 5 days off.

Repeated course: from 1 to 15 drops and back 3 times a day: in the morning - 6⁰⁰, day - 12⁰⁰, in the evening - 17⁰⁰. Cycle: 30 days to drink, 5 days off.

Carry out 3 cycles.

3. Vitamin A (capsules) Dose 100,000 Take 1 capsule per day on an empty stomach in the morning - 6^{thirty}. The maximum dose is 1 capsule per day. Duration of use: 6 months or more.

4. Vitamin E (capsules)

Take 1 capsule 3 times a day: in the morning - 6⁴⁰, day - 12^{thirty}, in the evening - 17^{thirty}. Duration of use: 6 months or more.

5. Apple juice (can be purchased)

Drink 0.5 cups 3 times a day: in the morning - 6⁴⁰, day - 12^{thirty}, in the evening - 17^{thirty}; drink vitamin E capsules at the same time. Drink within 6 months.

6. Vitamin C (ascorbic acid) or prophylactin C Take 18 to 6 tablets 3 times a day: in the morning - 6^{fifty}, day - 12⁴⁰,

in the evening - 17⁴⁰.

You can take the drug prophylactin C. If you do not have the opportunity to take 2 lemons a day, then drink ascorbic acid 3 times a day according to the following scheme: 1st day - 18 tablets; 2nd day - 6 tablets; 3rd day - 14 tablets; 4th day - 12 tablets; 5th day - 10 tablets; 6th day - 8 tablets; then 6 tablets 3 times a day or 2 tablets every hour during the day. If you have lemons (2 pcs. A day), then start drinking with 14 tablets 3 times a day. Duration of use: 6 months or more. Add fresh vegetables and sour fruits.

7. Two lemons (in their absence - citric acid) Take 1 tbsp. spoon 3 times a day: - 7⁰⁰, day - 12^{fifty}, in the evening - 17^{fifty}.

Dissolve 10 g of citric acid in 200 g of cold boiled water. Duration of use: 6 months or more.

8. Purified sulfur

Take 0.5 in the morning - 7¹⁰, 1 tbsp. spoon in the evening - 18⁰⁰; drink water.

You can take homeopathic sulfur D10 5 globules 3 times a day. Duration of use: 6 months or more.

9. Iodinol

Take 1 st. spoon 3 times a day: in the morning - 7^{twenty}, day - 13⁰⁰, in the evening - 18¹⁰. Iodinol can be purchased at the pharmacy or prepared by yourself. Duration of use: 6 months or more.

10.

a) "Neoselen" (vials)

Reception scheme: drink 3 bottles for the first 6 days; the second 6 days - 2 bottles; further - 1 bottle per 1 liter of cold boiled water, drink this solution 5 tablespoons 3 times a day. The solution can be poured into soup, water. Duration of use: 6 months or more;

or

b) "Selenactiv" (tablets)

Reception scheme: first 6 days take 20 tablets per day, the second 6 days - 10 tablets per day; the rest of the days take 6 tablets per day. application: 6 months or more.

11. Hydrogen peroxide 3%

Take 1 to 10 drops, 3 times a day: morning - 7^{fifty}, day - 13^{thirty}, evening - 18^{fifty}.

Dissolve drops of 3% hydrogen peroxide in 1 tbsp. a spoonful of water. Drink no more than 30 drops a day before meals, for 10 days. Take a break for 3 days. Start drinking again with 7 drops, then 8, 9, 10 and so on for 10 days. Duration of use: all life.

12.

a) Linseed oil.

Take 2 teaspoons 3 times a day: in the morning - 8⁰⁰, day - 14^{thirty}, in the evening - 18^{thirty}, within 6 months. Can be added to salad during meals;

or

b) Flax seed decoction.

Broth: a teaspoon of flax seed in a glass of water, boil the mixture for 3 minutes. Take 50 g 3 times a day before meals for 6 months.

13. Eating

Strictly adhere to the diet of Dr. Moerman: in the morning - 8⁰⁰, day - 14⁰⁰, in the evening - 19⁰⁰. Duration of use: all life.

14. Vitamin B (tablets) complex

Take 1 tablet 3 times a day: in the morning - 8^{thirty}, day - 14^{thirty}, in the evening - 19^{thirty}.

Take multi-tabs B-complex or individual B vitamins together, 1 tablet 2 times a day. Duration of admission: within 6 months.

fifteen.

a) Sodium thiosulfate (ampoules, Glauber's salt)

Dissolve 20 g of Glauber's salt in 20-30 g of cold boiled water. Drink 10 days at night (19⁴⁰). Every 3rd day, do an enema fractionally 4.0 liters. Apply 10 consecutive days monthly for 6 months;

or

b) Guttalax

Dissolve 20 drops in 20 g of cold boiled water. On every 3rd day, do a fractional enema of 4.0 liters. Apply 10 consecutive days monthly for 6 months.

16. Timalin or cycloferon, polyoxidonium, or derinat, etc.

Medication should be selected by testing.

Intramuscular injection of 10 g every day, in the morning - 10⁰⁰ or in the evening - 19⁰⁰. Give 10 injections.

Or intramuscularly slowly 1 time per day from 5 to 10 injections.

10 injections every month for 3 months. This cycle is alternated for a month with the Coenzyme cycle.

17. Coenzyme Q10 (capsules)

Take 3 capsules 3 times a day with food or something to eat: in the morning - 11⁰⁰, day - 14⁰⁰, in the evening - 19⁰⁰. Take within 10 days.

18. Hilak forte (drops)

Take 40-60 drops 3 times a day: in the morning - 8⁰⁰, day - 14⁰⁰, in the evening - 19⁰⁰. Take with food and dissolve in a little water.

Eliminate milk while taking. Start with 60 drops, after 10 days reduce to 30 drops.

19. Flumicon (tablets)

Take 3 tablets 3 times a day: in the morning - 9^{thirty}, day - 14^{thirty}, in the evening - 20⁰⁰. Within 7 days, 1 capsule per day. Take 3 to 7 capsules. Repeat monthly.

7. Vermox (tablets)

Take 1 tablet 3 times a day: in the morning - 8^{twenty}, day - 14^{twenty}, in the evening - 19^{twenty}. Take Pirantel for the next month. Take in a month (only 2 times per course).

8. Pirantel (tablets)

Take 3 days for 3 tablets. Take Vermox for the next month.

22. Nystatin

Take 20 days after starting treatment with herbs with aconite and hemlock.

Dosage: 1 tablet 3 times a day on the days of taking metronidazole and tinidazole: in the morning - 9⁰⁰, lunch - 15⁰⁰, in the evening - 19⁴⁵, within 14 days.

Duration of admission: 1 time per month, for a total of 4 months.

23. Metronidazole (tablets)

Take with meals for 10 days, 1 tablet 2 times a day: in the morning - 8^{twenty}, in the evening - 19^{twenty}. Repeat in a month. Do not take at the same time with Vermox and Pirantel.

24. The next month, instead of Metronidazole - Tinidazole (tablets) Take 0.5-1 tablet 2 times a day: in the morning - 8^{twenty}, in the evening - 19^{twenty}, within 10 days. Do not take at the same time with Vermox and Pirantel.

25. Bioresonance therapy

Carry out therapy 2 times a day for 20 minutes: in the morning - 10^{thirty}, in the evening - 19^{thirty}. Influence the selected meridians for 7 days, 3 days off. Duration of use: within 6 months.

26. Resonant frequency therapy (apparatus "MINI-EXPERT-T")

Time and intensity depend on the identified microorganisms. The therapy time for each frequency program is 7 minutes, the intensity is from 80 to 100 conventional units. Carry out therapy for 10-15 days. Repeat after 10 days, then - every month.

27. Induction therapy (apparatus "MINI-EXPERT-T") Anti-stress program 25 min. Carry out therapy once a day, in the evening - 20⁰⁰, within 7 days. The intensity of the impact is from 10 to 20 conv. units Repeat after 2 weeks, then every month.

28. Homeopathic complexes: Bach Flowers, OHOM drains 3-5 globules 3 times a day daily for 3 weeks, a week off. Duration of admission: constantly.

29. Milk thistle or silymar to protect the liver

Take 1 tablet with a meal. Duration of admission: constantly.

Preparations No. 3, 4, 6, 8, 9, 10a, b, 11, 14, 15, 16, 17, 18, 22, 23 are purchased in pharmacies, preparations No. 1, 2, 12 - from herbalists, phyto-oncologists.

Those patients who underwent a preparatory course, should take nystatin, vermoz, pyrantel, metronidazole, tinidazole only one more time during the main therapy.

Bioresonance (BR) preparations were prepared for each patient. For those who had not tested "false polarity", BR-preparations were prepared according to the method of Yu.V. Gotovsky according to the 4th strategy. For those who tested "false polarity", BR-preparations were prepared according to A.A. Ovsepyan's method.

BR drugs must be refreshed every 3-4 weeks, ie. to prepare already for a new state of the human body, BRT, EPT, induction therapy was carried out monthly.

All treatment was carried out against the background of Moermann's anti-cancer diet.

In our Center, within 3 years, the above treatment was carried out 11

patients. These patients were diagnosed in oncological centers: Stage III – IV adenocarcinomas with metastases, but all these patients on their own, even before contacting us, refused standard treatment. They were already on an independently chosen one or another alternative method of treatment. We tested the methods of treatment and herbal medicine. The results of treatment of 11 patients after six months of treatment according to the scheme described above: in 4 out of 11 patients, tumors completely disappeared (in 2 - in the mammary glands, in 1 - in the liver, in 1 - in the kidney). The other 7 patients live, take care of themselves, 4 of them work. Parasites were tested in 4 patients with resolved tumors using the ART method: trichinella, opisthorchiasis, schistosomiasis. The other 7 patients are in remission of the malignant process, which allows them to live in peace.

The medical experience of our Center shows that in chronic and oncological diseases, the immune defense is weakened, and a "horde" of unwanted parasites-microorganisms falls on the body. Therefore, it is necessary to fight with them "with the whole world", ie. a complex of herbs, medicines, homeopathy and resonance frequency therapy. It is necessary not to forget about spiritual cleansing, kindness, patience not only of loved ones and others, but also of the patients themselves.

The results of the treatment of chronic diseases are described in the articles of the colleagues of our Center, given in this collection.

Conclusions:

1. Complex treatment using herbal medicine, homeopathy, multi-resonance therapy, cleansing the body leads patients with severe chronic diseases to a significant improvement in health.

2. In cases where patients categorically refuse standard treatment of cancer, you can help them with a compromise complex method of treatment, having previously taken from them a receipt on their full responsibility for the chosen method and its result.

Eliseeva O.I. Complex treatment of chronic and oncological patients (herbal medicine, EPT, BRT) // XI

" IMEDIS ", 2005, vol. 2 - p. 181-191