

Identification of para-oncological allergic diseases using
immune scales
Postnikova O.A.

(Department of Homeopathy and Electro-acupuncture Medicine IPC and Biomedical and
Extreme Problems of the Ministry of Health of the Russian Federation, Moscow, Russia)

In previous works of the author, the issue of the use of new scales for the autonomic resonance test (ART), developed by the author to determine the function of various organs and systems, including the immune system, as one of the main integrative systems of the body, was discussed.

The use of immune scales allows you to determine the correct consistency of medical activities in treatment of infectious, inflammatory, parasitic, allergic, and autoimmune and oncological processes.

When harmonizing the body's work into a sequential transition on a scale from minimum, corresponding to the normal state, the treatment process occurs from maximum values up to minimum.

For example, when assessing the state of the immune system in allergies, most often we see violations in a certain part of the scale. However, in most cases, deviations in the form of activation and degeneration are also detected at deeper levels of the scale corresponding to autoimmune processes and even oncological processes, independent diseases, and a signal of more severe disorders within the body, including those of a degenerative nature, and may even be para-oncological symptoms. So, for example, as revealed by ART, in allergic rhinitis, the cause lies in degenerative changes in the colon.

Such degenerative disorders are only aggravated in the case of treatment of allergic manifestations of the disease with some antihistamines, after the use of certain immunostimulants and some other drugs. Then violations in the activity of the immune system are detected on a scale at the level of autoimmune processes and at the level of apoptosis, at the oncological level.

A similar situation can be seen with an example.

Patient P.R., 11 years old. For a number of years he suffered from bronchial asthma, frequent colds, for which he received antibiotics, bronchodilators, desensitizing, immunomodulating drugs. In the last year, polyoxidonium was used - an immunostimulating drug that gave a distinct effect - colds stopped during this year, but at the same time (important!) That the attacks of bronchial asthma remained and were removed by bronchodilators, i.e. at a deeper level of allergy, no correction occurred as a result of such treatment. This was confirmed by the data obtained on the author's immune scale: the measurement data showed the activation of deep levels of the scale associated with autoimmune and even oncological processes, although at the level of allergic processes on the scale (middle part of the scale) there was no

activity for a number of allergens.

After a year of treatment, in the absence of colds and obvious allergic reactions, which, from the point of view of the homeopath, are drains through which toxins are discharged, the patient has a cerebellar tumor.

The patient was operated on in the clinic by neurosurgeons, and is currently not undergoing homeopathic treatment.

However, how many patients with similar starting data have been cured by homeopaths! And, most importantly, we can see, using new tests on the immune scale, the development of autoimmune and oncological trends in the early stages, when these processes have not yet become irreversible.

If the correct, from the point of view of the homeopath, the order of treatment is maintained, the deep processes in the nervous system will first improve and be restored. Then, only after the correction of oncological, degenerative, pre-cancer tendencies in weakened organs, autoimmune processes, then allergic processes. These stages of treatment, proceeding with an enhanced phase of secretion, including first in the respiratory tract, then on the skin, i.e. with an exacerbation phase are natural and obligatory if the doctor wants to cure the patient, although the patient can only complain of skin rashes.

Therefore, in such cases, at the beginning of testing homeopathic medicines, drugs for allergies are not immediately selected, but on the contrary, those agents that carry out a deeper cleansing and have an antidegenerative, antirheumatic spectrum of action. At this stage drugs like *Arctium lappa*, *Konium*, *Hekla lava* and others that activate the natural pathways for the excretion of toxins through the kidneys, biliary system, etc. If antirheumatic drugs such as *Assa fetida*, *Spigelia*, *Actea racemosa* etc.,

- this also speaks of a deeper level of disorders than just an allergy. First, more recent functional dynamic disorders leave, then those that have been fixed at the organic level of the scale, there is a successive cleansing of all problems to the genetic level, which lies at the base of the scale and cannot be corrected until approaches to it are released.

Symptomatic treatment of allergies corrects a certain middle level of the scale, without affecting its neighboring areas, or, at best, drives the problem to a deeper level, as do allopathic drugs, such as desensitizing, immunomodulators. Only the temporary effect of treatment with these drugs is associated with this.

When diagnosed on a scale corresponding to the functional state of the thymus and spleen, we see the intensity of the immune response from intranuclear processes, then intracellular processes, membrane processes, to intercellular and exocrine processes. There is a connection with the implementation of the infectious process, parasitic invasion, then allergy, then the autoimmune process, moving to a new and new level - ever higher.

The question of the most optimal treatment option has been considered by homeopaths for a long time. How to treat in order to correct defects that are

the causes of the disease, the most relevant today, remains important, since not always and not all doctors, even homeopaths, manage to achieve the correct direction of treatment. The new diagnostic approach provides additional opportunities for the implementation of this task.

Postnikova O.A. Detection of para-oncological allergic diseases using immune scales // XI

305