## The sequence of treatment measures for degenerative diseases on the example of treatment of uterine fibroids Postnikova O.A.

(Department of Homeopathy and Electro-acupuncture Medicine IPK of Medical Biological and Extreme Problems of the Ministry of Health of the Russian Federation, Moscow, Russia)

The connection between degenerative changes in the spine and problems in the organs of the corresponding segment of the spinal cord is revealed during the selection of homeopathic remedies using ART according to the scales developed by the author.

When checking many drugs in different potencies through complex filters, including new scales, a sequential selection of drugs occurs, in the form of a series, when one drug opens the way for the next. At the same time, not a random, but a regular sequence of them is dictated by the "degree of pollution" of the organism, the possibilities for changes, which depend on the availability of adaptive resources.

Thanks to this test, it is possible to determine the necessary and sufficient number of drugs to achieve the result, in particular, in the case of degenerative processes, several groups of drugs can be distinguished that affect different stages of the pathological process. At the stage when oncological tendencies and degenerative conditions are tested, preliminary tight drainage is required, for example, herbs or homeopathic remedies with antidegenerative action, such as: Viscum album, Arctium lappa, Myosot, Plumbago, Carbo animalis, Carbo vegetabilis, Hekla lava, Cannabis indica, Helidonium, Agaricus muscarius, Konium, Allium flail, Allium sativa and others.

If you check where these drugs work, it turns out that they compensate for the indicators at biologically active points associated with the spine at the level of the nerve centers corresponding to the chakras, starting from the lower levels to the upper ones, i.e. first the first, then the second, third chakras etc., at the entrance to them. These processes correspond to the phenomenon of osteochondrosis of the spine, which are also signs confirming the degenerative processes occurring in the organs at the level of the corresponding segments of the spinal cord. Until the moment these degenerative processes are compensated, the healing of the internal organs of the corresponding level does not occur, only the suppression of symptoms or their temporary compensation at the expense of other organs is possible.

Further, after correction of vertebral (chakra) disorders to the thoracic and cervical level, drugs are selected that correct biologically active points (BAP) on the head, sensory organs, which are "windows" to the brain.

Here, the selection of means that corrects an emotional state, acute and manifested in a recent life period, takes place.

Only after that does the correction take place at the level of the chakra exit, i.e. at the level of organs, first endocrine, then dense and then hollow.

This sequence of correction seems to depend on the way the vital energy circulates through the channels or meridians known in acupuncture.

When the processes of self-regulation and self-government are restored in

the body, connections between organs, the indicators of the psychoemotional scale, the level of health according to L.B. Makhonkina, biological, photonic indices and other integral indicators of the body's activity are improving, older focal disorders and deep psychological problems begin to unload, there is a way out to a deep sense of life, about which Sankaran speaks. And then, through ART, it is possible to carry out the selection of a psychologically correct deep preparation, which all homeopaths strive for.

This remedy can alone do the job of overcoming all the layers of the disease described above. However, will the drugs selected at the earlier stages of treatment interfere? Aren't they superfluous? They only contributed to the correct search for it and "purified" the constitution. That is, intermediate agents facilitate the action of the subsequent drug and help to achieve a more guaranteed and faster result step by step. In some cases, when the drug did not work yet in the test, it did not give a result if it was prescribed prematurely.

From work experience, we see that the sequential prescription of drugs that first cleanse the more superficial layers, then, with the development of sufficient capabilities of the body, the deeper layers, is more physiological and effective.

An example of a degenerative disease is prostate adenoma, uterine fibroids, endometriosis, polyps, pituitary adenoma, etc. You can consider the dynamics of the treatment process using the example of uterine fibroids.

Preliminary testing of the potency of the fibroid nosode shows the likelihood of a change in its size and the tendency to growth at the moment.

Before starting to consider the process in the uterus itself, the general state of the body should be assessed according to integrative scales (psychoemotional state, health level, oncological tendencies, biological and photon index, etc.). After the correction of the general scales, the functions of the hormonal system should be assessed according to the scales, the possibility of developing a pituitary adenoma along the nosode should be checked, since the tested pituitary adenoma or mastopathy shows a deeper level of damage than just the presence of fibroids, and requires preliminary correction even before working with the myoma itself. Treatment of uterine fibroids occurs only in a certain sequence when changing diseases and phases of the disease.

In the case of previous treatment, for example, with the allopathic drug zoladex, as well as some other methods of treatment, we see a transition of the pathological process in the opposite direction, when a pituitary adenoma appears in the test instead of a uterine fibroid: that is, there is a "withdrawal of the disease inside", as is customary talk to homeopaths.

In this case, it is first necessary to give drugs to unload this tested (possibly clinically still undeveloped at this stage) pituitary adenoma.

Also, homeopathic treatment of the spine should precede the treatment of uterine fibroids. the degenerative process in the spine develops as a result of changes in the pelvic organs and does not allow for the correct regulation of their functions.

On the contrary, with improper treatment, the transition of the degenerative process from the uterus to the spine is possible, for example, with suppression of the uterine

bleeding or mucous or purulent discharge from the uterus, pain in the spine.

At this moment, the possibility of tumor growth may increase, which is confirmed by a control change in the tested potencies of the myoma nosode towards lower potencies.

With proper treatment, the pain from the spine should disappear, and then the transition of the pathological process with uterine myoma from the muscle layer (in the test, the potency of the uterine fibroid nosode will increase) to the mucous layer (with the appearance of endometriosis and uterine polyp nosodes in the test, first in low potencies, and then higher). This is what happens with the correct prescription of homeopathy when changing homeopathic remedies by stages of treatment.

Then, with the continuation of treatment, a positive test for causative agents of urological infections appears simultaneously with the appearance of discharge from the uterus, which corresponds to the release of toxins that were previously in the myomatous node. At this moment, there is a decrease in myomatous nodes.

One should not forget about the treatment of the large intestine associated with the state of the genitourinary system, where the transition from the stages of degeneration (from oncological tendencies, polyps) to the inflammatory stages also occurs.

The subsequent stages of treatment should not suppress the discharge, i.e. excretory phase, but must continue the process of release from toxins, otherwise relapses of fibroid growth are possible.

Thus, the treatment of degenerative diseases should be carried out in stages, taking into account the change of organs and systems involved in the pathological process in a properly organized order, which is determined by Hering's law: from top to bottom and from the inside to the outside, but also along a certain chain of events, identified using diagnostic scales that are designed for this. This order of treatment is determined by the body itself when setting certain parameters of filter-loads when selecting methods of treatment and homeopathic preparations.

Postnikova O.A. The sequence of therapeutic measures for degenerative diseases on the example of the treatment of uterine fibroids // XI