Therapy of various diseases by normalizing hormonal status

N. Kempe

(Biosensor Research Group of the Ludwig Boltzmann Society, Graz,

Austria)

Hormones affect many processes in the body, which serve to maintain a certain state, i.e. homeopstasis. Of particular interest is such a complex issue as the definition of hormonal status.

Partially the question of the role of hormones and their complex relationships is set out in the methodological manual (Gotovsky Yu.V., Kosareva L.B., Frolova L.A., Perov Yu.F. Hormones, opioid peptides and tissue physiologically active substances. - M.: IMEDIS, 2002. - 96 p.), But many problems of the use of hormone therapy are not considered in it.

The IMEDIS system allows for very accurate diagnostics. In the 90s, we carried out a comparative diagnosis of the hormonal status using the ART "IMEDIS-TEST" method and using classical laboratory methods. At the same time, the ART result exceeded all expectations! On the other hand, in therapy with informational copies, a lot of unclear things have remained and remain. So, for example, direct injection into the therapy circuit of hormone signals from the selector directly in case of their insufficiency or inversely in case of their excess did not give stable results.

More interesting results were obtained when considering the hierarchy of hormones. For example, in case of problems with the thyroid gland, including those arising after surgery, good results were obtained with the use of bioresonance (or induction) therapy with the introduction of organic preparations: Epiphysis D6 and D30, Pituitary gland D6, Hypothalamus D6, Thyroid gland D6, Parathyroid glands D6 and hormones: TSH - glycoprotein, TRH - thyrotropin-releasing factor, melatonin and serotonin, - all as compositum. But not directly T3 - triiodothyronine or T4 - thyroxine! Only with this approach it was possible to obtain very good results, avoid surgical intervention and refuse from the daily intake of synthesized thyroid hormones.

In addition, the elimination of electromagnetic and radioactive loads of the body was necessarily carried out and protection from them was created, since, in our opinion, in 50% or more cases, these loads were the cause of the dysfunction of the thyroid and parathyroid glands.

Acquaintance with one of the oldest endocrinologists in Germany, prof. F. Riedweg and the study of his ideas made it possible to create a number of interesting methods of treating a number of diseases by stabilizing the hormonal status. F. Riedweg attaches decisive importance to the neurohumoral and humoral processes in the human body and believes that these complex processes are responsible for psychosomatic processes. Never practicing information medicine (but knowing homeopathy), F. Riedweg emphasized that the action of hormones, peptides, neurotransmitters, etc. is mainly for informational purposes. He also repeatedly noted that any hormone introduced into the body generates a number of ambivalent actions and suppressive reactions, often leading to completely undesirable and irreparable reactions (a fact well known in scientific endocrinology). A year before his death, he got acquainted with the IMEDIS system and was touched to tears by its capabilities. Based on conversations with him, our experience and the capabilities of the IMEDIS system, we have created a number of treatment methods (both direct and adjuvant) for certain diseases.

The table shows the chelators that are used for this type of therapy. All components are separately available in the IMEDIS Medication Selector. For their optimal action, complexones must be created strictly according to the recipe given in the table, i.e. the amount of each component in the recipe must match the number shown in the "Proportions" column. All of these drugs, their potency and proportions were found empirically and repeatedly tested as prof. F. Riedweg and

us.

Table 1 Used chelators

Name	Compound	Proportions	Indications	Stimulation
RK 1	Ruta graveolens D4	eight	Arteriosclerosis,	Arteries, heart
	Hamamelis d4	one	heart attack, steno-	
	Achilea millefol. D4	one	cardia, apoplexy	
RK 2	Viscum populi D8		Neuropathy, neural	Parasite-like
			guia, stimulation	glands
			reticulo-endothelium-	
			alal system (RES)	
RK 3	Symphythum off. D4		Parkinson's disease	STG-Hormone
RK 4	Ledum palustre D4	eight	Basedow's disease	Lower. level t-
	Hedera helix d4	one	hyperthyroidism	roxin
	Hamamelis d4	one		
RK 5	Juglana regia d4	eight	with AIDS	STG-Hormone
	Hamamelis d4	one		
	Chelidonium D4	one		
RK 6	Populus tremula D4	eight	Dysmenorrhea	Progesterone
	Chelidonium D4	one		
	Bellis perennis D4	one		
RK 7	Populus tremula D4	eight	Decreased libido	Androgens
	Hamamelis d4	one		
	Bellis perennis D4	one		
RK 8	Bellis perennis D5	one	Allergic diseases - Lev	ania adrenal cortex,
	Chelidoniummajus D5	one	hypertro-	·
	Dioscorea villosa D5	one	fia prostate, der-	
			matosis, immunodeficiency	
			shortage, violation	
			growth, sugar	
			diabetes, disorder	
			development in young	
			cov, cataract, myoma	
RK 9	Basilicum D5	one	Malignant	Stimulation hypo-
	Juniperus Sabina D5	one	tumors, cancer, sarco	
	Viscum album D5	one	corticoma, lymphogra	
	Viscam disam 53	l one	matosis, glaucoma,	Taloti opie cirect
			allergies, illness	
			Alzheimer's, ra-	
			seeded sclerosis,	
			leukemia	
RK 10	Chelidoniummajus D5	one	Diseases of the veins	Stimulation-
	Silybiummaria-num	one	osteoporosis	hypophysis with
	D5	one	SECOPO. SS.S	gonadotropic
	Vitex agnus-castus D5			effect
	vitex agrius-castus D5			EHECL

Hormonal correction of various diseases

table 2

Disease	Dysfunctions of the endocrine system RK-prep.	Notes (edit)	
---------	---	--------------	--

Allergies	Pituitary insufficiency associated with corticotropin. Lack of bark adrenal glands associated with cortisone. RES dysfunction associated with the peripheral nervous system. Skin in general, mucous membranes (rhinitis, conjunctivitis).	RK 8	Depending on the type of allergy, an appropriate organic preparation is used (for example, skin, mucous membranes, etc. in the D6 potency), necessarily the Pituitary gland D6, as well as any suitable therapy and preparations (OHOM, biooscillators, Detox, Endotox, etc.)
Alopecia (among women)	Lack of progesterone.	RK 6	Any suitable therapy, but with the obligatory introduction organopreparations Ovaries D6, Scalp, cleansing and drainage therapy; control of dysbiosis and vitamin and mineral inadequacies
Alopecia (in men)	Disruption of cortisone production.	RK 8	To any selected therapy, organopreparations are necessarily added Pituitary gland D6, Epiphysis D6, Hypothalamus D6, seroimmunes. Psycho-somatic treatment is underway. It is imperative to check the condition of the venous system and, if necessary, carry out vein strengthening therapy. Any
Arteriosclerosis	Insufficiency of the pituitary gland associated with vasopressin (ADH). Lack of bark adrenal glands associated with cortisone Dysfunction of RES, (the main link is arteries).	RK 1	suitable therapy, but with the obligatory addition of organopreparations Pituitary gland D6, Epiphysis D6, Hypothalamus D6, Adrenal cortex, Arteries D6. It is imperative to check the hormonal status using the ART method
Asthma bron- chial	Lack of bark adrenal glands associated with cortisone. Insufficiency of the pituitary gland associated with corticotropin. Dysfunction of RES associated with the bronchi. Dysfunction of the peripheral nervous system.	RK 9	Any suitable therapy, (for example, elimination dysbiosis), determining the hormonal status. Be sure to prescribe the drug Corticotropin comp. Eating a vegetarian diet for some time, no smoking and alcohol consumption. Be sure to take into account the mental factor!
Basedow's disease	Lack of thyrotropin. Excess thyroxine. Disturbances in the nervous system.	RK 4	Any suitable therapy, but with the obligatory addition organ preparations Eye muscles and optic nerves in D6 and Gonadotropin comp. or Gestagen comp. There is a positive experience in the use of thyroxine in inversion.
Disease Alzheimer's	Hypophysis of the pituitary gland. Lack of bark adrenal glands. Cortisone deficiency. Violation of the venous system.	RK 9	Any suitable therapy, but with the obligatory addition of an organic preparation Pituitary gland D6, Corticotropin comp., Melatonin D6, organic preparation Bark adrenal glands D6, FITOX preparations
Disease Parkinson's	Insufficiency of the pituitary gland associated with blood vessels. Deficiency of gestagen, androgens.	RK 3	Any suitable therapy, but with the obligatory addition of organopreparations Pituitary gland D6, Hypothalamus D6, Epiphysis D6, Adrenal cortex D6, Liver D 6 and Gestagen (Androgens)

Varicose veins -	Insufficiency of the gonads	RK 6 -	With any therapy, it is imperative
Haemorrhoids	associated with androgens and	men	to add organopreparations
	gestagen.	RK 7 -	Venous system D6, also
	Dysfunction of the venous system.	women Se	x glands, Proges-theron and
Hypertrophy	Lack of bark	RK 8	D6 androgens and composites. With any therapy, it is imperative to add
tonsils	adrenal glands associated with	NN O	organopreparations Pituitary gland D6,
COLISIIS	cortisone.		Hypothalamus D6, Epiphysis D6; Lymph,
	Dysfunction of RES associated		Tonsils and Appendix D4 and D8
	with tonsils and appendix.		(sequentially)
Hypertrophy	Lack of bark	RK 8	Any suitable therapy, but with the
prostate, fibroid	adrenal glands associated with		obligatory addition of
	cortisone.		organopreparations Pituitary gland
	Dysfunction of the venous system and		D6, Hypothalamus D6, Epiphysis D6;
	RES.		Muscles, Lymphatic system and
			Venous system in general
Clausoma	Lack of corticotropin.	RK 9	and on individual vessels in D6 and D12
Glaucoma	Lack of Corticotropin.	KK 9	Similar to cataract therapy, but add an organic preparation Retina D6
			organic preparation Retina Do
Heart attack (heart,	Pituitary insufficiency associated with	RK 1	Suitable cardiovascular therapy with the
cerebral,	ADH (vasopressin) and	RK9	addition of organopreparations Pituitary
intestinal)	corticotropin.	RK 8	gland D6, Epiphysis D6, Hypothalamus
	Insufficiency of the sex glands		D6, Sexual glands (androgens and
	associated with androgens,		gestagens).
	gestagens.		It is imperative to simultaneously
	Lack of bark		normalize liver function, either with the
	adrenal glands associated with		help of BRT, or with
	cortisone. Dysfunction of venous and		using the drug cardius marianus.
	arterial system. Liver dysfunction.		
	arteriar system. Liver dystanction.		
Infections in	Lack of bark	RK 8	Since children often receive
childhood	adrenal glands (lack of		antibiotics for these diseases, they
(angi-na, otitis media,	cortisone).		become resistant to many types of
me-ningitis, female-			therapy. They have a weakened
wispy			nervous system, the system
fever			circulation
Pfeiffer -			and the skeletal system. But at the
infectious momonu-cleosis and			same time, they respond well to a correctly selected BRT with the
etc.)			obligatory addition of oral preparations
ctc.)			Pituitary D6, Epiphysis D6 and D30,
			Hypothalamus D6, Adrenal cortex D6
			and Lymph D6.
Carcinoma	Retention of urine, dysfunction of	RK 9	Any suitable therapy, but with the
prostate	the prostate gland.		obligatory addition of organ
			products Pituitary gland D6,
			Hypothalamus D6, Epiphysis D6,
			Adrenal cortex D6, Lymphatic
Cataract	Lack of bark	RK 8	system D6 and D12 Any suitable therapy, but with the
		1	obligatory addition of organ products
	adrenal glands.		pobliquiory addition of organ products
			Pituitary gland D6, Eiphysis D6,
	adrenal glands.		1
	adrenal glands.		Pituitary gland D6, Eiphysis D6,
	adrenal glands.		Pituitary gland D6, Eiphysis D6, Adrenal glands D6, Adrenal cortex D6
	adrenal glands.		Pituitary gland D6, Eiphysis D6, Adrenal glands D6, Adrenal cortex D6 and
Cvete	adrenal glands. Lack of cortisone.	DK 8	Pituitary gland D6, Eiphysis D6, Adrenal glands D6, Adrenal cortex D6 and organ products related to the organ of vision in D6, Corticotropin comp.
Cysts	adrenal glands. Lack of cortisone. Epilepsy (cerebral).	RK 8	Pituitary gland D6, Eiphysis D6, Adrenal glands D6, Adrenal cortex D6 and organ products related to the organ of vision in D6, Corticotropin comp. With any therapy, it is imperative to
Cysts	adrenal glands. Lack of cortisone.	RK 8	Pituitary gland D6, Eiphysis D6, Adrenal glands D6, Adrenal cortex D6 and organ products related to the organ of vision in D6, Corticotropin comp.

Climax	Lack of gestagen. Dysfunction of the venous system. Disorders of the skeletal system (osteoporosis).	RK 6 RK 10	For example, therapy with the use of drugs recommended for menopause from the section "Hormones" or drugs from "OTI" or "OHOM", with the addition of the drug Sexual glands (gestagens), and correction of calciumphosphorus metabolism
Coxarthrosis	Lack of bark adrenal glands associated with cortisone RES dysfunction.	RK 8	Any suitable therapy, but with the obligatory addition of organopreparations from the adrenal cortex D6 group, possibly Corticotropin D6
Leukemia	Insufficiency of the pituitary gland associated with corticotropin.	RK 9	Any suitable therapy, but with the obligatory addition of organ products Pituitary D6, Hypothalamus D6, Piphysis D6 and Melatonin comp.
Interposing night disc, disease	Insufficiency of the pituitary gland associated with ADH (vasopressin). Arteries.	RK 1	Any suitable therapy, but with the obligatory addition of organopreparations Arteries D6, Pituitary gland D6, Epiphysis D6 and Endorphin comp. Checking hormonal status.
Migraine	Insufficiency of the pituitary gland associated with ADH (vasopressin). Dysfunction of the venous system. Dysfunction of the peripheral nervous system.	RK 1	Any suitable therapy, but with the obligatory addition of organopreparations Pituitary D6, Hypothalamus D6, Epiphysis D6 and Arteries D12 and Veins D12.
Violation development adolescent (acetonemia, reduced resistance, juvenile functional violations, phimosis)	Lack of bark adrenal glands associated with cortisone. Dysfunction of the RES.	RK 8	Any suitable therapy, but with the obligatory addition of organopreparations from the adrenal cortex D6 group
Osteoporosis	Difficulty walking, weakness, instability.	RK 10	Any suitable therapy, but with the obligatory addition of organopreparations Pituitary gland D6, Hypothalamus D6, Epiphysis D6, and, if necessary, control of calciumphosphorus metabolism
Polyneuritis	Lack of bark adrenal glands associated with cortisone. Dysfunction of the peripheral nervous system.	RK 8	Any suitable therapy, but with the obligatory addition of organopreparations Pituitary gland D6, Hypothalamus D6, Epiphysis D6, Adrenal cortex D6 and organopreparations of the corresponding parts of the peripheral nervous system in D6. Strictly follow a vegetarian diet during therapy.
Psoriasis	Lack of bark adrenal glands associated with cortisone. Dysfunction of the nervous system.	RK 8	Any suitable therapy, but with the obligatory addition of organ products Pituitary gland D6, Hypothalamus D6, Epiphysis D6, Adrenal cortex D6, Skin and Nervous system in D6 and D30.

sarcoma, pituitai lymphogra-cortic	ma, Severe (severe) insufficiency of ry gland associated with cotropin. cancer Severe crustal insufficiency adrenal glands associated with cortisone. Severe dysfunction of the RES. Insufficiency	RK 9	Any suitable therapy, but with the obligatory addition of organ products Pituitary gland D6, Hypothalamus D6, Epiphysis D6, Lymphatic system D6, Adrenal cortex D6 and (with "Old" cancer) D30
Scattered sclerosis	of the pituitary gland associated with corticotropin. Lack of bark adrenal glands associated with cortisone. Dysfunction of the RES, central nervous system, spinal cord, lymphatic system.	RK 9	Any suitable therapy, but with the obligatory addition of organopreparations Pituitary gland D6, Hypothalamus D6, Epi-fiz D6 and Muscular system D8, Venous system D8, Lymphatic system D8 and Peripheral nervous system in D8. Strict vegetarian diet (at least during the first therapy sessions)
Rheumatoid polyarthritis, arthropathy	Lack of bark adrenal glands associated with cortisone. Dysfunction of the skeletal system.	RK 8	Any suitable therapy, but with the obligatory addition of organ products Pituitary gland D6, Hypothalamus D6, Epiphysis D6 and organ products of the corresponding joints in D6 and D12
Diabetes mellitus	s Adrenal insufficiency.	RK 8	Conducting the appropriate tested therapy, but with the obligatory addition of organopreparations Pituitary gland D6, Adrenal cortex D6, Epiphysis D6, Pancreas D6, Liver D6, Lyphatic system D6. And also Insulin comp, Sex glands and Androgens and Insulin D30 depending on the type of diabetes.
Sinusopathy	Lack of bark adrenal glands associated with cortisone	RK 8	Organopreparations Bark the adrenal glands and large intestine are added with any therapy chosen.
Scleroderma	Pituitary insufficiency associated with corticotropin Lack of bark adrenal glands associated with cortisone RES dysfunction	RK 9	Any suitable therapy, but with the obligatory addition of organopreparations Pituitary D6, Hypothalamus D6, Epiphysis D6 and Mesenchyme D6 and D30
AIDS	Pituitary gland (immunotropic). The lymphatic system. Reticulo-endothelial system. Lack	RK 5	Therapy aimed at restoring the immune system
Nodular goiter	of bark adrenal glands associated with cortisone Hypothyroidism	RK 8	With any therapy, it is imperative to add organopreparations Pituitary gland D6, Hypothalamus D6, Epiphysis D6 and Thyroid gland D6 and Thyrotropin comp.
Schizophrenia	Lack of bark adrenal glands associated with cortisone. Dysfunction of the RES with the main link in the central nervous system.	RK 9	Any suitable therapy, but with the obligatory addition of organopreparations Pituitary D6, Hypothalamus D6, Epiphysis D6
Eczema (dermatosis)	Lack of bark adrenal glands associated with cortisone. Dysfunction of RES, including skin.	RK 8	Determination of hormonal status, for any selected therapy add organ products Skin D6, Adrenal cortex D6 and Pituitary gland in D6. Use Seroimmunes, the use of drains is mandatory.

Ulcer 12-duodenal In intestines	nsufficiency of the pituitary gland. bound with corticotropin. Lack of bark adrenal glands associated with cortisone.	RK 9	With any therapy, stimulate the liver through BRT or through carduus marianus preparations or milk thistle seeds, use also organopreparation duodenum 12 D6
Ulcerative colitis	Insufficiency of the pituitary gland associated with corticotropin. Lack of bark adrenal glands associated with cortisone. Lack of RES.	RK 9	Any suitable therapy, but with the obligatory addition of organopreparations Pituitary D6, Epiphysis D6 and Colon D6. Determination of hormonal status is required.

The presented method works primarily on the basis of hormonal stimulation, but without aggravating side effects. This is not a panacea for all ills, but one of the very interesting approaches to the treatment of diseases. The report will cover the method in more detail.

N. Kempe Therapy of various diseases by normalizing the hormonal status // \mbox{XII}