The ability to minimize diagnostic and therapeutic effects with using nonspecific metabolic nosodes

I.A. Bobrov

(Center "IMEDIS", Moscow, Russia)

In this work, we understand a nosode as an information signal about a pathological process or an element of this process in the body. Thus, as an information signal, the nosode is a test indicator of a necessary, but by no means insufficient criterion for the existence of a whole class of paotological processes in the body.

The increasing number of drugs, both for testing and for therapeutic effects, as well as the number of applied methods of therapeutic action, pose a challenge for the doctor to create such treatment and diagnostic regimens that take as little effort and time as possible. At the same time, their diagnostic value, that is, the information content, which makes it possible to increase the effectiveness of treatment, should increase. Moreover, life poses more and more complex tasks for doctors, especially those involved in information medicine methods.

According to the author, these requirements are met by the wider use of nonspecific nosodes of metabolism (NNM) of the body. By HNM, the author means compounds or processes formed or used in the process of vital activity by all or the majority of tissues and organs of the body.

As such nosodes, the author made and tested the following homeopathic remedies.

## First-line markers:

- 1. Homeopathic magnet preparations: North and South Poles, but also bipolar magnet. The reason for this choice was the fact that all tissues and processes, starting with the polarization of membranes, are characterized by processes of magnetization. Pathological processes in the bodyalways accompanied by a change in magnetic processes, which has long made it possible to use magnetotherapy in medicine. At different times, this type of treatment was used in different volumes, but it is still widely used in physiotherapy. The great possibilities of using a magnet, based on magnetic processes inherent in all tissues, were reflected in the studies of S. Hahnemann. It is enough to look at his research on the pathogenesis of magnet preparations. A huge volume of symptoms inherent in almost all body systems is striking.
- 2. Preparations Acidic and Alkaline water. These drugs were obtained by electrolysis of distilled water. For the preparation of acidic water, anolyte with pH = 2.8 was taken, and for alkaline water catholyte with pH = 10.2. Subsequently, homeopathic preparations were prepared from these stock solutions. The test results for these drugs are presented in a separate article. These homeopathic remedies can be used as markers (nosodes) of the acid-base state of the body.
- 3. Homeopathic medicine hydrogen peroxide used as a nosode peroxide processes themselves based on chemical data.

4. Ozone. In potentiated form, it is used as an oxygen nosode stress and excess free oxygen species.

five. Molecular oxygen. Can be used as a test pointer to oxygen stress, hyperoxygenaemia. Such conditions can develop as a result of hyperventilation (for example, in hysterical conditions, craniocerebral injuries with damage to the centers of respiratory regulation), hyperbaric conditions, hypocapnia. Disturbances in the cycle of cellular respiration, when the supply of oxygen to the cell is disturbed, that is, with an excess of oxygen in the blood and intercellular space, its adequate utilization by the cells is absent, for example, due to the defeat of respiratory enzymes.

6. Carbon dioxide. According to the name can be used in potentiated as a nosode of hypercapnia, due to both the excessive formation of carbon dioxide due to the inadequate violent course of oxidative processes, and its insufficient removal, or due to insufficient capacity of the buffer systems.

If necessary, in the future, second-line drugs are used, reflecting the actual characteristics of metabolism:

- 7. White sugar as a marker of carbohydrate metabolism.
- 8. Markers of fat metabolism: Kurdlipid and / or Adeps suillus.

Then, if necessary, preparations of hormones, inflammatory mediators, etc. can be used.

DNA preparations can be used as a final marker, as a nosode reflecting the degree of involvement of the genetic apparatus.

As it is easy to see, in fact all the described HHMs of the first row exist mainly in the form of polarities: North and South poles of a magnet, acidic and alkaline states, oxygen and carbon dioxide. There is an analogy with the states of Yin and Yang in Chinese medicine, and in terms of the therapeutic effect between toning and sedation, especially with regard to magnet preparations. As you know, the impact on the BAP, as well as on the zones of pathological processes, by the South Pole has a sedating effect, and the North Pole has a stimulating effect.

When studying and using these drugs, like HHM, attention was not focused on these aspects. Further research requires the development of diagnostic scales, for example, for ART, using these drugs. However, already now, the therapeutic efficacy of the described drugs and the relative ease of use give reason to talk about their introduction into widespread practice. This is also supported by the relatively small number of tested drugs. Even if other drugs are developed that meet the requirements of the HHM, their number will still be quite limited.

Practical application of the method is not difficult. To do this, it is necessary to highlight the pathological organ and / or the meridian that determines the pathology. Then, using the ART method, the drugs and their optimal potencies are identified, which compensate for this system. Testing is carried out sequentially, by sampling from the described groups of drugs. Experience has shown that the sequence of application of the tested groups does not play a significant role. However, a certain priority should be given to the sequence in which these groups are described.

In the future, the tested group of drugs can be used as an independent drug by recording it through the frequency spectrum of the meridian or meridians. You can prescribe the drugs separately, at different intervals. This applies to debilitated patients. Further testing can be continued with the use of other groups of drugs, for example, Systemic Spiritual Adaptants (SDA).

With a tested group of drugs, BRT can be performed along the selected meridians with a record of both the entire BRT process and the resulting effect. It depends, again, on the patient's condition.

For weakened patients with severe multiple organ pathology, at the beginning of treatment, it makes sense to test and select drugs without isolating the organ or meridian that determines the pathology, that is, in relation to the entire body as a whole. Further manipulations with the tested drugs will be similar to those described above. This technique allows you to quickly compensate for a severely weakened and unbalanced patient at the initial stages of therapy and prepare him for further treatment.

Ultimately, the choice of a specific method of exposure always remains with the doctor, depending on his experience, worldview and assessment of the patient's condition.

## Literature

- 1. William Bericke Materia medica of homeopathic remedies. Smolensk: Homeopathic Medicine, 1997.
- 2. J. T. Kent. Lectures on homeopathic "Materia medica" (Acids). M., 1992.
- 3. Gotovsky Yu.V., Perov Yu.F. Acid-base state and water electrolyte metabolism: Methodological guide. M .: "IMEDIS", 2003.
- 4. Gotovsky Yu.V., Perov Yu.F., Ovsepyan A.A. Free radical processes, metabolism and energy: Methodological guide. M .: "IMEDIS", 2004.

I.A. Bobrov Possibility of minimizing diagnostic and therapeutic effects by using nonspecific nosodes of metabolism // XII