

Recommendations for the selection of test pointers in ART during BRT

I.V. Kolganov
(Voronezh, Russia)

Point ("targeted") selection of test pointers is extremely important for achieving maximum efficiency of endogenous and exogenous BRT. As my experience shows, for the development of elements of trust in the relationship between a doctor and a patient, as well as for maintaining their basic constitutional rhythm, it is advisable as test pointers use pathological (disharmonic) electromagnetic oscillations of the patient's body.

These disharmonious fluctuations "D" can be recorded from BAPs associated with a diseased organ, from meridians, in which a violation of energy circulation is detected, from the affected organ or its projection, from the painful area, from the area of edema or itching, from secretions (pus, saliva, urine, blood), psychic engram, etc. on a carrier (for example, on a globule of homeopathic sugar crumbs). Recorded on the carrier "D" -vibrations should directly test on the reproducible BAP.

If we observe during testing, that "D" does not reduce the original a high measurement level, this means that the patient's body is still capable of independently resisting this pathology, and does not need additional help. If during testing we observe that "D" ↓, then it is advisable to provide assistance to the patient's body, since he cannot resist this pathology on his own.

The "D" -stimulations, which contributed to a decrease in the indices on the reproducible BAP, can be used as test indicators for a specific problem in the organism. These disharmonious fluctuations will act as a filter for the selection of an effective method of treatment. If the condition is met during testing: "D" ↓ + end. BRT (medication, electromagnetic therapy at a fixed frequency or a private program, color therapy, etc.) ↑, then such methods of exposure are effective in the treatment of pathology, the test indicator of which is the disharmonic oscillations "D".

If in the process of diagnostics by ART the patient has been found to have good or high reserves of adaptation, then you can try to potentiate "D". For this, "D" is placed in container No. 2 (straight) of the "IMEDIS-BRTPK" apparatus. In the "IMEDIS-EXPERT" program, the "Bioresonance therapy" window is called up, in which the "Transfer" section is opened and the process is started impact. The potentiometer knob, located on the front panel of the "IMEDIS-BRT-PC" apparatus, is moved along the "Potency" scale in the range from "7" to "0". Testing of various potencies "D" is carried out on a reproducible BAP. Let's pay attention to the position of the potentiometer knob on the "Potency" scale, at which the indicators on the reproduced BAP will decrease to the greatest extent. Leaving the potentiometer knob in this position, place the carrier (for example, globules of homeopathic sugar crumbs) into container # 1 ("record") of the apparatus. Thus, we write on the carrier disharmonic vibrations "D" in a certain potency.

Potentiated "D" can be used to treat a patient in

as an autosode. It is necessary to check the autosode created in this way through the ART pointers for the use of nosodes (Cu met. D30, Zn met. D12), for efficacy (Fe met. D26), tolerance (Mn met. D26) or integrative criteria for ART (BI, PI, RA).

If the conditions are met:

Cu met. D30 ↓ + Potenti. "D" ↑ or

Zn met. D12 ↓ + Potenti. "D" ↑, Fe

met. D26 ↓ + Potenti. "D" ↑, Mn

met. D26 ↓ + Potenti. "D" ↑,

then the potentiated "D" as an autosode can be offered for the treatment of the patient. In addition, the potentiated "D" can be used as a test guide.

Potentiated "D" can act as a filter to select an effective treatment method:

Potentir. "D" ↓ + end. BRT (medication, fixed frequency, program frequency F, color, etc.) ↑.

Example

A 42-year-old patient, complaints of nasal congestion for the last 8 years. According to the experts to whom the patient consulted, this is due to the curvature of the nasal septum after injury.

Therapy algorithm:

1. To the "Frontal electrodes" socket of the "IMEDIS-BRT-PC" apparatus a magnetic inductor is connected and placed on the back of the patient's nose.

2. In the program "IMEDIS-Expert" the window "Bioresonance therapy" and the effect is triggered in the frequencies of all meridians.

3. One

a globule of pure homeopathic sugar crumbs to record disharmonious vibrations on it from the back of the patient's nose. We get initial disharmonic oscillations "D₀".

4. Testing "D₀" On the reproduced BAP. Indicators on reproduced BAP decrease ("D₀" ↓). This means that the patient's body is not able to fight this pathology on its own. He needs help.

5. Determine the frequencies of which meridians the disharmonic ones "lie" fluctuations "D₀". The magnetic inductor remains connected to the "Frontal Electrodes" socket and placed on the back of the patient's nose. "D₀" Use as filter. The globule on which the "D₀" is placed in a cylindrical electrode in the patient's hand. In the window "Bioresonance therapy" of the program "IMEDIS-EXPERT" set the mode of manual enumeration of the meridians and launch the BRT. In parallel with BRT, we carry out testing on a reproducible BAP. We observe that the following conditions are met:

"D₀" ↓ + BRT (bladder meridian) ↑, "D₀" ↓ +

BRT (stomach meridian) ↑,

"D₀" ↓ + BRT (lung meridian) ↑.

Thus, we determine that disharmonic electromagnetic vibrations recorded from the back of the patient's nose "lie" in the frequencies of the meridians of the bladder, stomach and lungs.

6. We write down the disharmonic oscillations in the frequencies of these meridians.

To do this, in the "Bioresonance therapy" window of the program, enter the section "Drug testing", where in the list of meridians we select Bladder, Stomach, Lungs. The globule on which the "D₀", Put into container No. 2 (straight), one globule of pure homeopathic We place the crumbs in container # 1 ("record") and start the process of energy-information transfer. Thus, on the medium placed in container # 1 ("record"), we get "D_{one}".

7. Potentiate "D_{one}". To do this, in the program in the window "Bioresonance therapy" go to the "Transfer" section, place "D_{one}" into container # 2 (straight line) and start the process of exposure. The potentiometer knob located on front panel of the device "IMEDIS-BRT-PC", move along the scale "Potency" in the range from "7" to "0". We carry out testing on a reproducible BAP. We find that when the potentiometer knob is in the "4.8" position, the readings on the reproduced BAP decrease the most.

8. Leave the potentiometer knob in the "4.8" position and place it in container No. 1 ("record") one globule of pure homeopathic grits, recording on it potentiated disharmonic oscillations "D_{one}". Let's designate these potentiated disharmonic oscillations "D₂".

9. We use "D₂" as a filter to determine the effective method of treatment. We want to help the patient using the opportunities color light therapy. To do this, you need to determine what color to use for therapy. We carry out testing of electronic copies of flowers from medication selector device "IMEDIS-BRT-PC".

During testing, the condition is fulfilled: "D₂»↓ + Orange ↑. This means that orange can be effective in treating this problem. the patient. Using the MINI-EXPERT-TsT apparatus, we have an orange effect on the patient's nose for 40 seconds. The patient noted the appearance of a sensation of warmth and a significant improvement in air permeability when breathing through the nose.

I.V. Kolganov Recommendations on the choice of test pointers in ART during BRT // XII