

Quantum (electromagnetic) harmonization of the human body
O.I. Eliseeva
(LLC "Eliseeva Methodological Center", Moscow, Russia)

In previous articles, we described and showed in micrographs the appearance of electromagnetic resonators in blood plasma. We assume that the same resonators are present in human organs, because they also have liquid structures and hydroxyl molecules - OH. In the normal, physiological state of the body, the relative synchronization of various oscillatory (wave) processes is maintained, while in pathological conditions, violations of oscillatory harmony are observed. This can be expressed in a violation of the rhythms of the main physiological processes, for example, due to a sharp predominance of the mechanisms of excitation or inhibition in the central nervous system and changes in the cortical-subcortical interactions of the brain.

In our Center, a method was developed for harmonizing wave oscillations to normal physiological resonant frequencies corresponding to the state of the body, organ, problem focus, blood plasma at this particular time, gradually bringing them to normal. As you know, bringing the body into a harmonious energy state, removing blocks from the meridians helps to cleanse the body at the mesenchymal level, increase immunity, and this already creates conditions for the body to self-eliminate pathological organic problems.

Electromagnetic harmonization of a person is carried out from 15 to 60 minutes, depending on the severity of the disease and the patient's condition.

The original resonant frequency at which the human body is currently operating is tested. The higher the frequency, the more sick the body is, the more it is affected by fungi and helminths. they "live" at high frequencies and more of all microorganisms create energetic disharmony.

Methodology

A device for magnetic therapy "belt" is put on the human body through the neck back. In the section "therapy", "electropuncture therapy" we set the "manual mode" and dial the frequency, for example, 120 Hz. The oscillation amplitude is constant from 50 to 77 conventional units.

We test on the selected BAP on the finger of the hand when exposed to a given frequency. If we set the frequency higher or lower than the one at which the body works, then we do not get a decrease in the amplitude of the curve or column on the monitor screen. We continue to decrease or increase the frequency value until, under its influence, the curve or bar will give the maximum decrease when testing the point. We measure in the same way, but by placing the inductor on the area of the problematic organ and the anterior cubital fossa of the right and left hands, we obtain the most reduced curve, column and determine the required frequency for treatment.

We begin treatment with blood plasma, i.e. from the cubital fossa on the right, on the left,

then the problem organs and only then the whole body. I will show you how to do this in practice using a clinical example.

Patient ZO.M., 60 years old, came to us without any hope of improvement, just to try another method.

Anamnesis: 2 years ago, a small lump appeared in the left breast. During examination at the Cancer Center, cancer was diagnosed and an operation was proposed - removal of the left breast. Since the tumor did not bother her, the patient decided not to rush into the operation. The tumor slowly increased, but the patient had urgent matters and she postponed the operation. Suddenly 8 months ago, the tumor began to grow rapidly, the breast increased 5 times; enlarged lymph nodes (axillary, neck, subscapularis, suprascapularis); the other breast enlarged. The woman was busy with business and postponed the operation. When she came to the doctors with a request for an operation, due to the multiple and massive spread of the tumor, the patient was denied treatment.

She came to us in the following state: severe shortness of breath, edema, weakness, pallor of the skin, hoarseness, insomnia.

Objectively: Huge left breast gland descending to the waist; in its upper part there is an ulcer of size 10 15 cm, from which ichor and pus oozed.

The right breast gland is enlarged 3 times, dense, purple growths on the skin, rash. These growths and rashes extend upward to occupy the right side of the neck. Neck area, more on the right, edematous, bumpy. On palpation, the thyroid gland is enlarged, dense and tuberos. Enlarged dense axillary lymph nodes on both sides are palpated. The subscapularis, suprascapularis and supraclavicular lymph nodes are enlarged. The liver is enlarged by 4.0 cm, the edges are smooth, painless. Lungs dry and moist rales. The spine is painful in the T4-5 region. Pulse 100 bpm; BP 130/80 mm Hg; tachycardia, cardiac arrhythmia.

ART revealed: double geopathogenic load; false polarity; extremely high depletion of the immune system; severe depletion of the endocrine system; adonocarcinoma D24 of both breasts with multiple metastases to the lymph nodes, thyroid gland, lungs, spine; fungus mycosis fungoides in the mammary glands, lymph nodes, lungs, thyroid gland; staphylococcus aureus in the left breast; hyperfunction of the thyroid gland. Hormonal changes

thyroid, parathyroid glands are elevated. Disturbances in the rhythms of the brain - alpha, theta. 5 anti-cancer chemicals from the IMEDIS selector were tested.

Before contacting us, the patient was treated by a phytotherapist with hemlock tincture for 2 months. Takes various dietary supplements (nutritional supplements). She noted a constant deterioration in health. We agreed to help her under the control of E.V. Alekseeva and provided that she will conduct detoxification IV therapy (her husband is a resuscitator). The geopathogenic load was corrected with a frequency preparation of 6.2 Hz. They moved the bed. False polarity was corrected with the BR-1 preparation according to A.A. Hovsepyan, Systemic Spiritual Adapters and normalization of brain rhythms.

We did not set the task of curing the patient. Using her example, we show a difficult version of harmonization. Started conduct electromagnetic harmonization of the body.

1st day

I. 1. Apply the inductor to the ulnar fossa right arms. We turn on apparatus "Therapy" section "Electromagnetic therapy", set the mode work "manual". The amplitude was set to 55 conventional units. Not including the effect of EPT, we test the end BAP and expand the measuring scale. In our patient, the measured value on the scale was 70 U. Next, we set 200 Hz and turn on the electromagnetic effect. We test BAP - the measured value decreases from 70 to 50 U. We set it to 250 Hz, the value is even lower. We set 300 Hz, the measured value decreases slightly. We expose 350 Hz, the value is recorded up to 30 Units. So we got into a wave resonance. We carry out exposure to this frequency - 350 Hz. In the process of exposure, we test the BAP to increase the measured value to 85-90. For the first impact, it is not necessary to strive to increase to 100, because there must be a gradual wave adaptation. The treatment was carried out for 110 seconds.

2. Place the inductor on the antecubital fossa of the left hand. We are testing BAP, we get the initial value - 70 Units. Considering that the oncological process has begun and is more pronounced in the left breast, we tested higher frequencies on the left hand. We test the frequency of 400 Hz, the measured value decreases, 450 Hz - the value decreases to 30 Units. We act with an EPT with a frequency of 450 Hz, constantly testing BAP until a measured value of 85-90 U is reached. The treatment lasted 120 seconds.

3. Place the inductor on the left breast. Testing the frequency starting at 400 Hz. 400 Hz - the measured value decreases significantly, 450 Hz - decreases, 470 Hz - the measured value - up to 30 Units. We act with EPT 470 Hz for 2 minutes. We are testing BAP, the measured value has increased to 85. The treatment is stopped.

4. The device for magnetic therapy "belt" is placed on the back (impact on the body). We test 300 Hz - the measured value decreases, 270 Hz - the value decreases to 30 Units. We act with EPT 270 Hz for 1 minute, the measured value rises to 90 U.

II. We immediately conduct the next session. But now they were the following frequencies were tested: right ulnar fossa - 320 Hz; left cubital fossa - 420 Hz; left mammary gland - 450 Hz; body - 250 Hz. The impact lasted from 50 to 120 seconds.

E.V. Alekseeva warned us that due to the presence of many electromagnetic resonators in the blood plasma, electromagnetic readings may increase due to the appearance of reflected waves as a result of their transformation. But there is no need to worry, because they will go out.

III. And so it happened. Suddenly, during the third test, all values "Jumped" in comparison with the previous testing: the right cubital fossa - 370 Hz; left cubital fossa - 470 Hz; left mammary gland - 500 Hz; body - 290 Hz. The exposure time was from 80 to 180 sec.

IV. The next session is carried out immediately. We test and conduct the following EPT: right ulnar fossa - 350 Hz; left cubital fossa - 450 Hz;

left mammary gland - 470 Hz; body - 270 Hz. The exposure time was from 70 to 150 sec.

Then EPT was carried out according to the above method. There were no "jumps" of frequencies. Frequencies were decreasing steadily. The patient began to feel better, her shortness of breath decreased, and vigor appeared. But we got tired and finished the treatment at the following EPT frequencies: right ulnar fossa - 170 Hz; left cubital fossa - 190 Hz; left mammary gland - 210 Hz; body - 100 Hz. We held sessions 2 times a week.

After 2 days. The patient notes an improvement in well-being: improved sleep, decreased swelling. The sessions were conducted according to the above method. On the 2nd day, lower numbers were tested. But again there was a jump on the background of treatment, almost doubled. The treatment was brought to: right ulnar fossa - 140 Hz; left cubital fossa - 160 Hz; left mammary gland - 170 Hz; body - 90 Hz.

After 4 days. The patient's state of health improved, cheerfulness appeared, but neck swelling and hoarseness increased. We have added an area of the thyroid gland to the electromagnetic harmonization. On the 4th day, there were no "jumps" in frequencies. At the beginning of treatment, the following EPT frequencies were tested: right ulnar fossa - 210 Hz; left ulnar fossa - 240 Hz; left mammary gland - 250 Hz; thyroid gland - 270 Hz; body - 170 Hz.

The decrease in frequencies went quickly, the treatment was completed at the following frequencies: right ulnar fossa - 20 Hz; left ulnar fossa - 20 Hz; left mammary gland - 110 Hz; thyroid gland - 120 Hz; body - 20 Hz.

When testing the final frequencies, the measured value reached the digits of 90-100 Units. The treatment was carried out within 30 minutes.

The very next day, the patient noted an almost complete restoration of her voice, a decrease in neck swelling. The ulcer on the left breast began to decrease, the discharge of pus and ichor stopped. The patient noted that she felt great after the session.

After 5 sessions the primary tested frequencies were reduced and almost always brought to the final 20 Hz. The sessions were held for 20-30 minutes.

At the 15th session all parameters were reduced to 20 Hz.

After 15 sessions of harmonization on the diagnosis of ART D60 carcinoma, anti-cancer chemotherapy drugs were not tested.

Objectively: no shortness of breath, slight edema. The liver shrank to 1cm. In the lungs, moist rales are not audible. No tachycardia, pulse 68 beats / min.

Palpation: lymphatic diseases decreased painless. Lumpy
the formations in the neck area did not decrease, the skin was partially cleared.

According to the method of electromagnetic harmonization of the human body back in 2000. we have treated 70 people with chronic diseases and have received pronounced positive clinical results. We have now improved this technique by adding organ and blood vessel harmonization to the elbow fossa. Improvement of the technique made it possible to improve the condition of severe patients much faster. The initial numbers of pathological frequencies in chronic diseases are much lower than in cancer, and positive results were achieved faster.

Here is one of the many examples. Patient J., 59 years old, Minsk.

She complained of severe weakness, increased blood pressure, heart pain, pain in breathing in the right lung, cough, pain in the liver after eating, pain in the left abdomen and in the right knee joint, weakness in the hands.

Segmental diagnostics of the energy state of the body was carried out (Fig.

one).






Fig. 1. The energy state of the energy potentials of the patient's body before treatment



Rice. 2.Improvement after the 1st session electromagnetic harmonization

In fig. 1 it can be seen that the energy potential of the head is sharply reduced (the norm is that the vertical stripes reach the black horizontal lines below and above), it is also sharply reduced at the level of the arms, heart and the upper side of the chest; there is no energy potential at the level of the right lung; the potential of the level of the liver, the left half of the abdomen and the area of the right knee is sharply reduced. Thus, this picture, as it were, fully reflects the patient's complaints.

We conducted one session of electromagnetic harmonization and already during the session the patient felt much better, her strength increased, the cough disappeared, and a blush appeared on her cheeks. In fig. 2 You see a significant improvement in energy potentials after the 1st session.



Rice. 3.Normal energy state of the patient after 7 sessions

treatment.

In fig. 3 after the 7th harmonization session, an almost ideal normal energy state of the patient is seen.

The patient's health improved significantly, all complaints disappeared. But the treatment should continue until the full recovery of not only the energy potential, but also the restoration of full-fledged organ and blood cells. According to the given research data and treatment results, a pronounced positive dynamics of treatment is visible. The patient has been monitored for a year, she feels good, works, no complaints.

Thus, at present, with the addition of electromagnetic harmonization of individual pathological organs and blood, we are getting even better results in the treatment of viral, severe chronic and oncological diseases.

Literature

1. Alekseeva E.V., Eliseeva O.I. The key to health problems. - M.: A.S.T., 2006.
2. Alekseeva E.V. Microcosm in human blood. - M.: New Center, 2003.
3. Abstracts and reports of the VI International Conference "Theoretical and clinical aspects of the use of bioresonance and multiresonance therapy". Part II. - M.: IMEDIS, 2000. -- S. 157.

O.I. Eliseeva Quantum (electromagnetic) harmonization of the human body // XII