

False polarity and brain rhythms
 O.I. Eliseeva
 (LLC "Eliseeva Methodological Center", Moscow, Russia)

At the request of the residents of Vladivostok, our Center opened a Partner Representative Office in this city. In Vladivostok, I carried out charity diagnostics on ART for 15 people. Out of 15 people, 13 were diagnosed with indications of false polarity. As they say, 1 is the case, 3

- this is already a regularity, and 13 is already an indicator. The second patient to be diagnosed was a 10-year-old child with severe autoimmune allergy. As a rule, for all children, I check for abnormalities in brain rhythms by examining frequencies in the central nervous system. The child was diagnosed with deviations in rhythms - alpha (), beta () and theta (). Thus, I decided to test the need to test for changes in brain rhythms with false polarity. And it turned out to be correct. All the next twelve patients with false polarity tested had shifts in brain rhythms. The work was continued in Moscow.

Since the most difficult and untreated patients in orthodox clinics come to our Center, false polarity was tested in almost 70% of them, which can only be checked by ART. For 2 months I examined 30 patients in whom false polarity was tested. In all cases, they were diagnosed with abnormalities in the rhythms of the brain. Previously, we corrected false polarity by preparing the BR-1 preparation. This was done in 50% of cases. With the advent of Systemic Spiritual Adaptants (SDA) in the IMEDIS selector and the preparation of these drugs, when tested in combination with BR-1, it was possible to correct the false polarity in 70% of cases. To correct the false polarity, we have already provided the above 30 patients with complex treatment: BR-1-drug, SDA and normalization of brain rhythms. We noticed that the correction of the wrong polarity was much faster, within 10-12 days (previously up to 1 month), and a greater percentage of its correction was noted: out of 30 - 27 people, which is 90%. We also noted in patients an improvement in sleep, mood and, if there were headaches, migraines, then either their disappearance or decrease. Table 1 shows the results of correcting false polarity.


Table 1

Percentage Correction Results for Incorrect Polarity

Treatment	
Correcting false polarity	
BR-1- drug	fifty%
SDA, BR-1-drug	70%
BR-1 drugs, SDA and normalization of brain rhythms	90%

Thirty (30) patients with false polarity had the following pathology (see Fig. 1):

1. Violation of blood circulation, coronary artery disease I-II degree - 3 people.
 2. Depletion of the immune system, chronic fatigue syndrome - 12 people.
 3. Encephalopathy, migraines - 4 people.
 4. Hypertension - 3 people.
 5. Chronic infections of the genitourinary system - 6 people.
 6. Oncology - 2 people.
- Of these, 28 women, 2 men, age from 10 to 55 years.



Rice. one. Quantitative characteristics of pathologies when testing the wrong polarity

We always carry out treatment in a complex way: cleansing the body, BRT, EPT, BR preparations with homeopathy, induction therapy. With the correction of the false polarity, we noted that the treatment took place without exacerbations and on a better emotional background. The patients improved their sleep, mood, and fewer EPT sessions were also tested. Positive results come faster. In cancer patients, we achieved improvement in general health and mood in 5–10 days.

How were changes in brain rhythms treated? As indicated above, we tested in frequencies, section of the central nervous system, abnormalities in the rhythms of the brain:

The ART method on the selected BAP revealed changes (decrease in the initial measurement level) in rhythms, the section "frequency of the central nervous system". Then EPT sessions were carried out with the tested frequencies of brain rhythms (program E), amplitude 15–20, a device for magnetic therapy (UMT) "loop" was placed on the patient's head. If the patient had headaches, migraines, then the UMT "belt" was used, which was placed on the back of the head and cervical spine. Session duration

- from 5 to 10 minutes. As a rule, it was enough to carry out only 3 sessions, maximum - 5. After treatment for altered brain rhythms against the background of BR-1, SDA, no further changes in brain rhythms were observed.

Conclusions:

1. We recommend that all patients, with an indication of false polarity, test deviations in the rhythms of the brain.
2. Correction of false polarity and normalization of brain rhythms contribute to accelerating the recovery of patients with any pathology.

Literature

1. Gotovsky Yu.V., Kosareva LB, Frolova L.A. Quick Start Guide induction therapy. - M.: IMEDIS, 1999.
2. Methodical recommendations for doctors and patients "Cooking bioresonance drugs (BR) according to the method of A.A. Hovsepyan and Yu.V. Gotovsky". - M.: LLC Eliseeva Methodical Center, 2003. - P. 92.