

## On the treatment of chronic viral hepatitis C (second message)

V.A. Abalakin

(FGUN Central Research Institute of Epidemiology of Rospotrebnadzor of the Russian Federation, Moscow, Russia)

In the first message (Abstracts and reports of the XI International conference "Theoretical and clinical aspects of the use of bioresonant and multiresonant therapy. Part I. - M.:" IMEDIS ", 2005. - P. 368), we considered in detail the literary facts set out in the Consensus USA, 2002 and doubted the advisability of an expensive course of treatment of chronic viral hepatitis C with interferon preparations. This infection proceeds slowly, does not always manifest itself clinically, and with modern diagnostic capabilities it is easy to follow its dynamics. The task was formulated - to treat a chronic infection caused by the hepatitis C virus with more harmless means than interferon preparations, since the latter cause severe adverse reactions in 20% of patients.

When setting the task, we were guided by the following considerations: interferon, the main known antiviral factor, is produced by lymphocytes. Other antiviral factors are not yet known. Is it possible to stimulate antiviral immunity with homeopathic preparations, the language of which the human body understands well, since the products from which these preparations are prepared participated in the evolution of living organisms on earth.

We would go beyond the subject of our message if we started to list what homeopathy is, its laws, the sequence of prescribing homeopathic remedies, etc. V.M. Zakharenkov tells about this in an interesting and useful way. in MONIKI at the department "Improvement of doctors".

All patients (with the exception of those mentioned in the first report) who were followed for at least 2 years were taken into the development. Unfortunately, there are few such patients: they rarely come to us.

Complex preparations of the "Heel" company, their "transfers", transfers of homeopathic preparations (prepared on devices of the "IMEDIS" company), as well as homeopathic preparations prepared in the classical way according to Hahnemann were used as therapeutic preparations. We deliberately do not indicate the name of homeopathic remedies, since when homeopathic approach to therapy, drugs are selected for each patient individually. Polymerase chain reaction (PCR) for the determination of hepatitis C virus RNA (HVS) by a semi-quantitative method (the indicator is expressed in numbers: undiluted blood serum = 1 + 10-fold dilution degree), as well as biochemical tests to determine alanine transferase in the blood (ALT, norm not higher than 40), as the main biochemical indicator with viral liver damage, and aspartate is not higher than 40), as a concomitant, not the main one in the indicator, carried out Center for Molecular Diagnostics with Federal State Institution of Science (FGUN) Central Research Institute of Epidemiology of Rospotrebnadzor of the Russian Federation (the largest diagnostic center in Moscow).

## Clinical examples

1. Patient 38 years old. Complaints about sudden mood swings. Hepatitis virus C was found in the maternity hospital in February 2003. She turned to us for help in January 2004. At the time of treatment on January 22, 2004: RNA GVS - 5 + (semi-quantitative method), ALT - 148, AST - 113.

After treatment: 15.05. 2004 - RNK GVS-4, ALT - 61, AST - 54.

15.01.2005: RNK GVS - 5, ALT - 108, AST - 88.

15.06. 2005: RNK GVS - 3, ALT - 243, AST - 156.

22.10. 2005: RNK GVS - 4, ALT - 130, AST - 118.

02/21/2006: RNK GVS - 4, ALT - 112, AST - 93.

The presented dynamics of indicators of the hepatitis C virus and transferases in the blood indicates that after the prescribed treatment in the first 5 months, the transferase indicators decreased by 2 times, but later family troubles so disturbed the psychoemotional state of the patient that it was necessary to prescribe the appropriate homeopathic medicines. As a result, ALT values increased to 243, and after the appointment of homeopathic hepatotropic drugs, ALT values began to gradually decrease to 112. The level of HVS RNA changed insignificantly during 2 years.

2. Patient 40 years old. Complaints of increased fatigue. RNK DHW in blood was discovered in 1996. Until 2000, the ALT and AST levels in the blood remained within normal limits. He turned to us for help on 4.04.2001: RNK GVS - 5, ALT - 157, AST - 76.

After the prescribed treatment, ALT indices gradually decreased to the upper limits of the norm, while HVS RNA indices remained practically unchanged.

23.10. 2002: RNK GVS - 4, ALT - 87, AST - 53.

15.04. 2002: RNK GVS - 4, ALT - 92, AST - 53.

26.12.2002: RNA GVS - 4, ALT - 75, AST - 41. Break in treatment for 3 years.

4.02. 2005: RNK GVS - 5, ALT - 87, AST - 48.

07/23/2005: RNK GVS - 3, ALT - 44, AST - 44.

8.11.2005: RNK GVS - 4, ALT - 95, AST - 119.

27.01. 2006: RNK GVS - 4, ALT - 43, AST - 30.

3 Patient 25 years old. Hepatitis C virus in the blood was detected during childbirth in 2003 (PCR). Against the background of treatment (until June 2003) with reafteron, heptral and ribovirin, psychosthenic symptoms appeared. We were contacted on 24.10. 2003: RNK GVS - 5, ALT - 117, AST - 53.

After the treatment:

04/03/2004: RNK GVS - 3, ALT - 24, AST - 25.

4.02. 2006: RNK GVS - 0, ALT - 27, AST - 21, that is, indicators of complete healing.

## Discussion

The presented results (summarizing the two reports) indicate a good (in 100% of cases) therapeutic effect of homeopathic preparations, both transfers and classically prepared ones. It inspires in

us the confidence that we are on the right track. The presented indicators demonstrate different dynamics of successful treatment: from complete cure, which is indicated by the disappearance of the virus from the blood and the normalization of liver biochemical parameters, to a significant decrease in the level of ALT in the blood. Our experience shows that ALT and AST are normalized first, and then the virus disappears from the blood. The number of observations is too small for meaningful conclusions. It is necessary to continue the search for more effective treatment regimens with homeopathic medicines.

Some doctors are inclined to think that with such therapy there is a placebo effect, strictly speaking, this cannot be ruled out, since no one has conducted a double "blind", and even more so a triple "blind" study (too expensive). In this regard, it should be recalled that placebo has a short effect (Lapin IP, Publishing House "Lan", 2000), and our observations lasted at least 2 years. And yet, placebo gives pronounced positive clinical results in 60-90% of diseases ("Placebo and therapy", IP Lapin, ed. "Lan", 2000). For a doctor, this book is a treasure trove of thoughts and conclusions. Developing this topic, we believe that the true professionalism of the doctor is to prescribe a placebo, where possible, and not a pharmacological drug, which always has side effects.

action.

Helping people, doctors care about the environment, professional activities - "green" (on democratic voting). Caring for the environment, for the future of the great-grandchildren of our great-grandchildren is a national and international idea. The instinct of self-preservation (taking care of food, prolonging the immediate offspring) is an animal principle, it is also true for humans. But man, in comparison with animals, is a higher stage of evolution, and we continue to use only the animal principle, and this is where the evolutionary conflict (decansion) arises, which is growing every decade. It is important that everyone, without exception, feels this, there is no need to explain it.

---

V.A. Abalakin On the treatment of chronic viral hepatitis C (second message) // XII