The tactics of therapy in the "IMEDIS-TEST" system, taking into account the indicators connective tissue resonance scale M. Shraibman (Israel)

Homeopathic doctrine is fundamental to therapy. First, a miasmatic portrait of the patient is drawn up at the moment, optimally, for the long term and taking into account the resolution of genetic problems. The latter is a program to gradually increase the level of his health to the maximum possible.

At the first stage (at low potencies of connective tissue), a list of organ preparations, chakras, chromosomes, meridian complex preparations, nosodes, as well as information preparations reflecting deviations in the immune, endocrine, autonomic, nervous and other systems is compiled that resonate to the sum of the potencies of the connective tissue. organism.

Through the resulting list of a group of informational fluctuations is drugs (PI) that carry harmonious selected, which includes System Spiritual Adapters, Targeted blood nosode in inversion, resoplexes, as well as color information preparations, enzymes, induction programs, MCP, amino acids.

The sum of the selected PIs is checked for environmental compatibility, potentiated through the optimum required connective tissue scale index and recorded on a medium that is placed on a hand plate. Bioresonance therapy is carried out, and, upon reaching the target level of the connective tissue state, a general bioresonance preparation is recorded. The received informational preparation has a similarity to the currently identified problems of the body at the physiological, psychological and spiritual levels, and when administered, the body will act

predominantly through harmonic vibrations.

In parallel, if necessary, a preparation-response to a particular problem in the current time is being prepared according to the method of A.E. Kudaeva, N.K. Khodareva, K.N. Mkhitaryan.

Upon reaching the optimal level of integrative indicators, including the connective tissue scale, chronosemantic therapy should be started. To do this, using a light

of the chronosemantic probe, information is written off from the main chiroglyphic lines, each separately, for 1 grain and their ranking is carried out by filtering through the connective tissue scale. A line is chosen that resonates with the lowest potencies of the connective tissue. Through the PI of this line + the sum of PI of the connective tissue (filtered through it and the "broken" chain), all problems on this chiroglyphic line (organopreparations, PMCs, chromosomes, chakras, nosodes, non-optimal indicators of the immune, endocrine, autonomic nervous systems, etc.) The general condition of this chiroglyphic line corresponds to the previously determined potency of the connective tissue. Through Cu met D400 \downarrow , the maximum permissible potency of the connective tissue (line PI + STKj \uparrow) is outlined, which can be achieved on this line without harming the patient. NANCR (inverse or forward) and SDA target the list, and the chronosemantic drug is tested through the PI line + CTKj.

The effect obtained in the course of CSP treatment is assessed through the potency of the connective tissue, reflecting the ratio of the miasms. Usually this is the level corresponding to the state of the miasms for the future (i.e. the sum of all the potencies of the miasm + Ag nitr. 44 or Ag nitr. $52 \downarrow + STKj \uparrow$).

Subsequent therapy is carried out through the amount of PIs taken with a light chronosemantic probe from all major chiroglyphic lines.

By loading PI + with the sum of the potencies of the connective tissue (obtained through the "broken" chain), we reveal suboptimally working organopreparations, chakras, meridians, nosodes, as well as problematic basic integrative indicators.

Chronosemantic therapy is being carried out. Through the same list (together with the sum of the STK potencies), a constitutional homeopathic remedy can be selected.

Each of the three stages can be extended in time until the results obtained correspond to the current miasm ratios, assessed on the connective tissue scale at the very beginning of therapy.

Literature:

1. Gotovsky Yu.V., Mkhitaryan K.N. Chronosemantic diagnostics and mantic point therapy. - M .: IMEDIS, 2002.

2. Makhonkina L.B., Sazonova I.M. Resonance test features diagnostics and therapy. - M .: RUDN, 2000.

3. Kudaev E.A., Mkhitaryan K.N., Khodareva N.K. Multilevel system therapy with targeted information drugs and Systemic Spiritual Adapters. - Rostovon-Don, 2005.

4. Shraibman M.M. Full resonance scale of connective tissue and its diagnostic value in the "IMEDIS-TEST" system // Abstracts and reports XIII international conference "Theoretical and clinical Aspects application of bioresonance and multiresonance therapy ". Part of I. - M .: IMEDIS, 2007 .-- P. 171.

5. Kazantseva M.N. Correction of amino acids as a special case of treatment degenerative diseases // Ibid. - S. 241.

M. Shraibman Tactics of therapy in the "IMEDIS-TEST" system taking into account the indicators of the resonance scale of connective tissue // XIV

Рр. 76-79

[&]quot;- M .:" IMEDIS ", 2008, vol. 1 -