

The doctrine of miasms and the possibility of its use in bioresonance therapy

N. Kempe
(Graz, Austria)

In the 80th year of his life, with the father of homeopathy S. Hahnemann, something happened that still happens to every therapist who has been conscientiously working for many years with the methods of energy-informational medicine. He began to feel dissatisfaction with the fact that in spite of the coherent theory of homeopathy and vast empirical experience, patients, as a rule, did not recover absolutely, sooner or later they returned with the same, albeit often significantly weakened symptoms. And Hahnemann puts forward the idea of miasms [4], namely: the effect of the environment in all its diversity (living organisms, viruses, bacteria, etc., inanimate substances, poisons, painfully acting radiation and fields, social conditions, etc.) in the present and past, having a painful effect on human organisms, causing both acute and chronic diseases and leaving "traces" in the offspring. Hahnemann used a different terminology, since at that time there was still no clear idea of viruses and bacteria. He used the concept Vital energy. This hereditary "trace" can in no way be interpreted as a genetic burden. From a modern point of view, we are talking about the characteristic features of the human morphogenetic field, determined by the dynamics of homeostasis of his previous generations in the fight against the negative impact of the environment.

The postulates stated by Hahnemann in this work are absolutely modern even now. Diseases that begin very imperceptibly, gradually, slowly but surely lead to more and more deviations in the state of health, as a result of which the vital energy can no longer maintain homeostasis to compensate for these deviations, and chronic diseases. These diseases cannot go away unless they are specifically treated; they gradually progress and weaken homeostasis more and more.

Following Hahnemann, we define three types of chronic diseases:

1. Natural chronic diseases caused dynamically developing dysfunctions of homeostasis. Due to the presence of chronic miasms. Hahnemann believed that these are three miasms: psora, sycosis and syphilis.
2. Iatrogenic diseases due to prolonged use of allopathic drugs, no longer amenable to homeopathic treatment.
3. Diseases due to prolonged unhealthy lifestyle (use drugs, alcoholism, smoking, improper and one-sided diet, wrong thinking, living space with weights). Unlike the first two types of chronic diseases, these diseases have a chance of being completely cured.

A load of only one miasm is rarely found, usually all three miasms are present in the body's system, but with different weight characteristics, and at different times of life and under different circumstances, different miasms can dominate in the same mechanism. Hahnemann's idea of miasms was further developed [1, 2, 5-15]. It was proposed to introduce into the analysis two more miasms - tuberculinum and carcinosinum. H. Schimmel was especially concerned with the problem of miasms. He introduced a significantly larger number of miasms [16] and the corresponding markers into the autonomic resonance test developed by him, which were introduced into the selector of the AIC "IMEDIS-EXPERT". For effective therapy, it is necessary to understand Hahnemann's idea of the three miasms, since it is of overarching fundamental importance. The use of the indications of Hahnemann and his followers allows completely a new approach to holistic treatment of chronic diseases and simultaneously affect both the material somatic part and the mental sphere of the patient.

The idea of a triad was expressed by Paracelsus, who argued that all processes in the human body are determined by three substances: sulfur, mercury and sodium. Wherein

sulfur controls the processes at the field, etheric level, mercury - in body fluids and natrium - in material substance. Deviation from the correct proportions of these substances in the body leads to disease. This roughly corresponds to Hahnemann's ideas: sulfur - psora, mercury - syphilis and salt (sodium) - sycosis. This idea of the trinity of being is reflected in various philosophical, esoteric and religious teachings about the representation of the phenomenal world in three categories: matter, form, energy. According to Hahnemann, this is the correspondence: sycosis - matter, psora is form and syphilis is energy.

For the correct treatment according to the miasmatic principle, it is necessary to understand well the functional properties of the miasmatic effect on the human body. In different homeopathic schools, the concepts of miasms are somewhat different, but the common definition is miasm as a certain typical algorithm (or method) of pathological adaptation of the body, as a single socio-biological system to changes in the internal and external environment. This algorithm creates the basis for the emergence and development of chronic diseases. Miasm determines the nature of constant slowly progressive changes in psychosomatic connections, giving rise to the emergence and development of functional and organic disorders. Each miasm has its own characteristic algorithm, which determines the sequence of the body's reactions leading to the emergence and maintenance of diseases, regardless of the initiating factors. Self-regulation and self-development of the pathological process in the body does not depend on whether or not etiological factors (infection, microbes, stress, etc.) are present, but is determined by the miasm. That is why miasms do not mix, but exist as if in parallel. The presence of the second miasm does not in any way alter the nature of the action of the first miasm.

So miasms are an attribute of the homo sapiens population. This is one of the aspects of the interaction of this population with the natural environment. The reason for the occurrence of chronic diseases lies in the contradiction between the society to which a person belongs and the natural environment, and does not depend on the individual. The better the society, the healthier each of its members. But society cannot be harmonious a priori, since human society and nature are always in contradiction, which is why we carry three miasms and sooner or later each of us will get a chronic disease. The task of the therapist is to try to achieve harmony in each individual patient. Miasms are not something special, abnormal, no, they are just something normal in a person's life, as normal as health. Miasms are a natural consequence of life. Miasms are a natural, necessary component of human existence. Miasms are a deeply complex all-encompassing phenomenon; it is humanity's payment for evolution. Therefore, working on the methods of miasmatic therapy, one must constantly remember that if a given chronic disease, as an expression of pathogenic adaptation, is the optimal way for the patient for a given period of time and under these conditions to adapt the body, then its elimination destabilizes the body system with a previously unpredictable result of a new loop self-regulation.

This understanding is very important for the correct administration of therapy. The equipment of the IMEDIS Center has unique capabilities for this, but its correct use is possible only with a good study of the action of miasms and with a clear understanding of their effect on the body. It is also important to develop a correct understanding of what we expect when conducting miasmatic therapy. Constant monitoring in miasmatic therapy is a must.

Diagnosing miasms is very important. Even in spite of the capabilities of ART "IMEDISTEST", it is far from easy to establish the correct hierarchy of therapy and work out the best option. Some general provisions on the characteristics of the three miasms are of great use here, namely:

Sycosis: strong growths, purulent discharge, pain, swelling, pain on palpation. Hyperreactivity, hyperfunction, hypertrophy, benign tumors. For sycosis

are characteristic processes and changes that are exceed the required physiological adaptation.

Syphilis: erosion, ulcers, degeneration of lymph nodes and blood vessels. Destructive processes in the body, leading to the destruction of the material parts of the body. Syphilis is characterized by processes and changes that distort physiological adaptation.

Psora: manifestation through all sorts of rashes, eczema, itching. Psora is characterized by processes and changes that are always insufficient for the implementation of physiological adaptation.

The observations of G. Bentley [8-9] can be of great help in orienting the miasmatic situation. He not only presented miasma-oriented facial features, but also perfectly described the psychological properties inherent in each of the miasms. Bentley's proposal on the belonging of constitutional types to different miasms is also very valuable. When testing, it is good to have these tables handy, for example by creating a special miasma tree. Also useful are the instructions and ideas of Hahnemann, set out in his work "Chronic Diseases" [4].

Our system has excellent capabilities for high-quality miasmatic therapy. The selector contains electronic copies of many drugs necessary for testing and therapy:

- various nosodes of miasms with a wide range of potencies;
- complexions of the firms "OHOM" and "OTI";
- a number of markers for ART "IMEDIS-TEST";
- a wide range of homeopathic remedies to cover any constitutionality;
- a set of drugs in LM potency;
- a variety of drugs for concomitant psychological mood (essences "Rostock", Bach Flowers, preparations of the company "GUNA", preparations of Dr. Banis, etc.);
- regeneration control drugs in case the body has "forgotten" some control algorithms.

Before I began to actively apply therapy according to the miasmatic principle, I studied the problems for about a year in the literature given at the end of the article. Only after that did I start working with patients, very carefully and under constant supervision. In the workshop, I will present some specific cases. One and a half years of experience with this type of therapy allows me to draw the following conclusions:

1. Miasmatic therapy can only be performed after optimization homeostasis, only after the elimination of pressing problems and the consequences of acute conditions.
2. Start with the dominant miasm. Definition of dominant miasm is produced by direct ART "IMEDIS-TEST", as a marker, either a nosode or a homeopathic preparation is selected. The potency at which the indication is most pronounced is necessarily determined. Several miasms are sometimes tested. Therapy should be started with a miasm, which is detected at a lower potency of the marker. It is important not to be mistaken here, therefore, the correctness of the definition of the dominant miasm should be checked, for example, according to Bentley's physiognomy, through Emvita preparations, through the results of anamnesis, through the number of involved mesenchyme layers according to Shraibman, etc.
3. Make a decision on the type of therapy, namely, the treatment through the nosode miasm in high potency or by means of suitable homeopathic remedies (see Table 1). Experience shows that here too, careful testing should be carried out, taking into account the various potencies of the tested drug.
4. Miasmatic treatment is best done through consistent circular BRT with electrodes or in horizontal mode with a "loop", with amplification,

equal to 7, and introducing into the therapy circuit from the selector three central meridians (Epiphysis, anterior and posterior median) and the miasmatic drug selected, respectively. In this case, I spend 2 cycles of 440 seconds each and only in the second cycle I write globules. In fact, the result of the therapy can be optimized or enhanced by the introduction of certain drugs, such as: a properly selected spiritual adaptant, one of the water samples according to Dr. Cicollo, or the LM-preparation from Rostock essences. But this must be checked very carefully. The introduction of drugs correcting the state of the chakras is unacceptable, as it can greatly distort the therapy process. Energy correction of the state of the chakras must be carried out in advance.

5. In fact, other very effective therapies can be used. (some of them will be covered in the workshop). For example, miasmatic therapy is very effective against the background of the use of OBR. First, therapy is carried out according to those selected through Cu met. D400 meridians with drug recording and then after 10-15 days - miasmatic therapy. Interestingly, in this case, it is even possible to carry out miasmatic therapy without BRT, simply by giving the appropriate potency of the selected miasm in the form of globules.

6. The drug during the therapy for the dominant miasm should be very it is thoroughly tested, since the frequency of its reception and the number of globules are very individual and the optimal parameter limits are rather narrow. Hahnemann's instructions [4] are very valuable, some of which I cite here, since I have repeatedly had to make sure of their expediency:

- 1) With the exception of psora, miasmatic drugs must be taken
in the evening before going to bed, psora, on the contrary, in the morning, immediately after waking up.
- 2) It is important to eat or drink 1 hour before and after taking.
- 3) It is good after taking the drug to enter a state of rest, without stress and special excitement.
- 4) Do not take the drug during your period. With irregular menstruation, first level this condition and only then carry out miasmatic therapy.
- 5) Do not carry out miasmatic therapy before 12 and after 28 weeks of pregnancy.
- 6) For breastfed babies, conduct miasmatic therapy only through the mother. Infants who are bottle-fed can be treated with this therapy as early as 3 months, but one should not be surprised if there is a very strong reaction.
- 7) When carrying out miasmatic therapy, one should constantly monitor the state of the vital energy of the body, for example, by monitoring through quadrant measurements and segmental diagnostics. If it begins to decrease, immediately stop further miasmatic therapy and carry out the energetic one until complete stabilization. This can happen if homestasis has not been properly stabilized beforehand, or if an unforeseen event has occurred that severely disturbed the patient's condition, such as: big trouble, an accident, an infectious disease, etc.

^{eight)} The miasmatic preparation is much more effective in the form of drops based on well-structured water. Moreover, these drops should not only be taken orally, but also rubbed into certain areas of the skin between oral doses of the drug.

After carrying out miasmatic therapy on the dominant miasm, it is possible and necessary, some time after careful research, to begin the therapy of the next emerging miasm. Here everything is more or less repeated. Experience shows that here we have to work with the miasmatic remedy in a slightly lower potency. As a rule, this procedure must be repeated a third time, since, with rare exceptions, every human organism bears traces of all three miasms.

This therapy takes quite a long time (several months). At the same time, in the intervals between the miasmatic therapy, the patient's condition is monitored and physiological "soft" drainage is sometimes given. During the control, segmental diagnostics are necessarily carried out due to its great objectivity and information content. Details will be given at the seminar, but one of the types of drainage, due to its amazing efficiency, I will describe here: a basic circular BRT with the use of electrodes along all meridians in sequence - 100 sec. (the central meridians are connected from the selector), then all 16 DRE preparations of the ONOM company are connected. After 100 sec. they are turned off, therapy continues further - 100 seconds, all DRE drugs are injected again - 140 seconds, with the potentiometer position at 6.5. Then DRE drugs are turned off, the potentiometer is set to 7 and the therapy continues for 240 sec. with a record of globules. The recorded drainage preparation is tested for a single dose and frequency of administration (on average, it is 3 times a day, two globules half an hour before meals).

Of course, the development of the theory of miasms continues, and the introduction of new miasms - tuberculinum and carcinosinum - turned out to be quite legitimate. It is interesting that for all the time of my practice, I have never come across patients in whom these miasms would be primary. They usually come out as secondary and even tertiary miasms. It is simply impossible to describe all the approaches of miasmatic therapy in a short article. Conclusion I want to present one new, very important aspect of miasmatic therapy. - mutational miasms. One of them is the borreliosis miasm. In Austria and Germany, a very large number of patients are tested for the presence of one of the pathogens that cause borreliosis, which proceed without clinical manifestation. Typically, these patients have other chronic diseases. In [18], it was suggested that the causative agent of any of the known borreliosis is a mutated syphilis spirochete. The use of this idea has proven to be very productive in the treatment of a variety of chronic diseases. In the seminar, I will give examples of the cure of diseases such as leukopenia and polyneuropathy, using these ideas and conducting only miasmatic therapy. The examples are confirmed by clinical studies.

In conclusion, I would like to note that there is a great future for miasmatic treatment, although there is still a lot of work to be done in the development of appropriate techniques.

The seminar will give specific examples of the use of miasmatic therapy using the IMEDIS-EXPERT system and discuss some of the methods of this therapy.

Table 1

Correspondence of constitutional homeopathic preparations and miasms according to G. Benley [9]

Psora	Sycosis	Syphilis	Sikoto-psora	Sikoto-syphilis	Tuberculinum	Carcinogen zinozinum
Bryonia	Antimon.crud.	Ac.fluor.	Ammon.mur.	Anacardium	Aconitum	Ac. Phosph.
Carbo veg.	Apis	Ac.nitricum	Chamomilla	Belladonna	Calc. carb.	Alumina
Chelidonium	Arnica	Aurum	Coffea	Cuprum	Calc. phosph.	Argentum nitr.
Graphites	Cannabis ind.	Baryta carb.	Colocynthis	Hyosciamus	China	Arsenicum
Kali carb.	Cimicifuga	Ledum	Ferrum met.	Lachesis	Hepar sulph.	Carcinosinum
Lycopodium	Lilium tigr.	Mancinella	Ignatia	Lac caninum	Kali phosph.	Magnesia carb.
Petroleum	Medorrhinum	Mercurius	Natrium mur.	Platinum	Natrium	Natrium carb.
Psorinum	Rhus tox.	Phytolacca	Natrium sulph.	Staphisagria	phosph.	Silicea
Pulsatilla	Sepia	Plumbum	Nux vomica	Stramonium	Phosphorus	Zincum met.
Sulfur	Thuja	Syphylinum	Sanicula aqua	Veratrum alb.	Sanguinaria	
					Tuberculinum	

Recommended reading

1. Ortega PS Die Miasmenlehre Hahnemanns.

2. Elend D. Die so genannten chronischen Krankheiten.
 3. Hahnemann S. Organon, 6. Ausgabe.
 4. Hahnemann S. Die chronische Krankheiten.
 5. Roy R. Lange-Roy C. Das Wesen der Miasmen.
 6. Zee van der H. Das Geburt-eine Reise durch Miasmen.
 7. Hadulla MM, Richter O., Tauer H. Die Chronische Krankheiten.
 8. Bentley G. Appearance and Circumstance.
 9. Bentley G. Homeopathic analysis of facial features.
 10. Rajendran ES The nucleus. Lectures on chronic diseases and miasms.
 11. Linde I.F. Samuel Hahnemann's theory of miasms.
 12. Banerjea SK Miasma.
 13. Gneiger Yu. Teaching about Psora today.
 14. Sankaran R. Das geistige Prinzip der Homöopathie.
 15. Schimmel H. Funktionelle Medizin.
 16. Schimmel H. Resonanzhomöopathie.
 17. Schimmel H. Miasmen und andere pathogene Informationen des Menschen, Teil 1,2 und 3. Erfahrungsheilkunde 5 (2002), 11 (2002) and 9 (2003).
 18. Storl W.-D. Borreliose natürlich heilen.
-

N. Kempe The doctrine of miasms and the possibility of its use in bioresonance therapy // XIV

"- M .:" IMEDIS ", 2008, vol. 1 - C.84-94