

Resonance frequency therapy of pathological conditions caused by microorganisms. The problem of detoxification and the state of the immune system
NS. Kobylyanskaya, V. Ya. Kobylyansky
(Ukrainian Academy of Integrative Medicine, Kiev, Ukraine)

The method of resonant frequency diagnostics and therapy of diseases caused by fungi, viruses, bacteria, protozoa, helminths, has proven its effectiveness in the diagnosis and treatment of pathological conditions etiologically associated with the presence of these pathogens in the patient's body. The effectiveness of such diagnostics and therapy in most cases is confirmed by the results of laboratory studies - by the method of enzyme immunoassay for the presence of specific immunoglobulins and molecular biological - quantitative determination of the DNA of the virus by polymerase chain reaction.

Therapeutic measures are always preceded by the diagnosis of the general condition of the body, the diagnosis of burdens and the determination of the compensatory reserves of the body, first of all, of the organs of the drainage and immune systems. For this purpose, we use electropuncture diagnostics according to the method of R. Voll (devices "Inta", Ukraine; "MINI-EXPERT-DT", "IMEDIS", Russia), vegetative resonance test (VRT) "IMEDIS-TEST" (apparatus "MINIEXPERT-DT", "IMEDIS", Russia), electrozonal vector diagnostics of the functional state of the body, which is carried out in automatic mode (APK" Vector-Diacor-Bio-PSI", Ukraine). The diagnostic algorithm necessarily includes the definition of weights. For this purpose, we use tests for burden from ART "IMEDIS-TEST": markers "5823 Viral burdens 1 - Interferon D30", "5824 Viral burdens 2 - Arsenicum album", "6166 Bacterial infections 1 - Tetracycline D30", "6167 Bacterial infections 2 - Natrium sulfuricum", "6170 General mycotic burdens - Monilia white D24". No less important as markers of toxic aggravations are drugs from the Metabolics group

"Toxic burdens and problems" (7902 Bacteria, 7903 Viruses, 7905 Fungi, 7907 Parasites).
Positive result testing indicates on the Availability
toxic burden and a possible connection identified violations in
organs with the pathogen and, thus, obliges us to carry out resonant frequency
diagnostics in order to concretize the type of pathogen. This result means that the
macroorganism contains toxins of an infectious and parasitic nature (more often
these are endotoxins that are formed in the macroorganism when microorganisms
die). Testing such
burden is explained, first of all, by the fact that the drainage and excretory systems
of the macroorganism (lymphatic system, liver, spleen, kidneys, skin,
gastrointestinal tract, respiratory organs, etc.) are not able to eliminate these
toxins. Depending on the size of the toxins
The kidneys (small toxins), the liver (toxins with medium molecules), and the
phagocytic system (toxins with large molecules) are exposed to elimination loads.

A negative test result for these burdens means no problem of burden, but not the absence of pathogens in

organism and does not exempt us from the need to test for a possible connection between the revealed pathology and the persistence of a specific pathogen in the macroorganism. The burden may manifest itself later in the process of carrying out resonance-frequency therapy.

Many years of experience proves that using a wide variety of therapeutic measures against pathogens (including bioresonance technologies), success can be achieved only with the improving state of the immune system and ensuring the elimination of toxins, that is, at optimal functioning of the body's drainage system.

The state of the immune system is diagnosed on criteria vegetative resonance test "IMEDIS-TEST" and vector zonal diagnostics with determination of the degrees of depletion and tension of the immune system (sections "Immune system" and "State of the immune system") and immunity reserves - general and local for specific organs. The adaptive reserves of drainage systems are determined by testing according to the "Lymphatic burden" scale ("IMEDIS-TEST") and according to the parameters of vector zonal diagnostics.

Resonant frequency therapy is carried out according to generally accepted guidelines and recommendations developed by the team of the IMEDIS Center. The time between resonant frequency programs during a session is filled with induction therapy using organ programs, detoxification programs, as well as programs that improve the state of the immune system.

Along with general recommendations for detoxification regarding proper nutrition, water intake and lifestyle, we always carry out a set of measures aimed at improving the state of the immune and drainage systems. They include:

1. Endogenous adaptive bioresonance therapy in simultaneous mode with resonance-frequency and induction therapy using various strategies (more often - the fourth and second). It should be noted that active elimination of endo- and exotoxins is possible only if there are good drainage reserves of the spleen, liver, kidneys, blood and lymphatic system and adherence to the principles of antihomotoxic therapy.

2. The use of complex homeopathic preparations of the firms "O.T.I." and "ONOM", preparations of ROY MARTINA (firm "GUNA") groups ENDOCRINOTOX, DETOX, ENDOTOX. But even with a thorough analysis of the diagnostic results, it is not always possible to predict the reserves of which organs and systems will not cope with the burden, aggravated by resonant frequency therapy. Therefore, we consider it expedient to create a complex detoxification and drainage preparation with a targeted effect on the main organs and systems of the body at the first session. In the future, with repeated therapeutic sessions, such a drug is prepared according to the results of control measurements, taking into account the dynamics of the state of compensatory reserves of specific organs and systems.

3. Preparations (native and electronic analogs) from "Heel" immunotropic and detoxifying action.

4. We also use immunotropic preparations of the SEROIMMUN group (firm "OTI").

But these activities do not always turn out to be fully

effective. In such cases, we use detoxifying enterosorbent drugs:

one. "MINEROL" - polymineral a drug, selective enterosorbent with high adsorption capacity, muco-cytoprotector, does not have side effects (including intestinal atony) with prolonged use. The drug actively carries out transmembrane sorption from blood and lymphatic fluid of medium-molecular metabolites. "MINEROL" was made on the basis of raw materials from ancient deposits of organomineral origin (clay mineral - montmorillonite), which carries information about the ecologically clean nature of the Precambrian period. The drug contains almost all micro- and macroelements that the human body needs, including: calcium, iron, potassium, manganese, iodine, zinc, chromium, copper, selenium.

2. "ENTEROSGEL" - organosilicon enterosorbent (polymethylsiloxane), which combines high sorption activity with selectivity of action, eliminates mainly medium-molecular toxic substances. The effectiveness of the drug is due to direct action (adsorption of toxic substances - both metabolites and toxins of bacteria, viruses) and indirect (provides normalization of intestinal microbiocenosis and functions of the immune system).

Various disorders in the immune system in the form of immunodeficiency states, autoimmune conditions, allergies - in recent years we have been successfully solving using immunotropic preparations of the Transfer Factor series from 4Life Research (Transfer Factor, Transfer Factor Advance). The Transfer Factor series preparations are highly concentrated cytokines obtained from bovine colostrum and / or egg yolks by a special ultrafiltration method. Some preparations of this series (Transfer Factor Plus, Transfer Factor Cardio, Transfer Factor Glucoach) also contain other natural components of plant and mineral origin. They are distinguished by a multifaceted modulating effect on the patient's immune system (they regulate the function of cells: T-suppressors, T-killers and macrophages), as well as the absence of side effects. The drugs are equally effective for adults and children at different stages of the activity of the immunopathological process; they are convincingly tested by R. Voll and ART. Depending on the type of disorder, they stimulate reduced immunity or suppress overly stretched immune responses, preventing damage to the body. Transfer factors drugs are a hypoallergenic product, since they are completely cleared of large protein molecules - only cytokine fractions identical to leukocyte cytokines are left. Since Transfer factors in the body's immune system perform the function of transferring information, they can be fully considered informational drugs.

We conclude that only by paying due attention to the state of the immune system and drainage functions of the body, as well as their adaptive reserves, by a complex combination of methods of bioresonance therapy, homeopathy using natural preparations immunomodulatory (Transfer factors) and detoxification effects (Enterosgel, Minerol) can successfully solve the problem of combating infectious and parasitic pathogens.

Literature

1. Borisenko L.N., Batechko S.A. Minerol in the endoecological program human rehabilitation. Kiev, 2006 .-- 267s.
2. Gotovsky Yu.V., Kosareva LB, Blinkov I.L., Samokhin A.V. Exogenous fixed frequency bioresonance therapy: Methodical recommendations. - M .: IMEDIS, 2001 .-- 96 p.
3. Gotovsky Yu.V., Mkhitaryan K.N. Choosing a bioresonance strategy therapy // Samokhin A.V., Gotovsky Yu.V. Electropuncture diagnostics and therapy according to the Voll method R. 5th ed. - M .: IMEDIS, 2006. - S. 446-450.
4. Letifov G.M. Transfer factor is a unique immunoregulatory means. - Barnaul, 2004 .-- 24 p.
5. Makhonkina L.B. Methodological aspects of bioresonance therapy // Samokhin A.V., Gotovsky Yu.V. Electropuncture diagnostics and therapy according to the Voll method R. 5th ed. - M .: IMEDIS, 2006. - S. 450-459.
6. Makhonkina L.B., Sazonova I.M. Resonance test. Possibilities diagnostics and therapy. - M .: RUDN, 2000 .-- 740 p.
7. Oganova E.A., McCausland K. Transfer factors - natural immunocorrectors // In collection. reports of the scientific and practical conference "Immunorehabilitation at infectious and inflammatory diseases ". - Barnaul, 2003. - pp. 22-26.
8. Padchenko S.I. Scientific medical justification methodology information diagnostics "InteraVector-BOIPSI-DiaCor" // In sb. "First International Congress Cruise" Medicine of the Third Millennium "). - Odessa-Kiev, 2003. - pp. 134-138.

NS. Kobylyanskaya, V. Ya. Kobylyansky Resonant frequency therapy of pathological conditions caused by microorganisms. The problem of detoxification and the state of the immune system // XIV " - M .: IMEDIS ", 2008, vol. 1 - C.254-259