

The role of the vegetative resonance test "IMEDIS-TEST" and bioresonance therapy in modern medicine

E.G. Avanesova^{one}, T.S. Avanesova²

(^{one}Consultative and Diagnostic Center of Children's Polyclinic No. 81,
²Manual therapy center, Moscow, Russia)

"Higher and the only thing the doctor's prescription is to restore health to the patient - to heal it.

The doctor should also be health guardian, if he knows the reasons that produce and supportive diseases, and if he eliminates them in the ordinary way of a healthy person. " maybe life

S. Hahnemann

Both in the days of the most ancient healers, and in modern medicine, which has at its disposal a huge amount of the latest technologies, the only and most important task of any doctor is to cure the patient. At the same time, doctors-allopaths and doctors-homeopaths under the word "sick" mean completely different things. Allopathy under the concept of "sick" means a patient with severe symptoms of a certain disease in accordance with one or another accepted classification of diseases. The homeopathic approach is completely different. S. Hahnemann said: "There are no diseases, but there are sick people." Commenting on these words of S. Hahnemann, J. T. Kent writes: "This statement clearly shows that by the names of diseases that the allopaths operate on, they mean only gross external manifestations of the disorder of the vital force. At all times, allopathic doctors, not knowing

Thus, in orthodox medicine, the diagnosis given to the patient, combining a group of certain symptoms, is nothing more than a manifestation of the "core of compensation", that is consequence long ago an existing, often far-reaching pathological process, the signs of which are already visible at the physical level. At the same time, for successful treatment, it is not so much the "core of compensation" that is important as the "core of pathology," that is, the main cause of the disease. As J. T. Kent writes, "in order to find the drug needed to cure a patient, the symptoms of the result of the disease are not needed, the symptoms of the disease itself are needed. The body is able to independently restore the tissues affected by the disease, if the doctor is able to establish the cause of the disease. "

In this regard, it should be noted at once two advantages that the doctor gives the use of the vegetative resonance test (ART) "IMEDIS-TEST".

First. The use of the vegetative resonance test "IMEDIS-TEST" provides the practitioner with the opportunity to carry out diagnostics with the identification significant etiopathogenetic factors of the disease, which can be extremely diverse. On the example of such a pathology, which is often encountered in childhood and adolescence, as neurosis-like nocturnal enuresis, one can illustrate the truly invaluable role of diagnostics with the help of ART "IMEDIS-TEST". What is the diagnosis of neurosis-like nocturnal enuresis for an allopathic doctor? This is just a symptom of bedwetting. In other words, this is the very "core of compensation" that has already been discussed, it is a consequence of a complex multi-link pathological process in the child's body, the visible result of which is enuresis. Is it possible somehow with the help of standard examination methods to identify the main etiological factor or the main links of pathogenesis? Most often, unfortunately, no. Indeed, in 37% of children suffering from this disease, when conducting an electroencephalographic study,

fundus, the study of the immune status by laboratory methods of pathology is not detected. And even if there are changes on the electroencephalogram (EEG), rheoencephalogram (REG), they are not specific. Based on this, it is clear that there are practically no effective therapeutic methods for treating nocturnal enuresis, because how can something be treated without knowing the true cause of the disorders.

For a doctor who knows the ART method "IMEDIS-TEST", the most diverse causes of this disease are revealed: psychological stress (96% of patients), geopathogenic, radioactive and electromagnetic stress (62%), viral and bacterial burdens (36%, mainly pathogens of Coxsackie, Epstein -Barr, herpes, mumps, staphylococcus, streptococcus, meningococcus), a combination of all types of loads with a virus - 27%). (Statistical data are provided by the authors based on the results of examination and treatment of patients in the center of manual therapy and the consultative and diagnostic center of the children's polyclinic No. 81 in Moscow over the past 7 years). At the same time, with the help of ART "IMEDIS-TEST" it is possible not only to reveal the main etiological factor of the disease, but also, using the filtration method, trace the formation of the entire pathogenetic mechanism, which in each case will be different for each patient. Obviously, such a diagnostic approach makes the subsequent therapy targeted and, accordingly, more effective, because the doctor can count on effective therapy only if the leading etiopathogenetic mechanisms of pathology are reliably identified during diagnostics.

There are many such examples. The diagnosis "bronchial asthma" is also the name of the "compensation nucleus", this is not the cause of the pathology, but already the consequence, it is a complex of symptoms that will be similar in hundreds of patients, but each of them has its own path of formation of this pathology with a leading etiopathogenetic link - in for some, this is a long-term psychological or geopathogenic load, where the target organ is the bronchi and lungs, and for others, a pathogen of pathology persisting in the lungs - viral or bacterial, as a result of untreated or undiagnosed bronchopneumonia. Obviously, the ways of treatment here will be completely different. The same can be said about peptic ulcer disease, articular syndrome, hypertension and many other diseases.

Thus, the method of vegetative resonance test "IMEDIS-TEST" allows not only to identify organs with various disorders. Often, doctors who carry out diagnostics using the ART "IMEDIS-TEST" hear the question: "why do we need such a method, if it is much faster and easier to do ultrasound, computed tomography and other analyzes?" Of course, modern medicine has a huge number of modern diagnostic methods. It is very important here to avoid extremes. On the one hand, working with the "IMEDIS-TEST" ART method, in no case should you neglect other reliable diagnostic methods. In this case, both the ART "IMEDIS-TEST" and the complex of other diagnostic techniques chosen by the doctor in each specific case not only do not exclude, but also complement each other. At the same time, the diagnostic accuracy only increases, the possibility of medical error is also sharply reduced. On the other hand, having completely examined the patient using modern laboratory and instrumental methods, in a fairly large percentage of cases only with the help of the ART "IMEDIS-TEST" it is possible to answer the question: what is the leading etiological factor in this patient with bronchial asthma - psychological stress, electromagnetic load or the presence of pneumococcus, and, possibly, a combination of these reasons. At the same time, ten people whose diagnosis will sound the same - "bronchial asthma" will have ten different causes and pathology development paths, which, accordingly, will require a completely different, purely individual therapy tactics from the doctor.

etiopathogenetic mechanisms of development of many nosological forms. Knowledge of these mechanisms allows the doctor to determine an adequate, targeted, etiotropic therapy, which is highly effective in almost all cases.

Second. Professor Yu.V. Gotovsky taught his followers that if there are no manifestations of pathology on the part of any organ in the body, the person does not complain about the state of health, he feels well, but at least one type of load (geopathogenic, radioactive, electromagnetic, psychological) and disorders in the immune system (a state of tension, and even more so exhaustion), endocrine indices, high, and even more rigid biological indices, high photon indices, low adaptation reserves, then the appearance of pathology in a particular organ or system organs are a matter of time. One way or another, the pathology will appear, even not so fundamentally, after what period of time and in what organ, the main thing is that it will be much more difficult to treat it. The ability to evaluate in the diagnostic process such parameters,

loads, their nature and degree, integrative characteristics of the body's vital functions, integrating systems - immune, endocrine, metabolic metabolism is characterized by the ART method "IMEDIS-TEST" from the point of view of another important criterion - from the point of view preventive focus of the doctor. It must be emphasized that these diagnostic points (and when the stress is removed, not only diagnostics, but also therapy) are stages preclinical examination (even in the absence of symptoms of the disease) and preventive treatment, without waiting for the clinical manifestation of pathology. Commenting on the second part of S. Hahnemann's statement, given as an epigraph to the article, it should be noted that the ART method "IMEDIS-TEST" is one of those methods that allows not only diagnosing a sick person, but also preventing many diseases in healthy people by timely determination and subsequent elimination of negative factors leading to pathology (various types of loads, which were mentioned above, disorders of immune and endocrine regulation).

Thus, the ART method "IMEDIS-TEST" allows not only to identify organs with various disorders, but also to determine those parameters that important for a complete diagnosis of (various types of stress, tendency to cystic the development of benign or age processes, biological minerals, vitamins, index, lack of hormones, microelements) and targeted, etiotropic and adequate therapy (key nosode, effectiveness and tolerability of medications, adaptive reserves of the body, optimal biological age).

Clinical example 1

Patient I., 40 years old, has been suffering from severe cervicgia for the last year. Conducted therapeutic measures with a short-term effect. I went to a manual therapy center in Moscow with complaints of pain in the neck, right shoulder, numbness in the fingers of the right hand, a feeling of "creeping", limitation of movement and decreased muscle strength in the right hand. When testing by the ART method "IMEDIS-TEST", a geopathogenic

load of 4 degrees (intersection of double geopathogenic zones), radioactive load of 2 degrees, target organ for both types of loads - cervical and thoracic vertebrae. In the complex of therapeutic measures, the elimination of geopathogenic and radioactive loads from the body was carried out (exposure to a frequency of 6.2 Hz, drugs of the drug selector "anti-radioactive load" and RAYEX No. 5), as well as sessions of endogenous and exogenous BRT with an emphasis on analgesic, anti-inflammatory, nootropic effects, preparation of general and private bioresonance preparations, acupuncture course. Also, measures were taken to identify possible geopathogenic and radioactive zones at the place of residence and work. At the end of the treatment, the patient has no complaints. Follow-up 1 year, the patient's health is good.

Clinical example 2

Patient D., 50 years old, has been suffering from lumbodynia over the past two years, practically does not walk, severe pain in the back, weakness in the legs. The various medical measures carried out without effect, the condition over the past two years has been gradually deteriorating. During examination in the center of manual therapy with the help of ART "IMEDIS-TEST" geopathogenic, radioactive loads are not tested. The electromagnetic load of the 1st degree is diffuse. At the same time, hepatitis C virus carrier was revealed, the target organ was the lumbar vertebrae. The patient has never been sick with hepatitis, liver pathology was not revealed either during the diagnosis with the help of ART "IMEDIS-TEST" and during the subsequent ultrasound examination and computed tomography. Hepatitis C virus carriage is laboratory confirmed. In the course of complex therapy, including various therapeutic measures (bioresonance therapy, acupuncture), the hepatitis C pathogen was eliminated from the body (nosodotherapy, treatment with fixed frequencies based on test results). Follow-up 1 year, the patient has no complaints, goes in for sports.

Clinical case 3

Patient I., 12 years old, turned to the neurologist of the consultative diagnostic center of the children's polyclinic No. 81 with complaints of severe pain in the right hand, weakness of the fingers, the child does not attend written objects at school, cannot hold a pen in his hands. Palpation along the forearm is impossible, because of the sharp pain, the child is crying. According to her mother, the girl suffered an acute respiratory viral infection with a high temperature a month ago, after which the indicated complaints appeared two weeks later. The subfebrile condition remains 37.4-37.5; lethargy, headache. During testing by the ART method "IMEDIS-TEST", the pathogen Herpes Zoster was identified, one of the target organs - the cervical and thoracic vertebrae. The conducted therapeutic effects included measures to eliminate the pathogen from the body and appropriate pathogenetic therapy. Follow-up 1 year, the child is healthy.

The above examples show how important it is in the diagnostic process to identify the leading etiopathogenetic factor, which, as can be seen from the examples, can be completely different with similar clinical

manifestations of pathology.

Summarizing what has been said, it is necessary to note two essential features of the vegetative resonance test "IMEDIS-TEST", which provide the possibility of using this method in the complex examination of patients.

Firstly, This opportunity deep studying leading etiopathogenetic link almost individually for each patient, that is, the opportunity to study not consequence the pathological process occurring in the body, and the true the cause of the pathology. It should be emphasized once again that the diagnostic accuracy is significantly increased with a competent combination of modern laboratory-instrumental methods and ART "IMEDIS-TEST" available to the doctor. Neglecting the ART method "IMEDIS-TEST", even having at his disposal many modern instrumental and clinical techniques, the doctor condemns himself in advance to a lack of understanding of all the various ways of development of pathology in the body, to disappear from the field of vision of precisely that etiological factor, that particular pathogenetic mechanism, which needs to be influenced in this particular case in the course of therapy. At the same time, working only with the help of ART "IMEDIS-TEST" and setting up the patient against conducting accompanying examinations (ultrasound, computed tomography, magnetic resonance imaging, laboratory methods) as "duplicate", the doctor risks not only losing the correct confirmation of the results of the diagnostics carried out with the help of IMEDIS-TEST ART, but also missing an essential pathology. It is extremely important here that a complex approach to the issues of diagnostics, both with the use of the ART method "IMEDIS-TEST", and modern clinical and instrumental methods. The task of the doctor is to competently draw up an examination plan for each patient individually, in which all the achievements of modern medicine used complement each other and, ultimately, allow the patient to determine the diagnosis as reliably as possible. This, in turn, makes it possible to make the subsequent therapy as etiotropic as possible, that is, directed, and therefore as effective as possible. It is this integrated approach to diagnosis and therapy that is probably one of the most acceptable for a competent, creatively thinking doctor at the present stage of development of medical science.

Secondly, the most important characteristic of the ART method "IMEDIS-TEST" is the ability to preclinical diagnostics (according to the authors, statistically processed in the articles of previous conferences, the results of testing for ART "IMEDIS-TEST" are ahead of the corresponding parameters of ultrasound diagnostics by an average of 4-6 months, and EEG and REG studies - by 3-4 months). This applies to those cases when there is already a pathology in one or another organ. In the absence of complaints, it is extremely important, as mentioned above, to diagnose the presence of loads and the state of the integrating systems, and the elimination of these same loads and the normalization of indicators of the immune, endocrine systems, and the main types of metabolism is an important preventive step to prevent pathology in the future.

Combined with precision proven by high reliability

(according to the authors, the reliability when compared with other research methods was 99%), non-invasiveness of the method, harmlessness and painlessness (which is important in any case, but acquires special significance, for example, in pediatric practice) the above-mentioned features of the IMEDIS-TEST ART method make it appropriate and often simply necessary for use in the activities of a doctor of any specialty.

The statistical results of the use of bioresonance therapy (BRT) in the treatment of many patients with various clinical pathologies and their follow-up in follow-up have been repeatedly presented by the authors in articles of previous conferences. Therefore, without dwelling in detail on the analysis of various nosological categories, it should be noted that the use of both endogenous and exogenous bioresonance therapy in the process of treating patients (both children and adults) is characterized by the following features: physiological therapeutic effect, harmlessness, painlessness, absence of side effects, and most importantly - always a purely individual approach to the patient. The principle of "treating not a disease, but a patient" during BRT acquires true meaning.

It should be noted that in the work of a doctor applying these methods in his work, it is necessary to conduct a global assessment unity of problems of diagnosis, treatment, prevention and rehabilitation. Therefore, diagnostic and therapeutic algorithms are closely interrelated. So, for example, the principles "from the general to the particular" and "in relation to the achieved result", which Professor Yu.V. Gotovsky, concern not only diagnosis, but also treatment.

The results of many years of clinical practice indicate that it is thanks to the competent combination of the ART methods "IMEDIS-TEST" and bioresonance therapy that the systemic, complex, conceptual approach to the emergence of a pathological process in the body and adequate, effective treatment of existing disorders, an approach that is, perhaps, the only correct one at the present stage of development of medicine. At the same time, the doctor gets the opportunity to carry out his activities at a qualitatively different, modern level of work, not only for a deep study of the mechanisms of occurrence, development of pathology in the body and effective treatment, but also for the prevention of diseases.

E.G. Avanesova, T.S. Avanesova The role of the vegetative resonance test "IMEDIS-TEST" and bioresonance therapy in modern medicine // XIV "- M .:" IMEDIS ", 2008, v.2 - C.3-12