

A case of successful treatment of rheumatoid arthritis by the BRT method
V.Yu. Pogosov, O.V. Bessarabov
(Treatment and Diagnostic Center "Medicine of the Future", Kaliningrad, Russia)

Patient S., 28 years old, married, has 2 children, complained of pain, stiffness and deformation of the joints of the hands and feet, stitching pains in the heart, headache.

From the anamnesis, he has been sick for about 7 years. Was repeatedly treated with a diagnosis rheumatoid arthritis according to the standard scheme with the use of antibiotics of the penicillin series, brufen, voltaren, and in the last 3 years and steroid hormones. As a rule, after a short-term improvement, the state of health deteriorated even more. The disease progressed. The patient was admitted to our clinic in November 2007 in a state of exacerbation.

Objectively: general condition is relatively satisfactory, movements are slightly constrained, walking is difficult. The joints of the fingers are deformed, swollen, hot to the touch.

The examination was carried out using the ART + method. The most affected organs were identified - the joints of the arms and legs, myocardium, thyroid gland, palatine tonsils, pia mater. Filtering through the joints of the hands tested - Staphylococcus aureus and hemolytic streptococcus.

It was decided to start the treatment with the normalization of the thyroid gland functions. In total, 6 sessions of bioresonance therapy (BRT) were carried out with a frequency of 1 time in 5 days. After 3 sessions, the symptoms of inflammation of the small joints noticeably decreased, and their mobility increased. After the 6th session, pains in the region of the heart and joints of the arms and legs practically stopped. The headache has decreased significantly.

The second course of treatment was aimed at further improving the condition of the joints. A total of 8 BRT sessions were performed. In parallel, frequency resonance therapy of the identified pathogens was carried out. After the second BRT session, joint pains completely stopped. In the course of further treatment, the range of motion increased significantly.

At the end of the 2nd course, the condition returned to normal. No complaints. The patient was prescribed a diet, exercise therapy, vitamin therapy.

In the process of treatment, technologies were used, developed in the medical and diagnostic center "MEDICINE OF THE FUTURE" with the use of pathophysiological chains. The treatment was carried out on the equipment of the company "IMEDIS".

V.Yu. Pogosov, O.V. Bessarabov A case of successful treatment of rheumatoid arthritis with the BRT method //

"- M .:" IMEDIS ", 2008, vol.2 - p.123-124