

Use of electronic copies of new drugs  
in the process of bioresonance therapy

N. Kempe  
(Graz, Austria)

The most valuable, deeply physiological and always fail-safe therapy in our IMEDIS system is endogenous bioresonance therapy. I have repeatedly observed how slowly and surely homeostasis normalizes in patients who for a long time one or two times a week receive conventional bioresonance therapy on an autonomous apparatus for BRT (one cycle of 440 seconds along all meridians in the "act" and GS mode). A further step in the development of the possibilities of bioresonance therapy was proposed by Yu.V. Gotovsky is the creation of a general and specific bioresonance preparation. This idea is beautifully described, for example, in the book by Avanesova [1]. But, unfortunately, the treatment of both acute conditions and a number of chronic diseases with purely endogenous bioresonance is successful only if reversible processes in the body are still possible. So, the ideas of bioresonance strategies appeared [2] and a selector of electronic copies of various drugs was introduced into the system, which is supplemented with new information packages every year, and now there are so many of these drugs that therapists often face a serious problem of what, when and how it costs and whether it should be introduced into the therapy circuit. Added to this is another problem: the fact is that the effect of electronic copies is slightly different from their natural sources.

At first, the selector contained mono-homeopathic drugs, nosodes and organopreparations, and all the knowledge and experience that was available in complementary medicine for their use could be fully used. The first complex drugs, reflecting the ideas of toxicology according to Reckeweg [3], were almost immediately introduced into the selector. These are electronic copies of Heel and R-preparations. A little later - wonderful preparations "SANUM-KEHLBECK". These ideas are well documented and exist seventy years of experience in their use, which can be perfectly transferred to bioresonance therapy.

The next stage was dictated by the understanding of the role of psychosomatics, and appropriate drugs and techniques appeared in our selector (for example, M-potencies, Rostock essences, Bach flowers, induction programs, etc.).

In the past few decades, in all areas of alternative medicine, a lot of ideas for complex treatment have appeared and in our selector there have been electronic copies of complexones "OTI", "ONOM", "EDAS", "BIOGROUP", "GUNA", "LINDA's", "RESOPLEX", "HORUS", "Homeopharm", "Homeophyt" and many others, which are often very diverse mixtures of well-known information drugs, information packages corresponding to the action of stones, color and light, and more recently, various information packages on rejuvenation and regeneration, fateful information packages and spiritual adaptations. Further, a number of scientists created complexons, which were supposed to correspond in their composition to the information of the meridians, chakras, etc. And although we have very good opportunities by the method of vegetative resonance test "IMEDIS-TEST" testing the effectiveness of the drugs used (Fe met. D26, Fe met. D800, Cytochrom A D60), their consistency (Manganum met D 26, Manganum met. D800) and a number of other valuable indicators, such as integral indices, adaptation reserves, etc., however, there is a situation where it is very difficult to choose the optimal therapy. This condition is aggravated by the fact that many relatively new drugs have not yet been tested so well that they can be used fearlessly. Therefore, the report will give some ideas from our own experience about the possibilities of using a number of drugs from the selector.

lanthanides.

Below are a few notes on introducing various drugs from the selector into the therapy circuit, which help to optimize almost any bioresonance therapy.

#### Strengthening therapy

When conducting bioresonance therapy, it is very effective to use electronic correspondences of oscillations of the central meridians: the anterior median, posterior median, and also the meridian of the pineal gland. For now, these meridians are set as homeopathic complexes either from the Schimmel set (MP 13, 14, 15) or drugs mervis 13 and 14 from the LINDA's system. Let's remind that:

- MR 13 (posterior median) is Lycopodium D8, Platina D8 and Cocculus cacti D8;
- MP 14 (anterior median) is Coffea D 8, Aurum D8 and Lachesis D10;
- MP 15 (pineal gland) is Gelsenium D8, Calcium jodatatum D8 Lachesis D10.

A completely different composition of LINDA's meridian preparations:

- Mervis 13 (front middle) is Ferrum metallicum D12, Nelumbo nucifera D4, Castanea sativa D4, Nervus sympaticus C12, Phosphoricum acidum C9, Anemone pulsatilla C7, Agnus castus C3;

- Mervis 14 (back median) is Ferrum metallicum D12, Nelumbo nucifera D4, Castanea sativa D4, Nervus vagus C12, Stramonium C9, Belladonna C7, Cimicifuga C3.

Nonetheless, these spectra work great. The most optimal combination is M13, M 14 and Epiphysis in potency D60-400 (test accurately). But the intensification of therapy occurs even better when it is fed into the therapy circuit through the oscillation belt from the "Front and Back meridians" device.

#### Chakra state correction

Whatever goals are set for therapy, be it the fight against an acute infectious disease, cleansing the body of overly dominant parasites, pain syndromes, metabolic disorders, elimination of allergic conditions, aging pathology, cancer or purely psychosomatic correction, not to mention the use of systemic spiritual adapters, fateful devices or induction therapy, it is necessary to check the state of the chakras before the therapy and to find out the need for chakra correction by conducting a vegetative resonance test through the Platinum 1000 filter. Only with the correct functioning of the chakras, the therapy will be really effective. To correct the function of the chakras, we have a number of possibilities, namely:

- Schimmel's preparations;
- drugs "OTI";
- Rostock preparations;
- drugs "LINDA's".

They all work in different ways, so choosing the right drug is done through appropriate testing. The corresponding selected drugs for the correction of chakra function must be introduced into the bioresonance therapy circuit. When working with life-saving drugs and systemic spiritual adapters, it is almost always necessary to check and enter the so-called. higher chakras from the "Rostock" series. These are drugs C 8-12. Otherwise, the effectiveness of therapy may be too low.

#### Drainage

Drainage is required not only when carrying out cleansing therapies and treating infections, but also in many other cases, up to the correction of the mental state. A very effective way of drainage is the introduction of the meridian drugs MP and MF into the therapy circuit. The drugs of the company work perfectly and strongly

"ONOM" of the DRE series together with the corresponding DIS and RIGE. BIODRE preparations of the BIOGROUP complex have a very physiological and mild effect, they are especially good for children. The LINDA's Mervis meridian preparations are optimal for any therapies of this system. In order to use them optimally, one must carefully examine the content of these complexones once. Below is an example of the composition of several liver drainage products.

Drainage preparation	Compound	Notes (edit)
MP7. Liver (Schimmel)	Nux vomica D8, Natrium phosphoricum D8, Bufo rana D12	
DRE4 ("OHOM")	Acer campestre D4, Buxus sempervivens D4, coriculus avellana D4, fraxinus excelsior D4, juglans regia D4, juniperus communis D4, morus nigra D4, ribes nigrum D4, cosmarius off. D4, secale cereale D4	Strong drainage, acute conditions or lingering chronic and infectious
BIODRE (F) ("BIOGROUP")	Cynara scolymus, silybium marianum, chrisanthellum indicum, taraxacum off., curcuma xanthoxylon, secale cereale, corylus avellana, desmodium adscendens, rosmarinum off, fagus sylvatica, impatiens glandulifera, cichorium intybus, lidenaulita formosus, zincum,	Very soft cleaning, good for children
Mervis 7 ("LINDA's")	Ferrum met. D12, nelumbo nucifera D4, castanea sativa D4, hepatica C12, taraxacum dens leonis C3, sarsaparilla C7, hyoscyamus niger C9	Perfect drainage, especially good at endogenous depressive states and psychosis
Reckeweg R7	Cardus marianus D2, chelidonium D2, china D2, cholesterinum D6, colocynthis D6, lycopodium D4, nux vomica D4	Soft but deep drainage. Combines very well with HEEL therapies
Resoplex N1	Silybium marianum D8, chelidonium majus D8, taraxacum D6	Clear effective drainage, suitable for all types of therapy
Cosmochema "Lebergallotropfen"	Cardus marianus D2, lycopodium sulfuricum D4 calcium carbonicum D10, veratrum D3, phosphorus D10, feltaria D4, nux vomica D10, cynara scolymus D4, taraxacum D2, mandragora D4, chionanthus virginicus D4 hepar sulfuris D8, momordica D4, balsaminas D4	Wide-profile preparation with deep action. It is especially good to record it on water separately and give it to the patient in addition to the main therapy. It is also good because it acts very quickly.

This example shows that drainage products also need to be chosen wisely. If the state of the liver is alarming, then the selected bioresonance therapy can be carried out in the form of frequency modulation at frequencies of 56.00 and 56.25 Hz, in which case it is possible to choose a therapy that somewhat burdens the liver without fear of consequences, for example, therapy to eliminate parasites in the liver.

Experience has shown that several drainage preparations can be used at the same time, but they must be from the same batch.

When using Roy Martina bio-oscillators it is also better to stay in this

series and do not administer drugs of another type, with the exception of drugs for intracellular detoxification A-PLEX 1-7. They go well with almost all detox products such as INTOX, DIS OHOM, GUNA

HORVI drugs provide a very great additional help, they must also be tested directly and in case of almost any problems they can be injected into the therapy circuit.

### Psychocorrection

This is a super complex topic. A patient with the last degree of cancer comes to you, or with psoriasis all over the body, or is it chronic fatigue or "just" too frequent infections, in any case, we must remember that the patient's mental attitude is fundamental. It is not easy, but absolutely necessary, already at the first meeting, to try to rebuild the patient's mental attitude. The main attention should be paid to the problem of latent fear, since patients with fear in the subconscious are no longer able to change their mental attitude themselves, even if they realize the need for it. There are a number of possibilities for this, here are some of them:

1. Conducting preliminary BRT with the introduction of central meridians (Schimmel MP or Mervis 13 and 14 from LINDA's), limbic center organopreparations and PAURA medication and a precisely tested medication (sometimes 2-3 remedies) of fear from Medpharma. The therapy is carried out for 2 complete cycles (880 sec.), Globules are recorded in the last 200 sec. The patient is invited to the next therapy no earlier than 2 weeks later.

2. Conducting induction therapy programs "alpha" or "theta" (strictly test) with the introduction into the therapy circuit of organopreparations Pituitary, Epiphysis and Hypothalamus (preferably Dickerhoff) and several suitable preparations from the Flowerplex series. Hereinafter, it is meant to carry out induction therapy by the method of time modulation of bioresonance therapy with a UMT "belt" worn through the middle of the head and then forward onto the chest. during the entire therapy. The stone should be worn by the patient at all times on the neck at the level of the collarbones. Usually after 2-3 days you can work with the patient on his main problem.

3. Conducting induction therapy with the Overcoming Your Fear program. At It is imperative to include in the therapy circuit the central meridians, the pineal gland meridian and the kidney meridian from the Schimmel MP series. The inclusion of AuraSoma preparations (especially protectors) and some Rostock preparations is very effective. Both of these types of drugs require careful direct testing with BRT.

4. Use of psychosocial drugs "MEDPHARMA".

5. For children, the induction children's program with an introduction to the therapy circuit, in addition to the already mentioned organ preparations of the pineal gland, pituitary gland, hypothalamus, preparations M11, C7 and C8 from the Rostock and Anti-Dor-Energie series. Last 300 sec. the medicinal product is recorded on structured water.

The next important topic of psychocorrection is the removal of blockages due to various shock conditions, including generic ones. One of the most effective methods is carrying out bioresonance therapy along the tested meridians through a complex total filter "shock states", just as it is done when creating a general bioresonance preparation.

An interesting opportunity for psychocorrection is provided by the "RUBIMED" system. This system is, in a sense, "homework". The drugs are tested using a vegetative resonance test. In most cases, this is one drug, if another is being tested, then you should start with the one where the reaction is stronger. Next, a conversation with the patient is conducted, and a verbal short description of the psychological type and the proposed affirmation are read to him. The reaction can be very diverse: from complete

acceptance to complete denial. The patient is offered a free choice whether to take the affirmation for meditation and reading home or not. Then the therapy that was scheduled for this meeting is carried out. It is not necessary to include the selected psychocorrector in the therapy circuit, especially since its effect during bioresonance therapy is weak. What is important here is precisely the definition of the mental problem at the moment and a properly conducted conversation, after which patients think about their own role in the onset of the disease. The RUBIMED test is also very important and for the therapist, as it helps to better navigate the situation when choosing correct therapy without prolonging flax distribution.

Important note: almost at of all therapies, even fully symptom-oriented, suitable flowervis preparations can be used firms "LINDA's" and "FlowerPlex" series "GUNA". The latter are very useful when working with pregnant women and when preparing patients for surgery.

#### Working with life-saving drugs and spiritual adapters

Over the past year, we have carried out about 30 therapies using a special A. Kudaev's small device connected to the IMEDIS complex, on which one of 8 drugs (ZhK, ZhI-3, MP, VZ, ZhO, LF, OP, NIH). The result is amazing! There is a slow restructuring of consciousness. Life attitudes, motivation, assessment of events are changing! These drugs also work through the anterior median and posterior median meridians. A very interesting result is obtained when using these drugs during induction therapy, which is selected by testing. All changes occur faster and deeper and the required dosage is much less (once or twice a week once).

Life-saving drugs also work well and can even be used in absentia, for example, through photography.

Some interesting details and methodological presentations will be highlighted at the workshop.

Other systemic spiritual adapters recorded in the selector have not yet been sufficiently studied by us to make unambiguous conclusions.

#### Administration of drugs from the selector during therapy with induction programs

Induction programs, especially in the bioresonance therapy mode, are one of the most effective therapeutic options. Their effect is markedly enhanced when the anterior median, posterior median and meridian of the pineal gland and organ preparations of the higher endocrine glands of the pineal gland, pituitary gland and hypothalamus are introduced into the therapy circuit. When working with new induction programs, we use the "learning" methodology, namely, during the course of therapy, at certain moments tested by the biotensor, information is recorded for 1-2 globules, and then, again, at certain tested moments, this information is transferred to the second container. During therapy, this procedure is performed 2-4 times (at each plateau of the program). The final preparation is recorded in the last 300 seconds.

When working with a variety of induction programs, it is good to administer organ preparations of the limbic system.

When conducting induction therapy with depression and stress programs, it is useful to administer the appropriate FlowerPlex products and precisely tested Bach flowers.

When working with induction programs on planets, it is worth introducing C7C12 preparations from the "ROSTOCK" series and Epiphysis in high (precisely tested!) Potency.

Programs for training and relaxation of the muscular system require input into

the therapy circuit is organ preparations of the corresponding muscles and magnesia in potencies D6, D15 and D60. These programs are not only effective for athletes, but are very important as rehabilitation therapy after the consequences of strokes and paralysis and paresis of any etiology.

Some important details and results will be presented at the workshop.

#### Adjuvant use of light and color

In seminars in previous years, I have already reported a lot of support and improvement in therapy results if color preparations are introduced into the therapy circuit from the selector. They must be carefully tested, as incorrect color connection can adversely affect the results of therapy.

In this multifaceted topic, I would like to mention two interesting circumstances.

1. If the color is tested, then the use of glasses of this color is very effective. during bioresonance therapy. This is especially effective in the treatment of acute conditions.

2. In a number of cases, EPT therapy with very low amplitude (about 10–20 units) through a light probe when a signal is applied directly to the pupil of the eye or with a higher amplitude to the region of the "third" eye.

#### Conclusion

It is impossible to convey the accumulated knowledge in all details in this report, methods and problems are only mentioned. They can, of course, be clarified and discussed at appropriate seminars. It is only important to be very creative in choosing the optimal therapy. At the same time, the introduction of information copies of drugs from the selector into the bioresonance therapy circuit can significantly increase the effectiveness of therapy. But this should be done only by thoroughly testing the injected drugs for their effectiveness and compatibility. Such "information complexons" act in a slightly different way than is known in homeopathy and can significantly accelerate the harmonization of homeostasis.

#### Literature

1. Avanesova E.G., Avanesova T.S., Gotovsky M.Yu., Kosareva L.B., Bocharov D.G. Clinical aspects of the use of the vegetative resonance test "IMEDIS-TEST" in pediatrics. - M.: IMEDIS, 2006.

2. Gotovsky Yu.V. Bioresonance and multiresonance therapy // Abstracts and reports I International conference "Theoretical and clinical aspects of the use of bioresonance and multiresonance therapy." - M.: IMEDIS, 1996.

3. Reckeweg Hans-Heinrich. Homotoxikologie.- Baden-Baden: Aurelia-Verlag, 1981.

4. Banis U. Handbuch der Psychosomatischen Energetik // Co'med Vlg. Hochheim 2002.

---

N. Kempe The use of electronic copies of new drugs in the process of bioresonance therapy // XV

"- M.:" IMEDIS ", 2009, vol. 1 - pp. 59-70