

The use of frequency resonance test in assessing the lesion of functional systems of various levels and their therapy by example infertility treatment

I.A. Bobrov

(IPC "Family with a plus", Moscow, Russia)

The peculiarity of the treatment of chronic diseases, a particular case of which is the problem of infertility, is that in this case the doctor deals with systemic damage to the body, in which functional systems (FS) of all levels are involved in the pathological process. That is, in addition to the FS level of ordinary meridians (meridians) that form the current homeostasis, there are deviations in the FS of the Elemental level that form future homeostasis indicators in time (depending on the patient's age, season, time of day, etc.), as well as the level Wonderful meridians (FM), which form chronosemantic homeostasis itself, that is, indicators of the internal environment in the future, depending not only on time indicators, but also on social tasks that an individual may face. FS of the current homeostasis level, which include ordinary meridians,

Thus, the EPD according to R. Voll, which makes it possible to determine the state of the meridians, that is, the FS that determine the state of the current homeostasis, the parameters of which are set by the FS of Elements and HC, in advance, often long before the study, does not always give a complete picture of the patient's condition. In particular, it is quite difficult to predict the behavior of the organism in the future, especially in conditions unusual for it, for example, in a state of pregnancy, or attempts to become pregnant.

Accordingly, in such situations it is necessary to investigate the state of the above FS of the Elemental and HC levels.

And since, as already mentioned, the problem of diagnosing and treating infertility is a particular case of diagnosing and treating chronic diseases, it makes sense to consider the problem on the example of this particular case.

Infertility is polietiological and polypathogenic disease. And at first, especially at the first appointment, the EPD method according to R. Voll allows you to effectively diagnose the main problems and FS of the patient, which, as a rule, are confirmed by complaints and anamnesis. In the future, with sufficiently adequate treatment, the indicators according to R. Voll equalize in the corridor of the "norm" or with a slight excess, which again, as a rule, coincides with the regression of the patient's or patient's complaints and the stabilization of other objective indicators of the state of his body. However, despite the stabilization and positive dynamics of the state at the current time, that is, within the framework of the current homeostasis, represented by the FS of the level of meridians, there is always the question of how the organism will behave in the future, especially when additional requirements are presented to it. Pregnancy is one of these requirements. And for this, it is necessary to assess the state of the FS of the Elemental and FM level.

To do this, it is necessary to assess the state of the BAPs representing the indicated FSs when loaded with their resonant frequency. For the Elements, these are the KTI of the classical meridians, for the World Cup, these are points - keys. BAPs are indicated in the structural test

Chinese medicine (STKM), within the framework of the AIC "IMEDIS-EXPERT". There is also the ability to generate a resonant frequency. With such a frequency, it is necessary to act either directly on the BAP, by the method of electropuncture, fixing the indicators before and after exposure. It is also possible to influence the body as a whole, by the method of electromagnetic influence through the UMT, for example, the "belt", or BRT with frequency modulation, which is possible either through the electrodes, or, again, through the electromagnetic UMT "belt". The BRT option has the advantage that the BRT modulation is performed with the activation of the required meridian (for studying the FS of Elements) or a group of meridians (for FS FM).

Sometimes, even with seemingly adequate treatment, despite the stabilization of both objective indicators, including, according to the method of R. Voll, and the subjective state, deviations of the FS of the elements and / or FM are revealed. This suggests that the therapy was either not brought to its logical conclusion, or it was not carried out quite correctly, for example, a constitutional homeopathic remedy could not be quite adequately chosen. That in the future, with a high degree of probability, can lead to a relapse of diseases, and in the case of infertility, it can slow down the onset of pregnancy.

In this case, it is necessary to revise constitutionally oriented therapy, if the treatment is carried out by methods of homeopathic therapy, classical IRT, or other constitutionally oriented methods, for example, organopreparations, nosodes, incl. autosodes of blood or urine, OBR and BPS drugs, subject to their constitutional orientation, using, for example, "targeting" along the CMH, or other markers (end points of the meridians, key points of the FM, etc.). And also you can carry out therapy according to FS (Elements, FM). This can be done by the method of electromagnetic frequency exposure through inductors, for example, a "belt", electropunctural exposure with a given frequency on the CPI of the meridians representing the Elements, or points - the keys of the FM. But according to the author, it is most optimal to influence the BRT method with frequency modulation, as part of the TCM test,

More often, therapy with frequency modulation BRT is carried out according to the principle of "direct" BRT with values below the "normal corridor", or with indicators in the "normal" corridor, with the arrow "falling". And in the inversion mode, if there is a pronounced excess of indicators from the "norm" corridor, or a pronounced "fall" of the arrow, which can be considered as a defeat by "pathogenic energy" in terms of traditional Chinese medicine. Therapy is carried out, as a rule, with the preparation of the OBR drug.

In the case when BRT or EP therapy is impossible or difficult, for example, when working with the MINI-EXPERT system with a selector, you can use the energy-information records of the resonance frequencies of the Elements and FM (trigrams) entered in the selector. You can identify possible changes,

using a drug test using frequency records from the selector and making measurements at the points specified in the STKM test, as well as by testing by the ART method, both "directly" and relative to given test indicators, for example, biological indices. The same recordings of the resonance frequencies of the FS can be used as a medicinal product.

With the equalization of the indicators for all the indicated FS in the "norm" corridor, but the absence of a clinical effect, in our case - the onset of pregnancy, you can apply EPD with a functional load, in our case - in the form of a pregnancy model (MB), which is a set of organopreparations specific to pregnancy (placenta, amnion, amniotic fluid, umbilical cord, hCG and, in fact, the embryo).

The specified MB is used as a load to identify "weak" FS, deviations in which during the virtual onset of pregnancy, interferes with the onset of the real one. First of all, the state of the FS of ordinary and additional meridians according to R. Voll is investigated. In the case of preservation of stable indicators when measured by CTI and other BAP according to R. Voll, the doctor proceeds to testing the level of Elements and FM under the load of FS. The procedure is similar to that described above, with the difference that the measurements are carried out against the background of the introduction of the MB into the measuring circuit. Measurements can be carried out both quantitatively and qualitatively, that is, ART. Both within the framework of the AIC "IMEDIS-EXPERT", and using the "MINIEKSPERT" system with a selector.

Revealing abnormalities in one or another FS during MB loading, of course, requires therapy. As a rule, it is enough to carry out BRT with adaptation to MB according to systems in which deviations are detected, followed by recording on a medium in the form of crumbs. The BR-drug prepared in this way, preferably after potentiation with "targeting", say, according to the CMH, is prescribed for the patient to receive it, under the control of the condition. When working with the MINI EXPERT ", as an adapter you can use tested resonant frequencies to the FS from the selector, together with an integrated energy information with the MB drug. The drug can use as independently and in as a load for BRT on an autonomous vehicle. IN In the latter case, it is desirable to adapt the obtained OBR-preparation according to KMH.

It is highly desirable when detecting deviations of this type, especially in FS levels of the FM (as systems organizing bio-social homeostasis), the involvement of a psychologist. Which can greatly improve the effectiveness of the treatment. Especially, when the psychologist receives information, in which FS and what type there are deviations. So this kind of cooperation is usually mutually beneficial. It is also very useful to connect to the work of a psychologist in the event of a "program conflict", especially when adapting to MB. That is, with the development of mental symptoms, manifesting problems that prevent pregnancy.

Clinical example

Patient K., 32 years old. Was observed for primary infertility. After the course of treatment (homeopathy, BRT, psychotherapy), all the main indicators are in the normal corridor. Subjectively, she did not present any complaints. She even noted a significant improvement in well-being (headaches stopped,

became less likely to get sick, increased efficiency).

Diagnostic methods, such as psychodiagnostics, EPD according to R. Voll's method, TCM with the study of the FS of the level of elements and FM, did not reveal any deviations. However, pregnancy did not occur.

EPD was carried out with a load in the form of MB. Nevertheless, in the study according to R. Voll, the indicators of all meridians were relatively evenly distributed in the norm corridor. Similar results were obtained in the framework of the STKM in the study of the FS of the level of elements. However, when examining the FS of the FM level, significant deviations were revealed. A significant imbalance was revealed between the ChM Du-Mai (which turned out to be in obvious insufficiency) and Yang-Jiao-Mai (whose indicators were in excess). This speaks of a conflict in the chronosemantic homeostasis between FS, process supporting parenting and one's own spiritual d), and FS, which self-realization (World Cup Doo-ma provides socialization through career (World Cup Yang-Jiao-Mai), on which the patient, apparently, had high hopes, perhaps subconsciously.

Research data were communicated to the treating psychotherapist. In accordance with this, the psychotherapy process was corrected. At the same time, BRT was carried out with adaptation to MB in the World Championship Du-Mai and Yang-Jiao-Mai. Moreover, the resulting record of the first was used directly, while the record of the second in inversion. Both OBR drugs were prescribed twice a week, 3 grains each. Along with this appointment, the intake of a constitutional homeopathic remedy was retained. The treatment was carried out for a month, after which the study within the STKM did not reveal any abnormalities, including for the considered FM. A month later, a normal pregnancy began.

It should be noted that similarly to adaptation to MB, which is, although a striking, but a special case, adaptation to virtually any task (for example, economic) is possible.

Bibliography

1. Bobrov I.A. New possibilities of bioresonance therapy at the level constitutional types of miraculous meridians // Abstracts and reports of the XII International conference "Theoretical and clinical aspects of bioresonance and multiresonance therapy". M.: IMEDIS, 2006. Part II. - S. 37-64.
2. Bobrov I.A., Mkhitarian K.N. Resonance therapy using resonant frequencies corresponding to musical notes // Ibid. - S. 64-72.
3. Bobrov I.A., Mkhitarian K.N. Application of resonant frequencies, corresponding to musical notes in modern reflexology // Materials of the international congress "Reflexology and manual therapy in the XXI century." - M., 2006. - S. 38-39.
4. Bobrov I.A., Mkhitarian K.N. Resonant frequencies in modern reflexology. Message 1. Theoretical aspects of using the frequencies of the elements with the use of resonant frequencies corresponding to musical notes // Reflexotherapy, 2006, No. 3 (17). - S. 39-43.
5. Bobrov I.A., Mkhitarian K.N. Frequency resonance test. Diagnostics and therapy of functional systems of the level of elements and wonderful meridians // Abstracts

and reports of the XIII International Conference "Theoretical and Clinical Aspects of Bioresonance and Multiresonance Therapy". Part I. M.: IMEDIS, 2007. - S. 256–265.

6. Bobrov I.A., Pechnikova E.Yu. Functional diagnostics and therapy infertility and pathology of pregnancy using the model of pregnancy in EPD, ART and BRT. // Ibid. - Part II. - S. 103-110.

7. Bobrov I.A., Mkhitarian K.N. Description of constitutional types a person based on the functional activity of extraordinary channels // Reflexotherapy, 2007, №2 (20). - S. 19–29.

8. Bobrov I.A. Possible points of optimal introduction of information // Abstracts and reports of the XIV International Conference "Theoretical and Clinical Aspects of Bioresonance and Multiresonance Therapy". Part II. M.: IMEDIS, 2007. - S. 189-198.

9. Bobrov I.A., Mkhitarian K.N. Program conflict, both diagnostic and therapeutic factor // Ibid. - S. 198–203.

I.A. Bobrov Application of frequency-resonance test in assessing damage to functional systems of various levels and their therapy on the example of infertility treatment /

"- M.:" IMEDIS ", 2009, vol. 2 - C.116-123