

Determination of the severity and stage of the pathological process
by the method of electropunctural diagnostics
M.I. Palamarchuk, T.M. Palamarchuk
(EE "Grodno State Medical University",
Grodno, Belarus)

Determination of the severity of the pathological process and its stage is one of the most urgent tasks in the method of electropuncture diagnostics (EPD).

As you know, for this purpose, potentiated (in homeopathic dilutions) organopreparations are used, which are interstitial fluid and lymph of animal organs homologous to human organs. The basis of etiological diagnosis and therapy in EPD are nosodes - isopathic remedies, which are homeopathic dilutions of the "products" of diseases (microbial and viral agents, toxins, allergens, blood, lymph, secretions of glands, tissues of affected organs, etc.).

Depending on the potency, organopreparations and nosodes are mainly used for the diagnosis and treatment of inflammatory (E-potency, from German Entzündung - inflammation) and degenerative (D-potency, from German Degeneration - degeneration, degeneration) diseases.

For example, when the device reads for EPD 100 units. (in the EPD method according to R. Voll - author), which corresponds to the extreme degree of severity inflammatory process, an organopreparation is used in the E-potency D30. The subacute stage of the inflammatory process (instrument scale readings 65–85 units) corresponds to the E-potency D6 – D8, at the initial stage of degenerative processes (instrument scale readings 36–49 units), D-potencies D5 – D6 are used and etc.

A number of manufacturers of diagnostic cassettes EPD, for example, Center for intelligent medical systems "IMEDIS" for users of Moscow, offers organopreparations and nosodes in wide range of the potencies considered above from D4 to D60, which makes it possible to clearly diagnose the severity of the pathological process, its stage and monitor the effectiveness of the prescribed treatment [4].

Organopreparations of "microresonant circuits" (MRC), proposed by the Ukrainian scientist VN Sarchuk, represent two groups with depressive and inflammatory characteristics with the so-called. "Potentiated rows", i. E. containing all homeopathic dilutions at the same time [1].

Recall that the determination of the type of pathological process and the causes (etiological factor) that led to its development and support it, in the EPD method, is based on the identification of testing objects due to the emerging interference of coherent wave sources, which is defined as a biological resonance phenomenon. One of the coherent wave sources is MRC, and the other is a morphologically altered tissue structure or a certain etiological factor in the body [12].

When carrying out diagnostics using MRK, the doctor - operator is faced with the question: which potencies of those used during testing entered into resonance with the pathologically altered tissue?

It is legitimate to consider this issue, since, given the high quality of instruments and equipment, today dozens, and perhaps hundreds of doctors, use the SVN and MRK devices proposed by V.N. Sarchuk in their work.

The problem under consideration is also relevant because in the overwhelming majority of cases the authors of the reports (we mean doctors who use both the EPD method according to R. Voll and the EPD method according to ART - the author) when determining the resonance to a particular organopreparation or nosode, do not specify what potency is in question, which in general does not allow to correctly assess the stage of the disease and the severity of the pathological process.

In a number of cases, the authors simply list those nosodes for which a positive test response was obtained during etiological diagnostics, for example, inflammatory processes of the uterine appendages. Often, dozens of detected viruses, microbes, helminths, fungi, etc. are reported. It is quite difficult to imagine such an "army" of microorganisms simultaneously present in the affected organ. If, at the same time, we also take into account that it is often a question of chronic pathology with an erased, unexpressed clinical picture, without changes in the blood, temperature reaction, etc., then the skepticism of many doctors towards such messages becomes clear.

To resolve this issue, first of all, it is necessary to clearly understand that in the process of etiological diagnosis by the EPD method, not the pathogen itself is determined, but its frequency characteristics.

The second, no less important remark is that, as we have repeatedly emphasized in our reports, EPD specialists have always proceeded from the fact that in the hierarchy of control and functioning of a living organism, the information level is higher than the biochemical and structural levels [9-12] ... Within the framework of these views, Ukrainian scientists have put forward the concept of electromagnetic homeostasis of the body [8].

Based on this, it is necessary to distinguish between the staging and staging of the disease. All (or most) of the pathological factors of influence that cause damage to a living organism (by "damage" we mean, first of all, a violation of electromagnetic homeostasis - author) are determined at the physical level of functioning of a living organism only in the acute or subacute periods of the disease. At these stages, it is possible to determine the vital forms of pathogens and others -

general clinical diagnostic methods (bacterioscopy, cultural, etc.) When the disease passes into the stage of remission or into the chronic form, a positive test response can also be obtained when using nosodes in a potency higher than D23, which exceeds Avogadro's number. This means that it is impossible to identify the etiological factor of chronic pathology by any modern diagnostic methods of traditional (classical) medicine, because there is no material carrier (material basis). This, in particular, has led in modern classical medicine to the creation of new theories of the etiopathogenesis of chronic diseases [5].

Wherein constitutional characteristics of I miasma a, it is known that in the development of chronic infections the role of I predisposition or what homeopaths call in the language of modern science plays a role - individual characteristics of the electromagnetic information frame (matrix).

The virulence of the pathogen and constitutional readiness are in direct interaction. For example, not every person will get sick with tuberculosis, but only those who are constitutionally prepared. This assumption was first expressed more than 200 years ago by the founder of homeopathy S. Hahnemann and confirmed by modern research carried out by us in the diagnosis of a number of diseases (gynecological pathology and tuberculosis). In the 90s, the development of these views using EPD and millimeter resonance therapy (MRI) methods led to the concept of individual characteristic frequency (ICF). It was shown a high correlation - over 90%, detection in the body of patients with strictly defined HCI in the pathology of some diseases of the female genital area (ovarian cysts, uterine fibroids and inflammatory processes of the uterine appendages) and tuberculosis [7, 14].

It is possible to identify the etiological factor of chronic diseases only at the informational level of functioning and control of a living organism. This means that any factor of pathological impact, when eliminated at the physical (material) level, can leave a "trace" at the higher level of functioning and control of a living organism. The pathological frequency spectrum can remain in the body at the informational level throughout its life, causing, after decades, changes in its normal functioning, first at the biochemical and then at the morphological levels.

It follows from this that a significant part of the diseases suffered in childhood and adolescence do not pass without leaving a trace for a person, and if you do not take adequate measures of therapy at the information level, where "information traces" of the transferred diseases remain, then in tens of years certain chronic diseases. It is easy to see that in this case we should talk about "informational diseases", "informational methods of treatment" and in general about "informational medicine" - concepts that have been actively discussed recently by various specialists [3, 6, 13].

If for some reason a loss of integrity occurs at the level of the physical body (an organ is removed or a limb is amputated), then the electromagnetic information frame can remain integral. In particular, this phenomenon appears to underlie the regeneration of a lost limb in a salamander or a tail in a lizard. In EPD methods, this allows diagnosing past diseases even in the absence of an organ (fixing fibroids of a removed uterus, "seeing" a removed rectal polyp, "viewing" breast cancer on an absent mammary gland, etc.), which the authors have repeatedly checked on hundreds of patients ...

Etiological diagnostics in the EPD method consists in detecting holographic recordings of "foreign" vibrations in the human electromagnetic matrix. At the same time, the wave characteristics of live pathogens (when diagnosing a current disease) or their traces (past diseases) are determined, the "record" of which is fixed on the affected organs and tissues, changing the information fields of the latter. The above applies to other factors of pathological effects, for example, drugs [2].

This, in our opinion, is the fundamental difference between the etiopathomorphological diagnosis of the EPD method from other examination methods.

In the light of the above, it is possible to explain the presence of a positive test response to a huge number of viruses, microbes, fungi and other pathogens, a significant part of the frequency spectrum of which is at the informational level of functioning. As a result, the doctor's statements about cleansing the body of dozens of pathogenic species are inappropriate.

pathogens. Correct not talking about the normalization of the electromagnetic homeostasis of the body.

Applying nosodes and organopreparations, located in RTOs and in other diagnostic cassettes "IMEDIS" every day work for many years, we have identified some patterns that allow not only to resolve the problem under consideration, but also to identify differences in the course of pathology at the physical and information levels of control and functioning of a living organism.

In the diagnostic cassette №1, produced by "IMEDIS" - "drugs for strengthening and indications", at position A9 there is "indication of a chronic inflammatory process", which is Mezenchym GL (mesenchyme) in potency D6 (D4). At position A10 there is "an indication of an acute inflammatory process", which is the same drug Mezenchym GL (mesenchyme) in the D17 (D15) potency.

Using pointers - "acute" and "chronic inflammatory process" "IMEDIS", and organopreparations with depressive and inflammatory characteristics of "microresonant circuits" (MRC), proposed Sarchuk V.N., we came to the following patterns:

1. Combination of resonance of an organopreparation with an inflammatory characteristic (hereinafter - B +) and the index - "acute inflammatory process" (hereinafter - A10) is regarded by us as an acute course of the disease.

2. The combination of the resonance B + and the pointer - "chronic inflammatory process" (hereinafter - A9) is regarded by us as a transferred disease.

3. If a positive test response is determined for B + and the absence of resonance to the A9 and A10 indicators, this organopreparation is regarded by us as a marker of the locus minoris (weak point) of the organism.

4. Combined definition organopreparation with depressive the characteristic (hereinafter - D +) and A10 is the course of us as a subacute the disease.

5. The combination of resonance D + and A9 is regarded by us as chronic course of the disease.

6. If during testing no resonance is obtained on either D + or A9, a conclusion is made about the stage of remission.

The authors hope that this message will help doctors practicing EPD methods to better understand the processes occurring in the human body in health and disease.

Literature

1.A.S. No. 1600693. USSR. Device for carrying out etiological diagnostics and drug test / Sarchuk V.N., Bystrov V.A., Yatsenko O.V., Olenev O.P. // Publ. in B.I. 23.10.1990

2. Aharonov VR, Birkin AA, Gotovsky Yu.V. and others. Method of identifying persons, using drugs. Methodical instructions // - M.: Ministry of Health of the Russian Federation.

- 2001 .-- S. 11.
3. Bessonov AE, Kalmykov AE, Konyagin BA .. Information medicine.
- M .: "Parus". - 1999 .-- 592 p.
4. Gotovsky Yu.V., Kosareva L.B., Makhonkina L. B. and dr.
Electro-acupuncture diagnostics and therapy using the vegetative resonance test
"IMEDIS-TEST": Methodical recommendations. - M .: IMEDIS. - 2002 .-- 112 p.
5. Dilman V.M. Four models of medicine. - L .: Medicine. - 1986 .-- 286 p.
6. Illarionov V.E. Information medicine as an independent industry
medical science. // Physiology, balneology and rehabilitation. - No. 4. - 2005. - S. 29-34.
7. Klimenko P.D., Malakhova E.T., Klimenko D.P. Methodology
predicting and diagnosing some diseases of the female genital area by a
combination of the individual characteristic frequency (IHF) and the etiological
factor. // VII Congress of Obstetricians-Gynecologists and Neonatologists of the
Republic of Belarus. Grodno. - 2002. - S. 196-201.
8. Limansky Yu.P., Samosyuk I.Z. Electromagnetic homeostasis concept
and its rationale // Reflexotherapy. - No. 4. - 2004. - S. 3-9.
9. Palamarchuk M.I. Theoretical foundations of IHCH (individual
characteristic frequency) as a constitutional feature of a person // Abstracts and
reports of the X International conference "Theoretical and clinical aspects of the
use of bioresonance and multiresonance therapy." Part II. - M .: IMEDIS, 2004. - S.
349-355.
10. Palamarchuk M.I., Garnet V.G. Diagnosis of teniasis by the method EPD
(electropuncture diagnostics) // IV International conference
"Information Medicine - Medicine 111-120. XXI century ". - Evpatoria. - 2004 .-- S.
11. Palamarchuk M.I., Garnet V.G. Individual characteristic
frequency as a constitutional feature of a person at the informational level. //
International conference "Integrative Medicine". - Kiev. - 2005. - S. 54-57.
12. Sarchuk V.N .. Guidelines for electropunctural diagnostics and
drug-free treatment with biologically active liquid // - Alma-Ata.
- 1992 .-- 404 p.
13. Sudakov K.V. Information phenomenon of life // - M .:
RMAPO, 2000 .-- 214 p.
14. Electropuncture diagnostics of tuberculosis. Educational-methodical
manual for senior students and doctors / S.E. Savitsky, P.D. Klimenko, S.B. Wolf and
others - Grodno: GrGMU, 2006 .-- 23 p.
-

M.I. Palamarchuk, T.M. Palamarchuk Determination of the severity and stage of the pathological
process by the method of electropunctural diagnostics
"- M .: " IMEDIS ", 2009, vol. 2 - C.303-311