

## Evaluation of the impact on the human body of water irradiated in the Onko and Krona BPZs by the method of the vegetative resonance test "IMEDIS-TEST"

S.N. Shevchenko, V.A. Nekrasov

(International Academy of Fine-Field Ecology of Health, Moscow, Russia)

Biosphere pathogenic zones "Onko" and "Crohn" (BPZ) (according to the classification of Academician VA Nekrasov [1, 2, 3]) have a harmful effect on people, animals, plants and liquid media.

The first studies were carried out using the hardware-software complex "IMEDIS-EXPERT" by the method of vegetative resonance test on the effect of water on the human body, taken from sources placed in the rays of the biospheric pathogenic zones "Onko" and "Krona".

1. 27 people were involved in the research, healthy volunteers between the ages of 18 and 45, including 12 people of the left type and 15 people of the right type.

2. All studies were conducted as a double-blind experiment.

3. The preparatory period included testing for the following parameters: determination of the type of person (left or right); the degree of geopathogenic load or its absence; presence or absence of false polarity; biological indices; the presence or absence of cancer indices, Crohn's disease; immunological indices; reserves of adaptation.

4. Conducting research:

A) Vessels with water (glass jar with a capacity of 1 l) taken from a source located in the Onko BPZ and without BPZ exposure were placed in turn in the immediate vicinity of the volunteers' body for 7 minutes, after which control testing was carried out. As a result of exposure

"Oncological" water on the human body was tested geopathogenic load 2-3 degrees, false polarity, onco-indices (before the experiment were not tested, or were of lower potency), biological indices increased on average by 1-2 cu. (in some cases 2-3 cu), the adaptation reserves decreased by one or two lines, the tension of the immune system increased, and in some cases it reached exhaustion.

Water taken from springs outside the Onko and Krona zones (healthy water) did not have a negative effect on the organisms of the volunteers.

B) When a vessel with water taken from a source located in the Crohn's zone was placed in the immediate vicinity of the volunteers' bodies, indices indicating the presence of Crohn's disease were tested. In addition, the biological age of the organism increased by 2-3 units, the adaptation reserves decreased from "medium" to "low" parameters, the tension of the immune system increased, and in some volunteers, the tension of the immune system reached exhaustion.

Healthy water, taken outside the Onko and Krona zones, did not have a harmful effect on the volunteers' bodies.

C) 1. Vessels with water (glass jar with a capacity of 1 l) from the zone of the biosphere space free from BPZ, for 12 hours were placed next to a vessel with water (glass jar with a capacity of 1 l) taken from sources located in BPZ "Krona" (patient water "Kronovskaya") and "Onko" (sick water "oncological"). Then these vessels with healthy and diseased water were placed in the immediate

proximity to the surveyed volunteers for 7 min.

During the experiment, the following were obtained results:

1. As a result of the impact of sick water "oncological" on the body

In humans, the geopathogenic load of 2–3 st., false polarity, oncoindexes (were not previously detected or were of lower potency) were tested, biological indices increased on average by 1–2 cu. (in some cases 2–3 cu), the adaptation reserves decreased by one or two lines, the tension of the immune system increased, and in some cases it reached exhaustion.

2. Upon contact of sick water "oncological" with healthy water, the latter affected the body of the volunteers in the same way as the sick water "oncological": in the human body, the geopathogenic load of 2–3 degrees was tested, false polarity, onco-indices, biological indices increased on average by 2–3 cu, decreased reserves adaptation by one or two lines, the tension of the immune system increased, and in some cases it reached exhaustion. That is, healthy water upon contact with sick water "oncological" acquired the properties of sick water "oncological".

3. When placing                      The indices of Crohn's disease were tested in close proximity indicating the                      vessels with sick water "Kronovskaya" from the presence                      body of the volunteers. In addition, the the biological age of the organism by 2–3 units, the adaptation reserves decreased from the parameters "medium" to "low", the tension of the immune system increased, and in some volunteers the tension of the immune system reached exhaustion.

4. When sick water "kronovskaya" comes into contact with healthy water, the latter affected the body of the volunteers in the same way as the sick water "Kronovskaya". In the human body, indices indicating the presence of Crohn's disease were tested, the biological age of the body increased by 2–3 units, the adaptation reserves decreased from "medium" to "low" parameters, the tension of the immune system increased, and in some volunteers, the tension of the immune system reached exhaustion. That is, healthy water upon contact with sick water "Kronovskaya" acquired the properties of sick water "Kronovskaya".

Thus, at close contact of vessels with healthy water and vessels with sick water taken from springs located in the Onko and Kroma zones, healthy water acquired, respectively, the properties of "oncological" and "Kronovka" water; the water is clean, i.e. taken outside the zones "Onko" or "Crohn", did not have any effect on the human body.

E) A vessel with clean water was placed for 12 hours in the immediate vicinity of a patient with cancer. Then this vessel with water was placed in the immediate vicinity of the volunteers. After 7 minutes. each volunteer was tested. As a result of exposure to this water, the volunteers showed the appearance of the following load characteristics: geopathogenic load, false polarity, onco-indices, a decrease in adaptation reserves, biological indices increased by 2–3 c.u. That is, healthy water after contact with a cancer patient

acquired the properties of sick water "oncological".

F) A vessel with sick water "Kronovskaya" and "oncological" was placed on the matrix modulators of Vladimir Nekrasov for a day. Then these vessels with water were placed near the volunteers for 7 minutes, after having removed the background values from them. Testing of volunteers after exposure to water, which underwent recovery on modulators, showed that the baseline values of the volunteers did not change. That is, sick water "Kronovskaya" and "oncological" in contact with the matrix modulators of Vladimir Nekrasov became healthy.

#### Conclusions:

1. The results of the conducted experiments show that biosphere pathogenic zones "Onco" and "Crohn" have a negative impact on water, which, in turn, negatively affects the human body.
2. "Oncological" or "Kronovskaya" water changes the properties of healthy water through glass vessels. Healthy water becomes, respectively, "oncological" or "Kronovka".
3. A person with cancer affects healthy water, which becomes sick with "oncological" water.
4. Vladimir Nekrasov's modulators completely restore the patient water "kronovskaya" and "oncological", making it healthy, i.e. safe for the human body.

#### Literature

1. Nekrasov V.A. Life in the Earth. Series "Secrets of nature and discoveries of the century." - M.-Tver: "Triada", 2004.
2. Nekrasov V.A., chief editor. "Fine-field ecology of health" scientific practical magazine No. 2, April. - Tver: "Triada", 2007. - 50 p.
3. Nekrasov V.A. The Form Field and human health. - M., 2009 (in press).

---

S.N. Shevchenko, V.A. Nekrasov Assessment of the impact on the human body of water irradiated in the Onko and Krona BPZs by the method of the vegetative resonance test "IMEDIS-TEST" // XV  
"- M .: " IMEDIS ", 2009, vol. 2 - C.328-333