Statistical data obtained during work
by the method of vegetative resonance test "IMEDIS-TEST +"
(results of work from May 2003 to January 2010)
G.Yu. Andreichenko
(Vorkuta, Russia)

In total, during this period, a four-level diagnosis was carried out for 1293 people. By age, the groups were distributed as follows (Table 1).

Table 1

Age	Up to 1 year	1-10 years	11–20 years old	21-40 years old	41-60 years old	Over 60 y.p.	Total
Fact. number	17	185	172	397	447	75	1293
%	1.3%	14.3%	13.3%	30.7%	34.6%	5.8%	100 %

The current picture of the dominant miasms is presented in Table 2.

table 2

Dominant miasm	Fact. number of people	%
Botulism	eight	0.6
Toxoplasma	twenty	1.5
Borrelia	five	0,4
Tuberculosis	35	2.7
Rickettsia	2	0.2
anthrax	one	0.1
Fungoid fungus	63	4.9
Coxsackie virus	eight	0.6
Epstein-Barr virus	7	0.5
Cytomegalovirus	147	11.4
Hepatitis	98	7.6
Herpes	26	2.0
Rabies	6	0.5
Measles	eleven	0.8
Smallpox natural	10	0.8
Chicken pox	35	2.7
Polio	254	19.6
Rubella	144	11.1
Mycoplasma	3	0.2
Diphtheria	3	0.2
Syphilis	one	0.1
Pneumocystus	one	0.1
Plasmodium malaria	one	0.1
Flu	one	0.1
Salmonella	3	0.2
Echinococcus	one	0.1
Ureaplasma	one	0.1
Eurythema pancreaticum	one	0.1
Psychovegetary load	397	30.7
TOTAL	1293	100.0

In 397 cases, which amounted to 30.7% of the total number of examined, at the fourth level, only psychovegetative loads were tested, which could be eliminated with drugs from the Bach Flowers group, Systemic Spiritual Adaptants, MEDPHARMA (psychosocial load group), drugs from GUNA (Flowerplex), etc.

In 223 people, which constituted 17.2% of the total number of those tested, at the fourth level, miasm and psychovegetative loads were also determined, which were removed by Vipera 2000 in combination with drugs from the Bach Flowers, MEDFARMA psychosocloads, GUNA (Flowerplex) etc. Moreover, the psychological drug served in this case as a drainage.

In recent years, there has been a noticeable increase in the number of patients in whom only psychovegetative loads were determined at the fourth diagnostic level. Solving these problems with the help of preparations from the Bach Flowers, Systemic Spiritual Adaptants, "MEDPHARMA", "GUNA"

managed to remove the autoaggressive program in the DNA (Table 3).

Of the 176 people tested over the past year, 168 people passed this option.

This amounted to 95.5% only over the past year.

Table 3

Year	2005 year	2006 year	2007 year	2008 r.	2009 r.	2010 r.
The actual	10	13	36	94	229	397
amount						
% of total	1.8%	1.9%	4.4%	9.8%	20.5%	30.7%
quantity						

Differentiating through the pointers Intox II and Intox III, the following picture emerged.

Table 4

Miasm	Intox II	Intox III	Total
Botulism	-	eight	eight
Toxoplasma	one	nineteen	twenty
Borrelia	one	4	five
Tuberculosis	-	35	35
Rickettsia	-	2	2
anthrax	-	one	one
Fungoid fungus	-	63	63
Coxsackie virus	-	eight	eight
Epstein-Barra	-	7	7
Cytomegalovirus	3	144	147
Hepatitis	five	93	98
Herpes	one	25	26
Rabies	-	6	6
Measles	one	10	eleven
Smallpox natural	-	10	10
Chicken pox	five	thirty	35
Polio	five	249	254
Rubella	6	138	144
Mycoplasma	-	3	3
Diphtheria	-	3	3
Syphilis	-	one	one
Pneumocystus	-	one	one
Plasmodium painter.	-	one	one
Flu	-	one	one
Salmonella	-	3	3
Echinococcus	-	one	one
Ureaplasma	-	one	one
Eurythema pancreatitis.	-	one	one
TOTAL	28-3.1%	868-96.9%	896-100%

When analyzing the diagnostic picture, there is a clear predominance of hereditary burden (96.9%).

For level 4 therapy, I used the following drugs: Spec. Viper 2000 - 878 cases (67.9%); FM chords - 17 cases (1.3%);

Nosode - 1 case (0.1%);

Bach Flowers - 119 cases (9.2%);

Systemic Spiritual Adapters - 17 cases (1.3%);

Psychosocloading Medpharma - 62 cases (4.8%); GUNA's

Floweplex preparations - 63 cases (4.9%); Other drugs - 136 $\,$

cases (10.5%).

After removing the miasms, I conduct therapy for deep mycoses.

A few figures on the results of antifungal therapy. In total, 878 people passed this stage. Resonance frequency therapy was performed in 749 sessions. In 129 sessions, it was possible to remove the fungal

defeat by picking up the finished product from the selector.

General statistics on the proposed algorithm.

The therapy of miasms was prepared and carried out for 1293
people: of whom 878 people were treated for deep mycoses,
of them, 741 people underwent therapy of the karmic space, of
whom work was carried out at the atmic level, 690 people,
of them, work was carried out to install a magnetic center, 645 people, of whom
work was carried out on KDT 571 people,
of which work was carried out through Vipera D400 502 people,
of them, work was carried out to align the force fields of 426 people, of
whom work was carried out through the index head foci 348 people, of
whom YIN-YANG harmonization was 337 people,
of them work was carried out through the Talamus 5u.e. 300 people,
of them, the correction of enzyme systems was carried out in 217 people.

G.Yu. Andreichenko Statistical data obtained by the method of vegetative resonance test "IMEDISTEST +" (results of work from May 2003 to January 2010)

"- M .:" IMEDIS ", 2010, v.2 - P.49-53