

Experience with a device for bioresonance therapy, which implements the impact on the anterior, posterior median meridians and chakras

A.P. Efimov  
(Moscow, Russia)

Expansion of the therapeutic capabilities of equipment for bioresonance therapy is a time requirement and is dictated by the need to improve the effectiveness of therapy. The equipment available to practitioners today has a wide range of therapeutic capabilities, but, unfortunately, not in all cases it is possible to achieve a positive result or the effect is insufficient.

The treatment was carried out to 200 patients aged 12 to 87 years.

Equipment: apparatus for bioresonance therapy in chakras and anterior and posterior median meridians (BRT-PZSM), "BRT-A", "MINIEKSPERT-D" (VRT +), "IMEDIS-BRT-PC" (set 2), " MINI-EXPERT-DT ".

Therapy on the BRT-PSZM apparatus was carried out both as monotherapy and in combination with therapy on the BRT-A apparatus. No additional drugs were introduced into the therapy circuit.

With the apparatus BRT-PSZM, the UMT "Belt" was used, which was located in the projection of the anterior and posterior median meridians (two such devices were used) or in the projection of the input-output of the chakras of the UMT "Inductor". UMT "Belt" and "Loop" were also used with the apparatus BRT-A, which were located depending on the patient's pathology.

- 1) When using bioresonance therapy devices together unambiguously reduced the time of the therapeutic session to a few minutes.
- 2) There was a decrease in the time to obtain a therapeutic effect by compared with the control group (200 people who received treatment using only the BRT-A device) by an average of 25%.
- 3) When using the apparatus BRT-PSZM, there is a pronounced impact on the psycho-emotional state - improved mood, optimism, increased interest in life in patients, the formation of an active life position.

4) In 5 patients, as a "side effect", there was an improvement in vision, moreover, the age of the patients is over 60 years old. The effect was observed after 1 month of taking BR drugs, twice with an interval of 1 month. visual acuity was checked by an ophthalmologist - no decrease in visual acuity was noted (longer observation of patients is required to assess the stability of the result obtained).

5) Careful selection of the dosage of BR-drugs and their frequency is required. reception in order to avoid pronounced exacerbations (exacerbations were noted in 5 patients in the form of skin rashes in the initial period of working with the device, later after the correction of the technique, exacerbations were not noted). As a rule, the intervals between doses of drugs are longer than with therapy only with the use of BRT-A. With the combined use of BRT-A and BRTPSZM, the periodic use of BRT-PSZM turned out to be more optimal:

one session of combined therapy, two sessions - only "IMEDIS-BRT-A". With this option, the effectiveness and timing of therapy did not differ from those with constant combined use, no exacerbations were noted.

6) Monotherapy was carried out most often at registration chakra disorders when tested. The inductors were located in the projection of the entrance and exit of the chakras. Against the background of such therapy, there is a more pronounced reaction to homeopathic medicines. BR drugs remain effective for at least 3 months, only the frequency of administration changes (over time, more rare doses of drugs are required).

7) Detailing of the options for working with the BRT-PSZM apparatus is required when undoubted expansion of the therapeutic possibilities of BRT. The introduction of this device into practice will allow a wide range of practitioners to significantly improve the quality of therapy.

The creation of an apparatus that acts along the anterior and posterior median meridians and chakras corresponds to the tasks of further development and wider application of bioresonance therapy in medical practice.

---

A.P. Efimov Experience with a device for bioresonance therapy, which implements action along the anterior and posterior median meridians and chakras // XVII