Statistical data obtained during work by the method of vegetative resonance test "IMEDIS-TEST +" (results of work from May 2003 to February 2011) Andreychenko G.Yu. (Vorkuta, Russia)

In total, during this period, a four-level diagnosis of 1451 people was carried out. By age, the groups were distributed as follows.

Table 1

Age	Up to 1 year	1-10 years	11–20 years old	21-40 years old	41-60 years old	Over 60 y.o.	Total
Actual qty	17	201	190	452	502	89	1451
%	1.2%	13.9%	13.1%	31.1%	34.6%	6.1%	100 %

The current picture of the dominant miasms is presented in Table 2.

table 2

		0.4	
Dominant miasm	Fact. qty	%	
	Human		
Botulism	eight	0.5	
Toxoplasma	21	1.5	
Borrelia	five	0,4	
Tuberculosis	35	2.5	
Rickettsia	2	0.1	
anthrax	one	0.05	
Fungoid fungus	63	4.3	
Coxsackie virus	eight	0.5	
Epstein-Barr virus	7	0.5	
Cytomegalovirus	147	10.1	
Hepatitis	98	6.8	
Herpes	26	1.8	
Rabies	6	0,4	
Measles	eleven	0.8	
Smallpox natural	10	0.8	
Chicken pox	36	2.5	
Polio	257	17.7	
Rubella	144	9.9	
Mycoplasma	3	0.2	
Diphtheria	3	0.2	
Syphilis	one	0.05	
Pneumocystus	one	0.05	
Plasmodium malaria	one	0.05	
Flu	one	0.05	
Salmonella	3	0.2	
Echinococcus	one	0.05	
Ureaplasma	one	0.05	
Eurythema pancreaticum	one	0.05	
Psychovegetary load	550	37.9	
TOTAL	1451	100.0	

In 550 cases, which amounted to 37.9% of the total number of examined, at the fourth level, only psycho-vegetative loads were tested, which could be eliminated with drugs from the Bach Flowers group, Systemic Spiritual Adaptants, psychosocial loads "Medpharma" (folder of psychosocial loads), drugs from the company "Guna" Flowerplex etc.

In 228 people, which constituted 15.7% of the total number of those tested, at the fourth level, miasm and psycho-vegetative loads were also determined, which were removed by Viper 2000 in combination with drugs: Bach Flowers, Medpharma psychosocial loads, Flowerplex Guna, etc. .NS. Moreover, the psychological drug served in this case as a drainage.

In recent years, there has been a noticeable increase in the number of patients in whom only psycho-vegetative loads were determined at the fourth diagnostic level. Solving these problems with drugs from the following groups: Bach Flowers, Systemic Spiritual Adaptants, psychosocial loads "Medpharma", Flowerplex "Guna", "Rostok", "Rubimed" DNA (see Table 3).

Of the 158 people tested over the past year, 153 people such therapy.

(96.8%) received exactly

Table 3

Year	2006 year	2007 year	2008 r.	2009 r.	2010 r.	2011 r.
Actually.	13	36	94	229	397	550
amount						
% of total	1.9%	4.4%	9.8%	20.5%	30.7%	37.9%
quantity						

Differentiating through the pointers Intox 2 and Intox 3, the following picture emerged (see Table 4).

Table 4

Miasm	Intox 2	Intox 3	Total
Botulism	-	eight	eight
Toxoplasma	one	twenty	21
Borrelia	one	4	five
Tuberculosis	-	35	35
Rickettsia	-	2	2
anthrax	-	one	one
Fungoidn. fungus	-	63	63
Coxsackie virus	-	eight	eight
Epstein-Barra	-	7	7
Cytomegalovirus	3	144	147
Hepatitis	five	93	98
Herpes	one	25	26
Rabies	-	6	6
Measles	one	10	eleven
Smallpox natural	-	10	10
Chicken pox	five	31	36
Polio	five	252	257
Rubella	6	138	144
Mycoplasma	-	3	3
Diphtheria	-	3	3
Syphilis	-	one	one
Pneumocystus	-	one	one
Plasmodium painter.	-	one	one
Flu	-	one	one
Salmonella	-	3	3
Echinococcus	-	one	one
Ureaplasma	-	one	one
Eurythema pancreatitis.	-	one	one
TOTAL	28 - 3.1%	873 - 96.9%	901 - 100%

Analyzing the diagnostic picture, there is a clear predominance of hereditary burden (96.9%).

For level 4 therapy, I used the following drugs: Spec. Viper 2000 - 883 cases (60.9%); FM chords - 17 cases (1.2%);

Nosode - 1 case (0.05%); Bach flowers - 133 cases (9.15%);

Systemic Spiritual Adapters - 17 cases (1.2%);

Psychosocial load "Medpharma" - 65 cases (4.5%);

Flowerplex by Guna - 115 cases (7.9%); Other drugs - 220 cases (15.1%).

After removing the miasms, I conduct therapy for deep mycoses.

A few figures on the results of antifungal therapy. In total, 1,020 people have passed this stage. Resonance frequency therapy was performed in 844 sessions. At 176 sessions, it was possible to remove the fungal infection by selecting the drug from the selector.

General statistical data on the proposed algorithm: Prepared and carried out therapy of miasms 1451 people, of which 1020 people were treated for deep mycoses, of them, 870 people were given therapy for the karmic space, of whom work was carried out at the atmic level, 850 people, of them, work was carried out to install a magnetic center 805 people, of whom work was carried out on KDT 724 people, 621 of them worked through Vipera D400, 544 of them carried out work through radioactive fallout, of them, work was carried out to align the force fields of 521 people, of whom work was carried out through the index head foci 447 people, of whom YIN-YANG harmonization was 446 people, of them work was carried out through the Talamus \$ 5. 414 people, of them, the correction of enzyme systems was carried out for 335 people, of whom work was carried out through astroprotectors 263 people, of them, work was carried out to remove atopic allergy in 189 people.

Andreychenko G.Yu. Statistical data obtained when working by the method of vegetative resonance test "IMEDISTEST +" (results of work from May 2003 to February 2011) // XV