

## Treatment of bronchial asthma with bioresonance therapy in hospital

IN AND. Gustomesova, E.N. Gustomesova, L.A. Ovsyannikova  
(Voronezh, Russia)

Bronchial asthma is one of the most common diseases of the respiratory system. It affects from 1 to 18% of the population in different countries, significantly reduces the quality of life of patients and their families, significantly reduces the quality of life of patients and their families, is the cause of death of 250 thousand patients in the world every year. Asthma treatment is expensive. In the Russian Federation, 1.4 million are registered with bronchial asthma, while up to 120 thousand new cases are registered and 3.6 patients die from this disease annually.

Bronchial asthma is a chronic airway disease in which many cells and cellular elements take part. Chronic inflammation leads to the development of bronchial hyperreactivity, which leads to repeated episodes of wheezing, shortness of breath, chest congestion and coughing, especially at night and in the early morning. These episodes are usually associated with widespread but variable airway obstruction in the lungs.

Purpose of the study: study of the effectiveness of bioresonance therapy in the complex treatment of patients with bronchial asthma (men and women aged 30 to 50 years) with a disease duration from 6 months to 10 years.

### Methods in research materials

The work is based on the results of treatment of 50 patients with bronchial asthma who received standard therapy in a hospital.

All patients were divided into 2 groups of 25 people each: the 1st main group received standard conventional therapy and the 2nd group, where bioresonance therapy was carried out in addition to the standard conventional therapy. The sessions were carried out daily, bioresonance therapy, endogenous and exogenous with fixed frequencies, was used. With severe bronchospasm in combination with homeosinatria and acupuncture.

### Research results

After 1-2 sessions, 95% of patients showed an improvement in general well-being and a decrease in the number of bronchospasm attacks or complete cessation of seizures.

Conclusion: shown a positive the effect of bioresonance therapy and composed complex treatment of patients for bronchial asthma, which allows recommend it for inclusion in the treatment regimen for this category of patients.

### Bibliography

1. Nenasheva N.M. Bronchial asthma. - M.
2. Gotovsky Yu.V., Kosareva LB, Frolova L.A. Quick Start Guide induction therapy. - M.: IMEDIS, 1999.

IN AND. Gustomesova, E.N. Gustomesova, L.A. Ovsyannikova Treatment of bronchial asthma with bioresonance therapy in a hospital environment // XVIII " - M .:" IMEDIS ", 2012, vol. 1 - P.96-98