Application of targeted autonosodes in clinical practice V.G. Ovchinnikov ("Herpetic Center", Moscow, Russia)

Nosodes (from the Greek nosos - disease) are preparations prepared in compliance with homeopathic technology from pathologically altered body tissues, from cultures of microorganisms - causative agents of diseases. The starting material for the manufacture of nosodes is the environment or secretions of a macroorganism containing pathogens or their metabolic products.
- pathological discharge, scrapings from various pathological formations, urine, saliva, blood, etc.

Many nosodes have already become classics in homeopathy. Tuberculinum is a tuberculous nosode. For the preparation of the drug, an exudate containing bacilli from a tuberculous abscess is used. Psorinum is a scabies nosode made from the liquid of the scabies vesicles. Variolinum is a smallpox nosode made from the pus of the vesicles of a patient with smallpox. They have been used by homeopaths for a long time and quite successfully, and in most cases - not for infections to which they owe their existence.

In addition to nosodes, autonosodes are also used - drugs, made from "customer material", i. e. from own secretions or pathologically altered tissues of the patient to whom they are intended. But this is not so much homeopathy as isopathy - treatment with medicines equal to the disease. Isopathy is based on the assertion that what causes the disease will cure it if it is prescribed in a homeopathic dilution.

Target the use of autonosodes - the transfer of information to the body to enhance the specific protective reactions of the body to a certain syndrome.

The introduction of any information into the patient's body (in material or homeopathic doses) always causes a drug disease and for effective and successful treatment it is necessary to accurately match the drug to the patient's psychophysical state and optimal dosage - potentiation or targeting of the drug according to some criterion.

If the drug is not similar to the patient's condition, the outcome of such an interaction may have undesirable consequences. And vice versa - a correctly targeted autonosode made from the patient's own secretions is a very effective drug in the clinical plan, but it must be combined with drainage homeopathic drugs. To maintain the correct balance of the body's defenses, any treatment with nosodes should be accompanied by the appointment of the patient's constitutional drug.

A significant contribution to this area of medicine was made by the German physician and scientist Hans-Heinrich Reckeweg in 1950, who developed a new scientific direction - homotoxicology - the doctrine of homotoxins (human toxins) - and its practical application - antihomotoxic therapy. Reckeweg believed that disease is an expression of the struggle of the body's defenses, which is a self-regulating dynamic system, against exogenous and endogenous homotoxins. The disease is

an attempt by the body to compensate for toxic lesions, i.e. biologically expedient response. Thanks to homeopathic remedies obtained from pathological secretory products arising from the disease, the body's defenses are directed to the affected organs or tissues that do not have or have insufficient protective factors.

For the manufacture of targeted autonosodes, blood, urine, saliva, smears from mucous membranes or scrapings from pathological rashes of the patient can be used.

The autonosode is manufactured using a hardware-software complex for the vegetative resonance test and bioresonance therapy by the firm "IMEDIS". The original liquid substance (blood, urine, saliva) is mixed with water in a test tube in a ratio of 1:10 and dynamized according to the usual homeopathic technology. Scrapings are dissolved in 1 ml of alcohol solution and then mixed with water 1:10 and also dynamized. The original solution was transferred using a transfer to clean sugar crumbs in direct or inverse mode. The choice of the regimen was determined based on the clinical picture and the severity of the disease.

If it is impossible to dissolve the original substance, it can be applied to a clean glass slide and in the reference light flux, it can be rewritten onto clean sugar crumbs. Next, an efficiency criterion is selected and the autonosode is targeted using a vegetative resonance test.

Targeting is the choice of a certain potency, individual for each drug, patient, made with the help of e-mail. electronic methods potentiation and compensating selected criterion efficiency.

Blood is data of all source the most important about pathophysiological processes taking place in the body. therefore the targeted blood autonosode is the drug most deeply acting on the patient. Its use in combination with homeopathic drainage preparations can improve the processes of cellular respiration, increase the antitoxic activity of lymph, relieve vasospasm and lymphocapillaries, restore the cellular and humoral immune response, and, as a result of strengthening the processes of sanogenesis, help the body cope with viral or bacterial infections.

For example, direct targeted blood autosode can treat infections such as viral hepatitis G, TTV, or chronic hepatitis B.

We observed 9 patients with a diagnosis of TTV hepatitis, double-confirmed by the method of qualitative and quantitative PCR analysis and biochemical blood test. All of them underwent treatment with direct targeted blood autonosode in combination with bioresonance drainage homeopathic preparations, recorded on clean crumbs from the drug selector of the company "IMEDIS". The selection of drugs was carried out by the method of vegetative resonance test. The course of treatment was 2-4 months. After a course of treatment, the virus was no longer detected in 7 patients. Follow-up and control of virus isolation for more than 5 months. With similar treatment of chronic hepatitis B, the virus ceased to be secreted in 3 out of 5 patients. Follow-up history - more than two years.

A targeted inverse autonosode of the patient's urine allows

drainage processes in the body, affect connective, cartilaginous and bone tissue. Such a nosode in combination with homeopathic bioresonance drains allows you to successfully treat:

- 1. Urolithiasis saline dissolving is significantly improved ability to urinate and dissolve many types of stones. In 12 patients out of 14, with urolithiasis confirmed by ultrasound and urine biochemical analysis, after a course of treatment, the stones dissolved
- 2. Arthritis and arthrosis caused by metabolic disorders in the body and violation of calcium metabolism. Acceptance of a targeted autonosode in combination with homeopathic drains allows for 2–3 weeks to significantly reduce the severity of pain syndrome, as well as to reduce or completely cancel NSAID intake in almost all patients. More than 60 patients were treated according to the proposed method. The duration of the course of treatment was 4–6 months. Subjective positive dynamics a decrease in the severity of pain syndrome and an increase in tolerated physical activity, were observed in almost all patients.
- 3. Intervertebral hernia. At the control MRI examination in 8 of 10 patients who received an inverse urine autonosode in combination with homeopathic drainages, after 8–10 weeks of treatment, the size of hernias decreased by more than 20%.
- 4. Chronic cystitis and pyelonephritis caused by bacterial or viral infections. 10 patients with chronic cystitis of mixed bacterial and viral etiology were treated. E. Coli and herpes simplex virus type 6 were most commonly isolated. After a 2-month course of treatment, cystitis did not recur in 8 patients over the next year.

A targeted inverse nosode with elements of herpetic eruptions reliably allows you to increase the production of specific immunoglobulins in the body and sharply reduce the number and intensity of herpes recurrences.

More than 200 patients with recurrent herpes have been treated using this technique. The pre-treatment relapse rate was usually 1–2 times per month. The duration of the relapse is 5-7 days. The course of treatment was usually 3–6 months. In 80% of patients, after a course of treatment, the duration of herpes recurrence is reduced from 5-7 to 1-2 days. The duration of the recurrence interval is increased by 6-8 times.

Direct targeted nosode from the scraping of genital warts allows the elimination of papillomavirus from the patient's body. Of 40 patients with long-term isolation of papillomavirus after a 4-week course of treatment with autonosode, in 32 the virus was no longer detected by PCR. Follow-up examination - more than 3 years.

Saliva autonosode allows to treat tonsillitis and chronic tonsillitis. In 3 patients, angina was cured within 48 hours without the use of antibiotics.

Conclusions:

1. Targeted autonosodes have a pronounced clinical effect in vivo.

- 2. It is advisable to combine the purpose of targeted autonosodes with drainage antihomotoxic homeopathic therapy.
- 3. Energy information technologies for the preparation of medicinal drugs can reduce the use of conventional allopathic drugs and accelerate the rehabilitation therapy of patients.

Literature

- 1. Alain H.K. The main indications for the appointment and characteristics of the leading homeopathic remedies and nosodes with a comparison of their pathogenesis. Smolensk .: Homeopathic Medicine, 2000 .-- 400 p.
- 2. Reckeweg G.G. Homeopathic antihomotoxicology.

 Systematized practical medicine science. Book publishing house "Homeopathic Medicine" (LLC, Smolensk), Moscow, 2000. 592 p.
- 3. Kudaev A.E., Mkhitaryan K.N., Khodareva N.A. Targeting techniques (orientation) nosode of blood and chronosemantic preparations // Abstracts and reports. IX International Conference "Theoretical and Clinical Aspects of Bioresonance and Multiresonance Therapy". Part I. M .: IMEDIS, 2005.
- 4. Bioresonance therapy. Gotovsky M.Yu., Perov Yu.F., Chernetsova L.V. M .: IMEDIS, 2010 .-- 206 p.
- 5. Farrington E. Homeopathic clinical pharmacology / Translated from English. M .: Edition of the Society of Homeopathic Physicians of the RSFSR, 1936.

V.G. Ovchinnikov Application of targeted autonosodes in clinical practice // XVIII