

"One Approach - Two Bipolar Outcomes"

G.P. Proveryak
(Minsk, Belarus)

Clinical example 1

Patient F., 44 years old. Appealed on July 14, 2008 with complaints of severe weakness, constant drowsiness, cough with intensely separated sputum, shortness of breath, shortness of breath ("the lungs are as cemented"), pain in the right side of the chest, depression, decadent mood, weight loss by 8 kg. Against the background of constant long-term subfebrile body temperature, it periodically notes its rises ("bursts of up to 38-38.5 ° C, exhausting to exhaustion").

On a personal initiative, she was discharged from the hospital of the Republican Scientific Medical Center of Oncology (Minsk) due to a hopeless condition - oncologists offered an operation for mediastinal lymphosarcoma without guarantees of a favorable outcome for life. History of pulmonary tuberculosis. In 1987 - lobectomy of the right lobe of the lungs. Chronic right-sided empyema of the lungs with a bronchopleural functioning fistula. All these years he has been taking specific antibacterial drugs in massive doses. Chronic cervicitis. Ovarian dysfunction. Irregular periods. Sometimes hematuria in the urine. Premenopausal syndrome. The mammogram is normal. Repeated blood tests over the past 3 years indicate a stable decrease in hemoglobin (90-110), a constantly increased ESR (58-62 mm / h), a persistent decrease in lymphocytes (14-15%), eosinophils - 5%. Decrease in lymphocytes, regarded as a marker

fortunes immunological potential organism [7], maybe
indicate the presence of immunodeficiency.

Diagnostics using the ART method:

Geopathogenic load (HPN) 2-3 st.

The indicator "Radioactive load at x-ray irradiation" 4th degree. This is a rather high degree of radioactive burden, which can be explained by numerous long-term exposure during X-ray examination for pulmonary tuberculosis.

Electromagnetic load of the 3rd degree. This is apparently due to the influence of household electrical appliances, especially the microwave oven, and the frequent use of a mobile phone.

Along with this, a pronounced psycho-vegetative load was noted - according to the indicator "Very strong degree of vegetative burden", due to a pronounced emotion of fear. From "Flowers of Bach", "Aspen" and "Sunflower monolithic" were tested, reflecting the psycho-emotional state of a person, in particular, "panic, hysteria, nightmares, fear of death". All this, according to the patient, was clearly expressed in her.

Tested "very strong endocrine disorders." When clarifying the anamnesis, the patient noted the symptoms of the onset of menopause - hot flashes, accompanied by profuse sweats, irritability, tearfulness. "Depletion of the endocrine system of the 4th degree." The "Severe Depletion of the Immune System" was determined.

The indicator "Protein onco" was tested (program P89). The indicator "Catabolic processes of the 5th degree of activity" was tested, which testified to the prevalence of decay processes in the body over the recovery processes of anabolism.

During resonance frequency diagnostics (RFD) in the lungs, fungi of the genus *Candida albicans*, mycosis fluor, *Mucor mucedo*, *Mycosis fungoides*, as well as bacteria: *Mycoplasma*, *Mycobacterium tuberculosis*, *Staphylococcus aureus* were tested. Helminths were tested in the liver: *Hepatica capillaria* and *Opisthorchis*, F389, F748 (which was confirmed by quantitative PCR), in the uterus and bladder - *Hematobium schistosoma*. That is, the microbial landscape was very diverse.

After determining the indicators of the state of the main key body systems using ART, we were convinced of the validity of the opinion of oncologists about the possible unfavorable outcome of the operation. The time for surgical intervention, indeed, turned out to be very unfavorable. So, the presence of negative burdens of GPN, RN, EMP, significant "Stuffed" organism with aggressive microorganisms, high intoxication, severe lymphopenia, immunodeficiency, exhaustion endocrine system, the predominance of catabolic processes in the body is far from the most favorable background for surgical traumatic intervention. The therapy consisted in neutralizing the negative effects of GPN, RAS, EMR (6.2 Hz with recording on homeopathic crumbs), active disposal of the body from parasites and pathogenic infections, normalization of the psychoemotional state, in the correction of the immune and endocrine system. According to the indications based on the ART data, the following therapy was carried out (BRT, homeopathic preparations of various companies available in the medication selector of the APK "IMEDIS-EXPERT", resonance frequency therapy). Objective control over the correctness of the therapy was carried out at each visit to the patient using the ART "IMEDIS". The complex of treatment included breathing practices, aroma-color therapy, Su-Jok acupuncture.

phytopreparations, biologically active additives of detoxification action, antioxidants, natural microelements ("Laminaria", "CigaPan"). It should be said about "CigaPan" separately. The preparation is a finely ground powder of the antlers of reindeer, which feed mainly on moss in the tundra. As you know, reindeer lichen contains rare earth alkali metals - lanthanides, which have high biological activity even in micro doses.

The patient noticed an interesting feature in the dynamics of her healing. "For the first time in many years I have feeling, feeling a healthy person," she said. The restoration of health began, as it were, in stages: initially at the mental level, which served as a starting point, and then, after 4 months, positive shifts began on the somatic plane as well. That is, the body is more inert and has some lagging component in comparison with the psychoemotional level.

Follow-up - 3 years 8 months. At the present time he feels well, practically healthy, weakness, fatigue have completely disappeared, he is full of energy, cheerfulness, infectious optimism. Gained 10 kg in weight.

Continues to maintain a health-supporting regimen: intake homeopathic informational breathing preparations, trace elements, dietary supplements, practices, periodically BRT.

All the symptoms of menopause passed. Conclusion gynecologist: gynecologically healthy. Phthisiatrician, oncologist, district doctor only they shrug their shoulders in bewilderment when the patient comes to them for routine dispensary observation. What is surprising for doctors of allopathic medicine, for us - specialists in information medicine - is already a common ordinary phenomenon.

Clinical example 2

Patient K., 64 years old. He contacted us on the recommendation of the attending surgeon for bilateral progressive diabetic foot against the background of type 2 diabetes mellitus, gout, overweight (130 kg with a height of 176 cm), arterial hypertension. 11 years ago, he underwent coronary artery bypass grafting (CABG) of the heart vessels. Currently, he complains of numbness, tingling, sometimes soreness of the feet and hands, their constant chilliness (even in summer in cool weather he has to wear woolen gloves and warm socks on his feet). She notes swelling of the legs, especially in the evening, swelling in the area of the big toes of both feet (objectively, the presence of gouty nodes), intense pains that periodically occur in them, which are alleviated by taking allopurinol. Shortness of breath, decreased vitality. Regarding the existing symptoms of diseases and for several years, he has been taking 8 pharmaceuticals daily: metformin 4 tablets. per day and diabetes 4 tablets. - to reduce sugar, noliprel 1 tab., Hypotensive 2 tab. - to lower blood pressure, tri-zidine M and polycard 1 tab. - to maintain cardiac activity, lipromak, which belongs to the class of unsafe statins, 1 tab. to lower cholesterol, allopurinol 300 mg - to lower uric acid levels and suppress the symptoms of gout.

Mentally, I am already planning, first of all, to reduce the huge drug load on the body with allopathic symptomatic drugs taken with their possible cancellation in the future, replacing them with a complex of therapeutic and corrective measures of etiopathogenetic orientation. However, the patient immediately discouraged me by categorically declaring: "I do not believe in your methods of treatment!" Moreover, he always persistently repeated this phrase at every next visit. Despite his negative psychological disposition, I perform ART according to the scheme developed by me as a 5-level model [4] in accordance with the hierarchical component:

spiritual level, mental-subconscious, informational, energetic, physical.

Spiritual level. When testing the SDA, not a single spiritual adaptant was identified or indicated, which is not often the case. Usually one or two, and sometimes more, SDAs are tested. When I explained to him the essence and principle of operation of systemic Spiritual Adapters (SDA), he told me: "I do not believe in God. I don't go to church, I don't visit the synagogue!" (The patient is Jewish by nationality.) This statement turned out to be quite unexpected for me.

Mental-subconscious level. Tested "Strong degree of autonomic burden", "Mental load 7 tbsp."

testified to the presence of chronic overstrain of consciousness (CPS). From my point of view, this was due to the specifics of his work (the owner of a private company for the construction of cottages and individual housing). Selected drugs from the group of psychosocial load of the company "Medpharma". Along with this, I tried to neutralize HPS also with the help of modern psychotechnics (the method of neuro-linguistic programming, the energy-psychological healing system PSYCH-K by Rob Williams), which usually gave excellent results in other patients. However, everything turned out to be unsuccessful here - the technologies were rejected by the patient. In order to still achieve a stable psychological balance and exclude the psycho-emotional component from the pathological chain of his somatic problems, I suggested that he visit an experienced psychologist, virtually owning the technique of systemic family constellation. Since, as it turned out from the anamnesis, both overweight, and diabetes mellitus, and gout were in paternal relatives, i.e. the family character of the pathology was clearly traced. However, he received a categorical refusal to my recommendations: "Why do I need a psychologist? I am psychologically healthy. "

The frequency induction programs P5 (rest) and P13 (stress program) were tested. With difficulty I persuaded him to undergo therapy at least with the rest program (P5). "What for? I'm calm anyway. " I agreed only when I explained that this program (P5) is at the same time one of the key points of a comprehensive treatment for overweight reduction. Treatment using the induction program was only 4 sessions (1 time per week), and then said: "I am already calm!" However, despite his assurances, with control ART after 1.5 months. the "Severe Autonomic Burdening" was still tested. In search of the causes and the primary source of HPS, with a careful history, it turned out that the patient had been suffering from gambling uncontrollably for many years (he was obsessed with playing cards, spending this lesson up to 2-3 o'clock in the morning, 5 days a week).

Information level provided for BRT, which allows, first of all, to restore information flows blocked in the body. BRT was performed according to the generally accepted treatment regimen for overweight and diabetes mellitus [2].

Along with this, information

homeopathic preparations of various companies: "Biogroup", "Rostok",
 HomeoPharm, "OTI", "Guna" (Roy Martina), contained in
 medication selector of APK "IMEDIS-EXPERT" by profile

problems. Adequate dosage and frequency of administration were selected.

Energy level. Carried out chakra
 diagnostics using Rostok test indicators. Chakra 2 (Svadhithana, C №52) and
 chakra 9 (Wheel of the life path, C №60) turned out to be blocked. The state of
 the meridians was determined by R. Voll's method by points of the hand and
 foot. The greatest pathological parameters were observed in the meridians:
 endocrine (20–25 conventional units) and pancreas (25–30 conventional units), as
 well as on the fat and muscle degeneration meridian. The next place in terms of
 the severity of changes was occupied by the meridian of nervous degeneration
 (ND), where the worst indicators were at the point of the autonomic nervous

systems (20-30 conventional units). Electrophysiological examination of the allergy meridian showed the greatest deviation from the norm (15 conventional units) at the point of "vascular sclerosis". However, an unsurpassed leader among pathological abnormalities was CPI RP 1a (right) on the classical meridian of the pancreas-spleen (5 conventional units), which, according to researchers [3], is an indicator of the mesenchyme state. Such a low indicator at this point indicates a pronounced blockage and obvious slugging of the main body system - loose connective tissue. In order to unblock the above energy channels, the problem points were stimulated by warming them up with wormwood moxas. To prolong the impact on the points, the patient was trained to carry out this procedure at home, and he was given a wormwood cigarette. When the control measurements of the above points were carried out after 1.5 months, there was a slight positive dynamics, the indicators of the CTI practically remained the same. It turned out that the patient had lost his wormwood cigar and practically did not carry out the procedure. In order to correct the energy potential of the body, the patient was offered to undergo a course of acupuncture with an experienced Chinese specialist who knows pulse diagnostics. The patient refused. owning pulse diagnostics. The patient refused. owning pulse diagnostics. The patient refused.

Physical layer. The "geopathogenic load of the 2nd stage" was tested. A rather high degree of radioactive burden was determined: "Chernobyl precipitation D200", "Radioactive load" 3-4 st. It turned out that the patient suffered from acute radiation sickness while participating in the liquidation of the accident at the Chernobyl nuclear power plant. A bone marrow transplant was performed in Moscow. He has a 2nd disability group for this disease. Further it turned out that the patient is literally in a real electromagnetic smog -

"Electromagnetic burden of the 4th degree." High the electromagnetic load, in my opinion, was caused by 2 mobile phones working almost continuously, the presence of a microwave oven, which he uses quite often ("Very convenient and fast!"), and the long-term habit of drinking cold water in the refrigerator. After all, the water, which is maximally saturated with the electromagnetic radiation of a working refrigerator, also created and maintained a constantly acting high electromagnetic load in the body. An offer to give up such a habit is another refusal ("And I'm already used to it!"). To neutralize the existing pathogenic loads, a 6.2 Hz preparation was made.

Further, specific individual recommendations were given on breathing techniques, rational nutrition, including antioxidant complexes, phytopreparations ("Artichoke", "Touti", etc.), natural trace elements. Periodic monitoring of the breathing technique with the use of breathing simulators confirmed that the techniques were performed incorrectly. In response to criticism, the response was: "You are treating me specifically for my disease (diabetic foot), but why do I need your general recommendations!"

Working at the physical level, first of all, a program was outlined to reduce not blood sugar and uric acid, but excess weight. The method of complex treatment developed by

by a group of authors [5]. The technology included three points of application, three levels of impact on the body:

1st level. Influence on the central nervous system using induction therapy (Rest program - P5) to inhibit food excitement in the subcortical structures of the brain. The exposure time of the program is 30 minutes, once a week.

Level II. Impact on the peripheral parts of the body in order to reduce the "feeling of hunger" at the level of tissues and cells, enhance the processes of catabolism and accelerate the elimination of decay products against the background of intense antihomotoxic therapy. Used homeopathic complexones of the firm Biogroup (phytocomplexes No. 42, 43, 44, 46), "HomeoPharm" (Homeos 9, 10, 25), "OTI" (Fitox 1, 6, 9, 13, complexones).

III level. Local impact on adipose tissue for its dissolution was carried out by exogenous frequency programs E154 (2.0 Hz) and E286 (34.5 Hz), and to strengthen the muscles in the places of exposure, the frequency was used 45.5 Hz (E169). The UMT "belt" was applied to the abdomen, buttocks and thighs. The duration of the session began at 5 minutes, gradually increasing to 10 minutes. at an intensity of 15–20 units. Treatment according to this scheme was carried out once a week. Although the patient, not observing the prescribed dietary regime, often broke down, at entertainment events he did not deny himself barbecue (in his own words), the program still began to work. Already after 1.5 months, appetite decreased, body weight began to decrease (the criterion for the patient was a decrease in waist volume).

Against the background of the ongoing complex therapy, we gradually reduced the dosage of the patient's diabetes, metformin, and allopurinol.

Biochemical blood counts were within normal limits. After 3 months, an attempt was made to completely cancel them under the control of biochemical parameters. After 2 weeks, the blood sugar content increased slightly (from 8.3 units to 9.6 units). The concentration of uric acid increased from 440 $\mu\text{mol} / \text{L}$ to 520 $\mu\text{mol} / \text{L}$ (at a rate of 210–420 $\mu\text{mol} / \text{L}$), although no pain in the area of tophi (gouty nodes) was noted. The patient decided to stop further treatment, fixing the ending with his standard duty phrase: "I don't believe in your methods of treatment!"

Having failed to achieve positive dynamics, despite the efforts made on my part, we parted on bipolar points of view. I - with deep faith and firm conviction in the colossal possibilities of innovative technologies of information medicine, the patient - "But I do not believe in your methods of treatment!" This is the true Biblical Scripture: "According to your Faith - let it be to you!"

In conclusion, I would like to thank the staff of the IMEDIS Center and all organizers preparation and holding annual International conferences for great work. Thanks to the ability We have brilliant information to replenish the piggy bank regularly obtained by all for you. Those who speak annually with their reports and theses are like having a Confession with a Spiritual Person, they have the opportunity to share their achievements and successes, report on the results of the work done and receive further Blessings from their mentors.

Literature

1. Garkavi L.Kh., Kvakina E.B., Kuzmenko T.S. Antistress reactions and activation therapy. The activation reaction as a path to health through self-organization processes. - M. IMEDIS, 1998 .-- 656 p.
2. Gotovsky M.Yu., Perov Yu.F., Chernetsova LV. Bioresonance therapy. 2nd edition. - M .: IMEDIS. 2010 .-- 205 p. (Pp. 81–82).
3. Makhonkina L.B., Sazonova I.M. Resonance test. Possibilities diagnostics and therapy. - M .: RUDN, 2000 .-- 738 pages (p. 110).
4. Prosveryak G.P. A five-level model of a multidimensional human essence - as a basis for radical healing // Abstracts and reports. XVII International Conference "Theoretical and Clinical Aspects of Application bioresonance and multiresonance therapy ". Part II. - M .: IMEDIS, 2011. - S. 331–341.
5. Reshetilov V.I., Vlasenko M.V., Sorokopud M.S. The use of BRT in treatment of overweight patients // Abstracts and reports. XVII International conference "Theoretical and clinical aspects application of bioresonance and multiresonance therapy ". Part I. - M .: IMEDIS, 2011. - pp. 234–238.

G.P. "One Approach - Two Bipolar Outcomes" drill // XVIII "- M .:" IMEDIS ", 2012, v.1 - C.279-289