

Statistical data obtained during work
by the method of vegetative resonance test "IMEDIS-TEST +"
(results of work from May 2003 to February 2012)
G.Yu. Andreichenko
(Vorkuta, Russia)

In total, during this period, a four-level diagnosis of 1613 people was carried out.
By age, the groups were distributed as follows.

Table 1

Age	Up to 1 year	one-10 years	eleven-20 years	21-40 years	41-60 years	Over 60 y.p.	Total
Fact. qty	nineteen	218	205	511	558	102	1613
%	1.2%	13.5%	12.7%	31.7%	34.6%	6.3%	100 %

The current picture of the dominant miasms is presented in table. 2.

table 2

Dominant miasm	Fact. number of people	%
Botulism	eight	0.5
Toxoplasma	21	1,3
Borrelia	five	0.3
Tuberculosis	35	2.2
Rickettsia	2	0.1
anthrax	one	0.05
Fungoid fungus	63	3.9
Coxsackie virus	eight	0.5
Epstein-Barr virus	7	0,4
Cytomegalovirus	151	9.4
Hepatitis	98	6.1
Herpes	26	1.6
Rabies	6	0,4
Measles	eleven	0.7
Smallpox natural	10	0.6
Chicken pox	36	2.2
Polio	257	16.0
Rubella	144	8.9
Mycoplasma	3	0.2
Diphtheria	3	0.2
Syphilis	one	0.05
Pneumocystus	one	0.05
Plasmodium malaria	one	0.05
Flu	one	0.05
Salmonella	3	0.2
Echinococcus	one	0.05
Ureaplasma	one	0.05
Eurythema pancreaticum	one	0.05
Psychovegetary load	708	43.9
TOTAL	1613	100.0

In 708 cases, which accounted for 43.9% of the total number of examined, at the fourth level, only psycho-vegetative loads were tested, which could be eliminated with drugs from the Bach flower group, Systemic Spiritual Adaptants, "Medpharma" (folder of psychosocial loads), drugs from Guna (Flowerplex) etc.

In 232 people, which accounted for 14.4% of the total number of tested, at the fourth level, miasm and psycho-vegetative loads were also determined, which were removed by Viper 2000 in combination with preparations from Bach flowers, psychosocial loads "Medpharma", Guna (Flowerplex), etc. .NS. Moreover, the psychological drug served in this case as a drainage.

In recent years, there has been a noticeable increase in the number of patients in whom only psycho-vegetative loads were determined at the fourth diagnostic level. Solving these problems

preparations from the groups - Bach flowers, Systemic Spiritual Adaptants, "Medpharma", Guna, Rostock, Rubimed, managed to remove the autoaggressive program in the DNA (see Table 4).

Of the 162 people tested over the past year, 158 people passed this option. This amounted to 97.5% only over the past year.

Table 3

Year	2004	2005	2006	2007	2008	2009	2010	2011	2012
Actually. amount	nine	10	13	36	94	229	397	550	708
% of total quantity	2.4%	1.8%	1.9%	4.4%	9.8%	20.5%	30.7%	37.9%	43.9%

Considering that each person is part of a single energy fields and, of course, reflects the state of this field, we can conclude that the general level of awareness of mankind is increasing. An increasing number of people are thinking about who they are, what they can do to change themselves, and what contribution they can make to a single energy organism, of which they are a part. And it pleases!

Differentiating through the pointers Intox 2 and Intox 3, the following picture emerged.

Table 4

Miasm	Intox 2	Intox 3	Total
Botulism	-	eight	eight
Toxoplasma	one	twenty	21
Borrelia	one	4	five
Tuberculosis	-	35	35
Rickettsia	-	2	2
anthrax	-	one	one
Fungoidn. fungus	-	63	63
Coxsackie virus	-	eight	eight
Epstein-Barra	-	7	7
Cytomegalovirus	4	147	151
Hepatitis	five	93	98
Herpes	one	25	26
Rabies	-	6	6
Measles	one	10	eleven
Smallpox natural	-	10	10
Chicken pox	five	31	36
Polio	five	252	257
Rubella	6	138	144
Mycoplasma	-	3	3
Diphtheria	-	3	3
Syphilis	-	one	one
Pneumocystus	-	one	one
Plasmod. painter.	-	one	one
Flu	-	one	one
Salmonella	-	3	3
Echinococcus	-	one	one
Ureaplasma	-	one	one
Eurythema pancr.	-	one	one
TOTAL	29 - 3.1%	876 - 96.9%	905 - 100%

Analyzing diagnostic picture, celebrated explicit predominance hereditary burden (96.9%).

For level 4 therapy, I used the following drugs: Spec. Viper 2000 - 887 cases (55.0%); FM chords - 17 cases (1.1%);

Nosode - 1 case (0.05%); Bach Flowers - 154 cases (9.55%); Systemic Spiritual Adapters - 18 cases (1.1%); Psychosocial load "Medpharma" - 68 cases (4.2%); Flowerplex by Guna - 156 cases (9.6%); Other drugs - 312 cases (19.4%).

After removing the miasms, I conduct therapy for deep mycoses.

A few figures on the results of antimycotic therapy. In total, 1154 people passed this stage. Resonance frequency therapy was performed in 934 sessions. At 220 sessions, it was possible to remove the mycotic lesion by choosing a ready-made preparation from the selector.

General statistics for the proposed algorithm:

The therapy of miasms of 1613 people was prepared and carried out, of which 1154 people were treated for deep mycoses, of them, 982 people were treated for karmic space therapy, of which 983 people were worked at the atmic level, of them, work was carried out to install a magnetic center 948 people, of whom work was carried out on KDT 879 people, 790 of them worked through Vipera D400, 705 of them carried out work through radioactive fallout, of them, work was carried out to align the force fields of 664 people, of whom work was carried out through the index head foci 589 people, of which YIN-YANG harmonization was 589 people, of them work was carried out through the Talamus \$ 5. 515 people, of them, 453 people were corrected enzyme systems, of which 380 people were worked through astroprotectors, of them, work was carried out to remove atopic allergy 310 people, of whom 231 people went through the stage of "finding their way" (Runes), 146 of them passed the stage of "invulnerability" (bactericidal), of them, the energy state was equalized (excellent energy state - Ag D200) 30 people.

G.Yu. Andreichenko Statistical data obtained by the method of vegetative resonance test "IMEDIS-TEST

+ "(results of work from May 2003 to February 2012) // XVIII