

To the question of the possibility of objectifying the
concept of a constitutional homeopathic remedy

T.V. Akaeva¹, K.N. Mkhitarianz²
(¹SSC RF Institute of Biomedical Problems RAS,
²Center "IMEDIS", Moscow, Russia)

Introduction. The problem of objectifying the concept of homeopathic constitution
and constitutional homeopathic type

The question of whether it is possible to objectify the concept of constitutional homeopathic medicine (CHP), is, without exaggeration, the samea fascinating and incomprehensible riddle of homeopathy, which until recently was presented to mathematicians by Fermat's Last Theorem. The latter, recently surrendered to the human mind. To understand the difficulties of defining a homeopathic constitution (HA), or, constitutional homeopathic type (CHT), which according to modern views are mutually uniquely correlated with the corresponding CGP, it is enough to conduct an Internet search by entering the phrases "homeopathic constitution", "homeopathic constitution" or "constitutional homeopathic type" in the search engine. Search engines find a fairly large number of works devoted to these topics, for example [1-3]. However, an analysis of the found literature shows that the definitions of the homeopathic constitution or constitutional homeopathic type given in it are speculative -do not rely on experiment and, therefore, depend on the interpretation of both their author andthe reader.

Interpretation can differ significantly not only for two different authors of the definition, or its readers, but even for one author (reader), depending on the point of view he accepts.

The authors of this work set the task: to find experimentallyan observable, highly effective for diagnostics and therapy, an individual characteristic of an organism, which:

1. Characterizes the deviations of the processes occurring in it from their physiological norm, moreover, it gives a universal classification of such deviations.
2. Determined by the methods of drug testing, in particular, ART using specific system of test indicators (its indicators).
3. Allows you to correlate each deviation from the physiological norm, identified with its help compensating for this deviation with a homeopathic remedy.

Such a characteristic can, indeed, pretend to be an objectivehomeopathic constitution of the body, at least in terms of methodsdrug testing, in particular, ART.

The construction of the characteristic was based on the works of the authors devoted to the diagnosis and therapy of disorders of elemental metabolism (elementoses) in the human body [4-8]. A feature of elementosis is that each nosology, each pathological process in the human body, generates a very specific elementosis. And, conversely, a well-defined pathology corresponds to each elementosis, more precisely, a class (layer) of pathologies that changes when it changes. Thus, elementoses are compactthe system of pathogenetic description of an immeasurably wider set of all nosologies of the organism, or, from the point of view of the theory of functional systems, the interface of descriptionnosologies. Moreover, inherent at the genetic or epigenetic level, as well as acquired throughout life, persistent deviations of the organismphysiological norm - systemic errors committed by him - can also be unambiguous correlated with elementoses.

Note that elementosis is not simply an excess or deficiency in the body of one or another element. Elementose is a change in the normal

the metabolic pathway of the passage of an element through the body, that is, a change in the aggregate and the sequence of biochemical reactions in which it participates and which it influences, from the moment it enters the body until the moment it leaves it. An elemental disorder is a component of elementosis, representing a violation of the metabolic pathway of one of the only elements, considered independently of the violation of the latter for other elements.

As homeopathic constitution organism authors offer consider the most stable, including, in relation to the therapy, an elemental disorder in it.

Proposed objectification of the homeopathic constitution:

- characterizes the deviation of the body from the physiological norm and, moreover, provides the diagnostician with a detailed classification of such deviations.
- is determined with the help of drug tests, in particular, ART, due to the presence of elemental metabolism disorders in the electronic selectors of test indicators;
- allows to correlate each deviation from the physiological norm, revealed with its help, a homeopathic preparation compensating for this deviation, namely, the corresponding test-indicator of the violation of elemental metabolism presented in the drug selector of the APK "IMEDIS-EXPERT".

Thus, the indicated objectification of the homeopathic constitution satisfies the above conditions 1-3. The question remains as to how stable violations can be distinguished from all possible violations of elemental exchange. In this work, we show on a model of therapy of a patient with a potentiated blood autonosode that the requirement for the stability of the violation of elemental metabolism is statistically reliably equivalent to the condition:

KMH - - EI - (1).

Here, the usual designations of ART-BRT are used:

- symbol "-" - direct vegetative resonance (decrease in the initial measuring level), when the tested drug is introduced into the measuring circuit;
- "+" symbol - adding a new drug to the measuring circuit;
- symbol "-" - compensation of direct vegetative resonance (restoration of the initial measuring level);
- KMX marker the sum of electronic signals from the end points and points of intersection of the main chiroglyphic lines located on the palmar surface of the patient's hands. The study used a variant of the electronic record of the KMX marker;
- symbol EI - test indicator of a potentized chemical element. The work also uses the notation:
 - ANKr - "blood autonosode" of the patient;
 - Pot(X) - electronic potency - information drug X.

Research objectives:

1. Investigate the possibility and degree of correlation (coincidence) between the most severe violations of elemental metabolism, before and after therapy with blood autonosode, which compensates for BMC.
2. To identify the possible alternation of the most pronounced elemental disturbances.
3. Introduce the concept of a constitutional violation of elemental metabolism as the most its stable violation, including in relation to blood autonosode therapy.

Materials and research methods

For the diagnosis by the ART method and the manufacture of blood autonosodes, we used hardware and software complex (APC) for electropunctural diagnostics, drug testing, adaptive bioresonance therapy and electro-, magnetic and light therapy for BAP and

BAZ "IMEDIS-EXPERT", Registration certificate No. FS 022a2005 / 2263-05 dated September 16, 2005

The study was conducted on a sample of 123 patients aged 18 to 76 years suffering from chronic diseases of various nosologies. All patients underwent primary diagnostics using the ART method according to a unified algorithm, in accordance with the approved methodology [9, 10]. After the initial examination according to the method, a KMX marker and a potentiated blood autosode Pot were prepared for each patient.-(ANKr), compensating for it, that is, satisfying the condition:

$$\text{KMX} \downarrow + \text{Pot}-(\text{ANKr}) \uparrow (2).$$

Then, violations of the patient's elemental metabolism were determined:

- with filtration through a pseudo-transparent marker $\text{KMX} \downarrow + \text{Pot}-(\text{ANKr}) \uparrow$, that is, according to the scheme:

$$\text{KMH} - + \text{Pot}-(\text{ANKr}) \uparrow + \text{EI} - (3);$$

- with filtration through the KMX marker, that is, according to the scheme (1).

In the case when testing according to scheme (1) resulted in more than one element, the KMX marker was amplified by rewriting through the 4th container of the IMEDIS-EXPERT APK and subsequent summation with the original signal, up to the level when it was compensated by a single potentiated element.

Determination of Elemental Violations exchange was carried out on 17 positions corresponding test indicators of violations of elemental metabolism in ART.

Then, for two months, the patients underwent therapy with a blood autosode, which compensated for the CMH markers, that is, satisfying the condition (2). After a month of therapy, the dose of the drug was adjusted, for which the KMH marker made during the initial examination was used.

At the end of a two-month course of therapy, patients were reexamined using the ART method, including repeated measurements of test indicators of elemental metabolism:

- direct, that is, according to the scheme:

$$\text{(after blood autosode therapy) - EI} - (4),$$

- with filtration through a newly manufactured (upon re-examination) KMH marker₁, that is, according to the scheme:

$$\text{(after blood autosode therapy) - KMH} - + \text{EI} - (5).$$

The number (percentage) of patients was calculated in whom:

- the element identified according to the testing scheme (1), possibly with amplification of the KMX signal, coincided with the element identified according to the testing scheme (3),
- the element identified by the testing scheme (3) coincided with the element identified by the testing scheme (4),
- the element identified by the testing scheme (1) coincided with the element identified by the testing scheme (4),
- the element identified by the testing scheme (4) coincided with the element identified by the testing scheme (5).

The processing of the research results was carried out using the statistical criterion -- Fisher in its modification [4].

Research results

Preliminary note: in [8], the authors faced the complexity of the statistical analysis of the research results: many violations of elemental metabolism consisted of several elements. We had to compare, using the methods of mathematical statistics, not individual elemental violations, but their multitudes. In the same study, it was found that many elemental metabolic disorders tend to boil down to one such disorder when used:

- for filtration, during the primary measurement, a pseudo-transparent marker $\text{KMX} \downarrow + \text{Pot}-(\text{ANKr}) \uparrow$;
- for therapy, in preparation for re-measurement, blood autosode Pot-(ANKr) in

potency compensating for the KMX marker.

Thus, the measurement circuits (3), (4) and (5), as expected, gave "at the output" a single violation of the elemental exchange. Scheme (1) is organized so that, as a result of its use, only single violations of the element exchange are detected. As a result, in 121 cases out of 123 for all measurement schemes (1), (3-5), only single violations of elemental exchange were observed. Therefore, the calculation of the number and percentage of patients with coincidence of elemental metabolic disorders according to measurement schemes (1), (3) - (5) also turned out to be correct in 121 cases out of 123. The results of this calculation, on the assumption that the mentioned 2 cases should be considered as mismatches when comparing any two schemes, are given in Table. 1.

Table 1

	Number of patients	Percentage of patients
The element identified by the testing scheme (1), possibly with amplification of the KMX signal, coincides with the element identified by the testing scheme (3).	96,748	119
The element identified by the testing scheme (3) coincides with the element identified by the testing scheme (4).	95,935	118
The element identified by the testing scheme (1) coincides with the element identified by the testing scheme (4).	93,496	115
The element identified by the testing scheme (4) will coincide with the element identified by the testing scheme (5).	79,675	98
Elements identified simultaneously for all schemes coincide with each other: (1), (3), (4), (5).	77,236	95
Total patients	100 %	123

According to the modified test - Fisher's predictive validity the coincidence of the measurement results according to different schemes was:

- for schemes (1) and (3) - from 89.75% to 99.91% with a significance level of $p - 0.01$,
- for schemes (3) and (4) - from 88.15% to 99.88% with a significance level of $p - 0.01$,
- for schemes (1) and (4) - from 86.24% to 99.27% with a significance level of $p - 0.01$,
- for schemes (4) and (5) - from 66.65% to 89.90% with a significance level of $p - 0.01$,
- for all schemes (1) (3), (4) and (5) simultaneously - from 63.90% to 88.30% with a significance level of $p - 0.01$.

Discussion

Noteworthy is the relatively low percentage of coincidences of test results according to schemes (4) and (5) after therapy. This phenomenon supposedly has the following explanation / Filtering through a pseudo-transparent marker $KMX \downarrow + Pot-(ANKr) \uparrow$ makes it possible to predict quite accurately the residual disorders of elemental metabolism, but against their background, internal restructuring of the organism becomes noticeable, leading to a change in the leading elemental disorder. It can be assumed that it is the change in the leading elemental disorder that causes the need, noted in [11], of periodic replacement of the constitutional drug during long-term constitutional therapy.

Conclusions:

1. Found a high degree of correlation (coincidence) between the most pronounced disorders of elemental metabolism detected before therapy with blood autonosode,

compensating CMH and single violations of elemental metabolism, found after therapy.

2. Revealed with a high degree of correlation between different types of disorders elemental exchange is a constant change of the most pronounced of them.

3. It is proposed to use as a constitutional violation of elemental metabolism the most persistent of these disorders, identified against the background of blood autonosode therapy.

Literature

1. http://www.repertory.ru/repol/?page_id=161. Chernykh Andrey Alexandrovich. Author's site about homeopathy "The perfect method" / Methodological materials / Dialectics of the homeopathic constitution.

2. <http://www.homeoint.ru/homeopathy/essence/rotter.htm>. Gabi Rottler Constitution and chronic diseases. The importance of constitutional symptoms from the point of view of G. Yar.

3. http://www.travolekar.ru/articles/hom_pat/constit.htm. Alafirev A.N. The concept of the constitution in homeopathy.

4. Akaeva T.V., Kudaeva L.M., Minenko I.A., Mkhitaryan K.N. Method validation "Vegetative resonance test" in the determination of elemental metabolism in patients with chronic pathology // Bulletin of Restorative Medicine. - 2010. - No. 2. - pp. 35-36.

5. Akaeva T.V., Gotovsky M.Yu., Mkhitaryan K.N. Non-drug correction of violations elemental exchange. Part 1. The dynamics of compensation for violations of elemental metabolism in the course of therapy for patients with elementosis // Traditional medicine. - 2010. - No. 4 (23). - pp. 17-21.

6. Akaeva T.V., Mkhitaryan K.N. Non-drug correction of violations of the elemental exchange. Part 2. Dynamics of stabilization of elemental metabolic disorders in the process of non-drug therapy of patients with elementosis // Traditional medicine. - 2011. - No. 4 (27). - pp. 12-17.

7. Akaeva T.V., Mkhitaryan K.N. Choice of a constitutional remedy for correction violations of micro- and macroelement metabolism // Bulletin of restorative medicine. - No. 2. - 2013. - P.59-64.

8. Akaeva T.V., Mkhitaryan K.N. New experimental confirmation of existence internal time of the body using ART // Abstracts and reports. XVIII International Conference "Theoretical and Clinical Aspects of the Application of Adaptive Bioresonance Therapy". Part II. - M.: IMEDIS, 2012. - P.128-145.

9. Electro-acupuncture vegetative resonance test: Methodical recommendations No. 99/96 / Vasilenko A.M., Gotovsky Yu.V., Meizerov E.E. Koroleva N.A., Katorgin V.S. - M.: Scientific and practical. Trad. Center honey. and homeopathy of the Ministry of Health of the Russian Federation, 2000. - 28 p.

10. Gotovsky Yu.V., Kosareva LB, Makhonkina LB, Sazonova IM, Frolova LA Electro-acupuncture diagnostics and therapy using the vegetative resonance test "IMEDIS-TEST": Methodical recommendations. - M.: IMEDIS, 1997. -- 84 p.

11. Gotovsky M.Yu., Mkhitaryan K.N., Storozhenko Yu.A., Goltsov A.G. Efficiency mark constitutional homeopathic therapy by the method of constitutional delusion test // Traditional medicine. - 2008. - No. 1 (12). - P.18-23.

T.V. Akaeva, K.N. Mkhitaryan On the question of the possibility of objectifying the concept of a constitutional homeopathic preparation // - M.: "IMEDIS", 2014, v.2 - P.64-74

[To favorites](#)