

Customized signage groups to facilitate the doctor's work
I.V. Fadeev, E.N. Berezina (MC
"BIO-FALL", Voronezh, Russia)

Everyone hears only what he understands.

I.V. Goethe

Relevance

The number of test pointers available to users of APK "IMEDIS-EXPERT" is increasing annually. On the one hand, this is pleasing, since additional opportunities appear in diagnostics and therapy, and on the other hand, a huge number of tests require a clear systematization, otherwise they greatly complicate the doctor's work. For a holistic assessment of the state of the body, in order to search for or create an optimal drug, it is necessary to carry out a long, sometimes many hours, tedious testing.

The objectives of our research:

- to speed up diagnostics and reduce the doctor's energy consumption;
- to facilitate the process of creating an effective BR-drug;
- to improve the accuracy of the selection of homeopathic medicines.

Within the framework of the software "IMEDIS-EXPERT", a selective systematization of pointers was carried out by creating individual groups. This made it possible, with minimal "surfing" through the program windows, to shorten the examination period and free up additional time for conducting electromagnetic, color or any other therapy.

We set ourselves the following task: to create convenient individual user groups according to the meridian principle, the use of which will speed up the diagnostic process and reduce the psychoemotional load on the doctor. One of the important criteria was the creation of a universal set of pointers that are as informative as possible and combined in one window.

The principle of constructing sections of these groups is as follows:

1. Organopreparations and nosodes.
2. Infectious agents corresponding to the meridian.
3. Neoplastic pointers.
4. Mono-component and complex homeopathic preparations.
5. Drugs selected for the most common symptoms with sides of any organs or nosologies.

Schematically, the model for using individual groups looks like this:

- I. Definition of the general condition.
- II. Obtaining the initial amount of information (diagnostic indicator Σ) about the patient's condition.
- III. Defining private indexes of the diagnostic pointer and searching through

it is the meridian, the organ that needs to be influenced.

IV. Collecting the amount of pointers to create a BR-drug and the selection of homeopathic medicines.

V. Taking medications and monitoring the changes.

The general state is determined according to the main scales: group levels of health, polarity, biological and photon indices, adaptation reserves, mental stress, the state of the immune system, etc.

The main options for obtaining a diagnostic pointer (Σ):

- contactless information retrieval from the projection of any organ using a device for magnetic therapy (UMT) "inductor" or "loop" (for example, from the tonsils or gallbladder);
- contact removal of information from any pathological formation or from the surface of the skin (for example, skin rashes);
- removal of information from several parts of the body at the same time (for example, from the head and chest and abdomen).

Possible use case for groups:

1. Through the created diagnostic pointer (Σ) by the filtering method reveals the presence of an indication of the meridian with maximum disturbances (Zn met. D60). If the test is positive, we search for the five primary elements in the section and determine the connection of the diagnostic index with any element, meridian, organ. Alternatively, you can use the indicators of meridian complexes, meridians and meridian chords, but the diagnostic process is so lengthened.

2. Through the sum of the three pointers listed above in the section individual groups within the studied meridian, we determine the nosology using the withdrawn information sum (Σ) (we test nosodes, organ products, neoplasms).

3. Through the received sum of pointers, we determine the etiological factor (infections, radionuclides, environmental toxins, allergens, etc.).

4. If as one of the directions of therapy we use complex or mono-component homeopathic remedies, then we search for them in the folders corresponding to the selected meridian.

5. We create a BR-preparation using the previously found pointers.

6. We give to accept the created BR-drug and check the selected homeopathic remedies.

7. We give to take a homeopathic preparation and carry out control earlier certain private and general indexes.

Clinical example

A patient with complaints of hearing impairment, decreased differentiation of some sounds.

The general condition was diagnosed, and then a diagnostic index (Σ) was created using the UMT "loop" from the head. Through it and a pointer to

meridian with maximum disturbances (Zn met D60) in section five elements received a response to the element metal, Lunge / Bronchie. Further, through this sum from the folder Nosodes, organopreparations, a resonant response to the Tonsilla tubaria index was obtained. Then fungal (*Aspergillus fumigatus*) and bacterial (*Staphylococcus aureus*) burdens were identified from the Infectio folder. Using the newly obtained number of pointers from the Homeopathy mono folder, we selected the preparations *Verbascum C6*, *Sambucus nigra C6* and *Arsenicum jodatatum C30*. Then a Br-preparation was created, which consisted of the following indicators: initial informational sum (Σ), Lunge / Bronchien (from a folder of five elements), Tonsilla tubaria nosode, *Aspergillus fumigatus*, *Staphylococcus aureus*. The body's bioresonance response was recorded within the tested lung meridian. After taking the Br-drug, the index of the homeopathic drug *Sambucus nigra C6* ceased to resonate, but the other two selected drugs, due to their optimality and effectiveness, continued to give a confident positive response. They were also given at the reception under the control of the dynamics of general and private pointers, which changed for the better. The following are prescribed for the course of treatment within the framework of the resonant number of grains:

- created by Br-drug twice a day;
- *Arsenicum jodatatum C30* three times a week;
- *Verbascum C6* twice a day.

Conclusions:

1. Conveniently constructed individual groups of pointers are essential speed up and facilitate the examination of the patient.
2. They can be used independently or be part of the process to identify the core of the pathology with subsequent effective therapy.
3. Systematization of the accumulated information allows you to make more comfortable work of a doctor.

Work on the creation of these groups continues. At the moment, individual groups are prepared for use, which are created on the basis of manual meridians. The topic of using individual groups will be discussed in detail at the seminar.

Fadeev, I. V. Individual groups of pointers to facilitate the doctor's work / I.V. Fadeev, E.N. Berezina // XXI International Conference "Theoretical and Clinical Aspects of the Application of Bioresonance and Multiresonance Therapy". - M.: IMEDIS, 2015. -- S. 126-129.

[To favorites](#)