

A practical case of bioresonance therapy  
IN. Rybko  
(Kursk, Russia)

Introduction

The beginning of the experience and the appearance of the first event scenarios are associated with the perinatal period of development of the human body. Due to the complete fusion of the mother with the fetus, possible changes in the functioning of her body will create specific patterns of response, on the nature of which, favorable or traumatic, much will depend in the future. During this period, the processes of the formation of neural networks of the brain, organogenesis, the formation of hormonal reception, the foundations of metabolism take place. Clinical cases of therapy, which at the initial stage are quite effective, but after a while, the symptoms and compensated processes return back to the understanding of the importance of attention to this period. It can be assumed that the localization of the causes of diseases lies in another, deeper layer - at the perinatal level.

- anamnestic data, including: pathologically proceeding childbirth in the mother, a history of the operation "Caesarean section", breech presentation of the fetus, fetal cord entanglement, asphyxiation, use of medical instruments for obstetrics, mental and physical illness in the mother, synchronous situations in the pathology of gestation and childbirth, intrafamilial conflicts during the period of bearing a child;
- psychological aspects include different levels of phobias, personality dissociation;
- the chronosemantic criterion for applying the method is a decrease in the measuring level at the points of conception, birth on the Venus line when testing by the ART method;
- testing of life-saving drugs by the ART method: birth trauma, childbirth - the umbilical cord, childbirth - amniotic fluid, etc.;
- long-term ineffective therapy of "stressful" organs and systems, the presence of negative patterns of behavior of the psyche, "cliches" at the level of response methods, problem socialization.

Materials and methods

An idea arose to use graphic projections into the patient's perinatal area for therapy and diagnostics. For ease of understanding the generic process and the concepts of its influence, a concept put forward by S. Grof is proposed - the theory of perinatal matrices, in which four stages of biological birth were modeled: from the moment of formation of the fetus to its release through the birth canal and the moment of birth. Grof called them basic perinatal matrices (BPM), because the stages of development are "imprinted" in our psyche so powerfully that they have an impact on our life in the future.

scripts.

A deck of 64 cards was formed - BMP cards (basic perinatal matrices), the main part of which was the work of the Swiss artist Hans Rudi Giger (1940–2014). The paintings of this artist are also called unconscious projections of traumatic processes occurring with the fetus during the pathological perinatal process of images of the stages of the perinatal process, from the first stage to the fourth (within the terminology presented by S. Grof.)

The resulting maps can be used in typical work with psychonosodes by means of cerebral responses. In this case, the psychonosodes are BMP cards (maps of basic perinatal matrices).

#### Clinical case

Patient R., 46 years old. In 2011, he was diagnosed with chronic gastritis of the stomach, with recurrent exacerbations. He considers himself to be sick for about 15 years. Associated complaints: insomnia, imbalance. Intermittent allopathic and physiotherapy treatments were found to be ineffective. He underwent treatment using ART and BRT methods in 2010, notes an improvement, but after a while (6 months) the symptoms returned in the form of new exacerbations.

When testing by the ART method: Adaptation reserves - good 4 degrees, Onco-protein, Fuzailov's preparations are not tested, OTI chakras are not tested, organ products are tested stomach D6-D12, gastric mucosa D10-D15, gall bladder D60, decrease in measuring level on the points of birth and conception on the line of Venus. Anamnesis: childbirth was difficult. At the event level, he marks a meeting with constant difficulties (nothing is given for nothing, goes according to the most difficult option).

The treatment was carried out according to the MSAD method:

1. Blood nosode aimed at stomach organopreparations.
2. Cerebral response # 3 to tested perinatal maps plus

photograph of the mother (through stomach organopreparations).

3. With the subsequent overlap of the SDA.

After 3 days, the patient reported that the pain in the stomach disappeared, he could eat food of choice, his mood and sleep improved. One and a half months after the treatment, when testing: adaptation reserves - high 3 degrees, organopreparations are not tested. The patient notes the effect of recovery, the stomach does not bother even after food provocations (alcohol). The patient was followed up in December 2014. There are no complaints, organ products are not tested, I feel good.

Conclusions:

1. The perinatal level is an important determining link in the formation of the integrity of the body, where the program for the further self-realization of a person is laid, the way of life and the conscious level of perception, the program for responding to stressful influences, further family and

social adaptation. The problems that arose during this period are projected into difficult-to-compensate obstacles that lie at the physical, psycho-emotional and fateful levels.

2. Using the method as one of the options for therapy can allow more efficiently and accurately go to the source of the patient's diseases and problems, and therefore contribute to the improvement of the patient's quality of life.

#### Bibliography

1. Kudaev A.E., Mkhitarian K.N., Khodareva N.K. Multilevel system adaptive diagnostics and therapy. - Rostov-on-Don: Publishing house of SKNTs VSh SFU APSN, 2009 - 309 p.

2. Grof S. Beyond the Brain. Birth, death of transcendence in psychotherapy Publishing house of the transpersonal institute 1993 - pp. 154-179.

3. Mkhitarian K.N. Treatment of the body as design and subsequent initialization of functional systems // Abstracts and reports. XII International Conference "Theoretical and Clinical Aspects of the Application of Bioresonance and Multiresonance Therapy". Part I. - M.: IMEDIS, 2006.

4. Bukalov A.V. On the mechanism of formation of functions of information metabolism in the process of birth of an individual // Journal of Sociotics, Mentology and Personality Psychology. - No. 1-2. - 1996.

---

Rybko, V.O. A practical case of the use of bioresonance therapy / V.O. Rybko // XXI International Conference "Theoretical and Clinical Aspects of the Application of Bioresonance and Multiresonance Therapy". - M.: IMEDIS, 2015. - S.302-305.

[To favorites](#)