

## Diagnostics, classification and therapy of biofield diseases

V.A. Ivanchenko

(Medical center "Biopharm-test", Moscow, Russia)

The concept of disorders, deformations, and diseases of the biofield is widely used in traditional medicine [1, 2], electropuncture diagnostics and bioresonance therapy [3]. The study of biofield shells was proposed by V.N. Sarchuk [4], who believes that for a real cure of any disease, the biofield must first be cured. Earlier [5], we found that the action of preparations of their own biofield is much more effective than exogenous BRT. Moreover, in different layers of the biofield, with distance from the body, information about all diseases transferred over the past life is stored. A bank of preparations of biofield membranes in different dilutions has been created, similar to organopreparations. In more than 90% of practically healthy individuals, a violation of the boundaries of the biofield was found, indicating early pre-pathology. In addition [6], we have established a connection between the chakras, meridians and biologically active points (BAP) with a biofield. In this work, we set the task of a broad bioresonance study of biofield diseases in order to classify them and create a more effective bioresonance and multiresonance therapy.

### Materials and research methods


We during 2007-2015. using the "IMEDIS" equipment, the indicators of biofield sheaths were investigated according to the previously proposed method [5]: volume, height, density, boundaries of each biofield sheath, the presence of compensatory connections, as well as chakras, meridians and BAP. The total activity of each biofield shell was compared with a similar indicator from known sources [4] in healthy people (group 1 - 220 people) and in various diseases (group 2 - 1425 people), in turn divided into four subgroups: 1 - hereditary diseases and diseases with a hereditary predisposition; 2 - epigenetic diseases associated with environmental influences; 3 - mental and psychosomatic diseases; 4 - biofield diseases that could not be attributed to other subgroups. Revealed pathological energy information programs (PEIP), which are the etiological factor of biofield diseases (from the selector "IMEDIS", section "Psychosocial stress", etc.). We selected pairs of them - antipodes (for example, anxiety - peace of mind, anger - mercy, etc.), which were aimed at diseases of the biofield and were taken in the form of homeopathic balls.

### Research results and discussion

It was found that in all studied diseases, the disturbance of the biofield sheaths is preceded by changes in the system of chakras, meridians and BAP ( $r = 0.78-0.89$ ) and somewhat weaker ( $r = 0.71-0.79$ ) with local disturbances identified with the help of total preparations "head", "chest", "abdomen", "pelvis", "joints - spine", "sense organs" from the selector "IMEDIS". It follows that common biofield diseases are associated with damage to the chakras, meridians, BAP,

and local - with local lesions of BAP and changes in the physical body (blockages, foci of dysfunction, irritation). Potentiation or "targeting" of drugs of psychoemotional states, which are the causes of biofield disturbance, completely normalized the indicators of the mental, astral, etheric body, a little later - the chakras, meridians and BAP, and even later - the organs of the physical body. We have developed a bioresonance classification of biofield diseases (Fig. 1). It includes two groups. 1. Specific diseases. 2. Nonspecific diseases. Each of them consists of 1.1. General. 1.2. Local. 1.3. Combinations of general and local diseases.

Local diseases are divided into displacement of the field near the head and dents of the chakras. Combined general and local diseases are more common and can include all of the previous ones.



Rice. 1

Nonspecific biofield diseases are divided into general, local and combined general plus local.

1.1.1. Forward displacement of the field or anterior asymmetry. Etiology - implementation PEIP of constant worry, worries, fear about the future. Pathogenesis - the constant impact of PEIP causes a redistribution of energy to the anterior median meridian, robbing the back of the body, where deficits in blood circulation, metabolism and energy develop. Hence - the development of osteochondrosis,

spinal hernias, nephrosis, pyelonephritis. Electropuncture diagnostics along the anterior median meridian.

1.1.2. Displacement of the field backward or backward asymmetry. Etiology is permanent the impact of PEIP of an inclination to reckless, rash actions. Pathogenesis: this causes an excessive acceleration of thoughts, actions and deeds, as a result - their thoughtlessness, recklessness. Pathological energy is transmitted to the posterior median meridian, robbing the organs in the front of the body. Hence - a decrease in thymic and splenic immunity, retinal dystrophy, the development of rhinitis, sinusitis, bronchitis, cardiomyopathy, gastroduodenitis, colitis, ulcers, adnexitis, prostatitis, etc. Electropuncture diagnostics along the posterior median meridian.

1.1.3. Offset the field to the right. Etiology: persistent exposure to PEIP feelings of pride, increased self-esteem, striving for superiority (excellent student syndrome), arrogance, humiliation of others. Pathogenesis: the desire to be the first everywhere depletes the brain, reduces blood circulation in the left half of the body. Hence - left-sided paresis, impaired vision and hearing on the left, disruption of the left ventricle of the heart, pancreas, left lung, kidney, adrenal gland, testicle. Diagnostics by measuring the BAP of both sides of the body, using the GShK polarizer.

1.1.4. Displacement of the biofield to the left. Etiology: persistent exposure to PEIP anger, resentment. Pathogenesis: excess energy on the left leads to a decrease in blood circulation in the right side of the body. Hence, dyskinesia of the biliary tract, gallstone disease, hepatitis, cirrhosis, decreased vision and hearing on the right. Blood pressure is 40-50 mm higher on the left arm than on the right. Left-sided scoliosis.

1.1.5. Compression of the margin from the sides and redundancy in the front and back. Etiology and pathogenesis: constant exposure to PEIP of congenital shyness, shyness and timidity. This usually leads to insufficiency of the meridians of the "Earth" element (violation of the stomach, spleen, pancreas), otitis media, pancreatitis, hepatitis, gallbladder dyskinesia, vegetative dystonia. The word shyness itself indicates constraint, compression of the field from the sides.

1.1.6. Compression of the brim from the front and back and excess from the sides. Etiopathogenesis: PEIP despondency and hopelessness causes a feeling of pressure from external circumstances, which leads to asthenia, depression and even suicide. Lack of energy in all internal organs leads to a decrease in immunity, frequent colds, tonsillitis, bronchitis, pathology of the gastrointestinal tract, urinary tract, etc.

## 1.2. Local diseases.

1.2.1. Displacement of the field near the head to the right. Etiology: constant exposure PEIP of a categorical one-sided attitude towards people from the standpoint of a defender, a lawyer. Pathogenesis: an excess of energy in the right half of the head leads to right-sided otitis media, conjunctivitis, impaired vision, migraines, tumors of the right hemisphere, impaired coordination.

1.2.2. Offset of the field near the head to the left. Etiology: constant exposure PEIP of one-sided attitude towards people from the position of a categorical angry accuser. Pathogenesis: excessive blood circulation in the left half of the head leads to left-sided otitis media, migraine, dizziness (falling to the left), tumors of the left brain hemisphere.

### 1.2.3. Local dents can appear in the field over any organs

in front (PEIP is in the present), behind (in the past), from the sides (PEIP stretches from the past to the present). Let us briefly characterize the main local disturbances of the biofield in the chakras: 1.2.3.1. Dents over the small pelvis (2 chakras). Etiology: PEIP of sexual resentment, conflict, emotions of regret leads to the breakdown of the 2nd chakra. Hence the pain in the legs, small pelvis, coxarthrosis, gonarthrosis, diseases of the genitourinary system. With emotions of regret - on the left; resentment, anger - on the right. 1.2.3.2. Dents in the solar plexus area (3 chakras). Etiology: the introduction of PEIP of resentment, anger in the sphere of power relationships. This can be a resentment against the boss for not allowing him to advance in the service. Hence the pain in the liver and gallbladder. Due to the loss of business, such regret arises that it hurts already on the left - the pancreas and spleen, etc. 1.2.3.3. Dents in the field in the heart area (breakdown of the 4th chakra). Etiology: the introduction of the PEIP of empathy and compassion. Pathogenesis: lack of energy leads to angina pectoris, heart attack, arrhythmias. 1.2.3.4. Dents on the neck (in the 5th chakra). Etiology: the consequences of an unpleasant unfinished conversation, quarrels violate the throat center and neck organs on the right - due to anger and resentment, on the left - due to regret. Hence - thyroiditis, laryngitis, etc.

1.3. Combined general and local diseases. In practice, most often, there is a combination of the above described biofield disorders. For example, the total field offset to the right and the head field offset to the right. This leads to significantly greater disturbances in the physical body. In addition, this usually includes induced informational pathologies: evil eye, damage, curse.

2. Nonspecific biofield disturbances. They can also be common, local and combined. The biofield decreases with general depleting diseases, deficiency of vitamins, protein, trace elements, complete starvation, cachexia, chronic stress, anemia, hypoxia, etc. The biofield increases with acute inflammation, acute stress, neuralgia, the use of biostimulants, adaptogen plants such as ginseng, etc. A combination of general and local nonspecific biofield disorders is present in all elderly people suffering from numerous chronic diseases.

In local diseases, 4 areas (sectors) of the biofield were identified, the pathological density of which is topographically related to their etiology. Thus, the greatest field disturbance at 6 o'clock indicates genetic factors; at 9 o'clock with epigenetic (environmental) influences; at 12 o'clock with spiritual and karmic reasons; at 3 o'clock with psychoemotional factors.

Bioresonance therapy for diseases of the biofield was carried out by us according to the following principles: 1. Bioresonance elimination of PEIP, which causes biofield asymmetry. 2. Implementation of medical information and energy programs (LEIP) in the patient's field. These two points are done simultaneously by feeding through an inductor or loop precisely tested psycho-emotional pairs-antipodes (anxiety - peace, sadness - joy, etc.). The goal is to replace anger with forgiveness, pride with humility, etc. In essence, this is a psychological field BRT, and the more clearly and resonantly you target these programs, the higher the effect will be. 3. Psychological setting of the patient to change the attitude towards himself, other people, his past, present and future. For example, you need

hang a poster in the apartment with the following statement: "I accept all people as they are, with all their shortcomings, imperfections, the right to make mistakes." It is necessary to repeat the statement immediately after waking up, many times during the day and before going to bed. 4. Conducting a ceremony of repentance in a church asking for forgiveness of all people affected by this person (because of condemnation, deception, criticism, resentment, oppression, humiliation, etc.).

Follow-up study of 1425 patients for 1–8 years showed that relapses of diseases were only in 12 people, and they are associated with the impossibility of performing all the points of treatment.

These patients were previously treated many times in hospitals and had a disability group 2-3, which demonstrates the advantage of bioresonance psychological field therapy and its high effect. We believe that this is due to the effect of the biofield on recently discovered therapeutic targets - inflammosomes [7], the effect on which is considered a breakthrough in medicine, since it can cure inflammosis-associated diseases: Alzheimer's, Parkinson's, Crohn's, hypertension, multiple sclerosis, atherosclerosis, psoriasis, sepsis, polyarthritis, cancer, etc. [8].

Thus, we have carried out a study of various violations of the biofield, found their temporary connection with the chakras, meridians and BAP. A bioresonance classification of biofield diseases has been developed, new data have been obtained on their etiology, pathogenesis and methods of their bioresonance diagnostics and therapy, which will be described in more detail in the report.

#### Conclusions:

1. Diseases of the biofield precede changes in the system of chakras, meridians and BAT and even later diseases of the physical body.
2. General diseases of the biofield are associated with a violation of all chakras, meridians and BAP, and local ones - with pathology of one chakra and several BAPs.
3. When the biofield is redundant, pathogenic energy is discharged into the chakras, meridians (especially, "miraculous") and BAP, which have an excess of energy, and if the biofield is insufficient, it is "weaned" from the chakras, meridians and BAPs with the lowest energy ("Achilles' heels").
4. Established a topographic relationship between local lesions of the biofield with their etiological factors (hereditary, environmental, psychoemotional, spiritual), which allows you to quickly select the appropriate therapy.
5. Proposed bioresonance selection of psychoemotional pairs - antipodes (PEIP and LEIP) for more effective bioresonance psychological field therapy.
6. A bioresonance classification of biofield diseases is proposed, taking into account new data on their etiology and pathogenesis.
7. Conducting bioresonance field psychological therapy with the use of the equipment of the firm "IMEDIS" allows you to achieve a more complete and effective cure of the most serious diseases.

#### Bibliography

1. Dale S. The Subtle Body: The Complete Encyclopedia of Bioenergetic Medicine. - M.: EKSMO, 2013.-- 368 p.
2. Peichev N.V. Human multidimensional model. - M.: Amrita-Rus, 2012.-- 200 with.
3. Samokhin A.V., Gotovsky Yu.V. Practical electropuncture according to the method R. Voll. - M.: IMEDIS, 2001.-- 896 p.
4. Sarchuk V.N. Computer intelligence and information medicine. - Simferopol.: Tavrida, 1999.-- 80 p.
5. Ivanchenko V.A., Kozlova E.I. Bioresonance diagnostics and therapy energy-informational field pathology of a person (energy-informatosis) // Abstracts and reports. XIV International Conference "Theoretical and Clinical Aspects of Bioresonance and Multiresonance Therapy". Part II. - M.: IMEDIS, 2008. - pp. 104-112.
6. Ivanchenko V.A. Full course of body cleansing according to Dr. Ivanchenko. - M.: AST PRESS KNIGA, 2006.-- 704 p.
7. Latz Eaoth. Activation and regulation of the inflammosomes.-Nat. Rev. Immunol., 2013, 13, 397-411.
8. Colli RC a. oth A small molecule inhibitor of the NLRP 3 inflammosome for the treatment of inflammatory diseases. Nature medicine, 2015, 16/02, 1038.

---

Ivanchenko, V.A. Diagnostics, classification and therapy of biofield diseases / V.A. Ivanchenko // XXI International Conference "Theoretical and Clinical Aspects of the Application of Bioresonance and Multiresonance Therapy". - M.: IMEDIS, 2015.-- S.352-359.

[To favorites](#)