

## Homeopathy and bioresonance therapy in the treatment of mental retardation in children

M.V. Kozlov

(Medical center "Avena", Saratov, Russia)

### The urgency of the problem

Currently, mental retardation occupies a significant share in the structure of morbidity in children. A large number of reasons lead to the occurrence of such conditions - the pathology of pregnancy, birth trauma, the consolidation of genetic abnormalities in the population, chronic infections and parasitic invasions, the use of aggressive methods of suppressive treatment in pediatric practice (a large number of vaccinations, frequent and uncontrolled use of antibiotics, etc.). Officially accepted methods do not allow solving this problem with sufficient efficiency. In addition, in recent years, there has been a tendency towards an increase in the incidence of this pathology among children. This forces us to look for more effective treatments, which include homeopathy and bioresonance therapy.

Purpose of the work: to determine the effectiveness of classical homeopathy and bioresonance therapy for the treatment of mental retardation in children.

Methods and equipment: Device "MINI-EKSRNT-DT" with software provision of "IMEDIS-EXPERT" produced by the Center "IMEDIS". The methods of diagnostics according to the method of R. Voll, autonomic resonance test (ART), induction therapy in the frequencies of the brain rhythms are used. The selection of homeopathic remedies is carried out using classical repertorization with a computer program with further verification by testing ART.

### Clinical case 1

Patient G., age 3 years. According to his parents, he poorly understands the speech addressed to him, does not speak himself, utters something inarticulate. Cannot eat and dress on his own. Sleep disorders are noted - with difficulty falls asleep at 23.00-24.00, wakes up at 6.00. Hyperactive - cannot sit in one place. He communicates with other children, is not afraid of them, but does not come into play. Food addictions: potatoes, dairy products, cookies, sour cream, juices. Disgust is fruit. Thirst is noted. Temperature modalities are uncertain. Head sweats profusely during sleep.

From the anamnesis: during pregnancy - the mother had an increased tone uterus, intrauterine hypoxia. Childbirth by caesarean section. At birth, according to ultrasound data, hydrocephalus was determined. He began to sit down and crawl later than usual. I started walking when I was 10 months old. Vaccinations: polio, measles, rubella, mumps, hepatitis. After being vaccinated with polio, he began to scream in his sleep. He often suffers from colds (bronchitis). He was treated with antibiotics a lot. The blood test shows an increased level of eosinophils (12). He constantly coughs, even during the period when he is not sick with ARVI. The diagnosis was formally "autosimilar behavior". Received the following allopathic treatment - nootropic drugs,

Acotinol, Sonapax, Belotaminal without effect.

When diagnosing according to R. Voll, there was a "fall of the arrow" on the meridians of lymph, lungs, nervous degeneration, small and large intestine, gallbladder. ART is used to test the toxic load Intox II, a strong degree of depletion of the immune system, parasitic burdens - *Lambia intestinalis* D26, *Ascaris lumbricoides* D26; viral burdens - poliomyelitis virus D15, rhinopneumonia D15, Coxsackie virus B4 D30; bacterial burdens - *Mycobacterim tuberculosis Erdmani* D60.

Received the following treatment: Medorrhinum 1000, Tuberculinum 1000, Phosphorus 200, Calcium phosphoricum 200. Repeated consultation after 3 months: the child became calmer, started watching good cartoons, playing games, and allows him to read books. He repeats the words that adults say, but does not build phrases himself (sometimes he says "Hello! Bye!"). A sense of ownership has appeared - he takes toys from his younger sister. He stopped throwing tantrums before going to bed, wakes up at 7.00. Poor appetite (worsened after suffering an enterovirus infection during a trip to the sea). Food addictions: pasta, potatoes, porridge. Disgust is fruit. Elements of story games have appeared (a house, toys enter the house, a car - into the fence). Purpose - *Natrium muriaticum* 200.

After another 3 months: I began to speak words, phrases, designate sensations. Repeats what others say. Counts up to 10. Games - tends to destroy (builds, then breaks). Poor appetite. Thirst - drinks a lot of milk. Poor behavior (disobedient, very hyperactive). Constantly naughty, became aggressive (fights with his mother). If they give him something, he throws these objects on the floor, throws tantrums. She behaves normally in the kindergarten, behaves worse at home. Less cough. Sleep - wakes up from fear, jumps up from the pillow. Sweats at night (mainly head). Appointments - *Cina* C30, *Lycopodium* C200, OHOM DIS 10 (parasitic invasions). Therapy using antiparasitic programs - F188, F142.

After another 6 months: Speech improved, began to speak more clearly. There are elements of addressed speech. Hyperkinesis of the hands is noted, especially when falling asleep. Food addictions: apples and pears, milk, cookies. Desire to gnaw on nuts, candy and inedible items. Reduced appetite. Drinks milk up to 3 liters a day, sometimes he drinks tea. Sleep is normal. It is better to fall asleep if mom is nearby (this was not the case before). After taking OHOM DIS 10, acupuncture was helpful. Coughs in the morning, conjunctivitis appears. Bites, but infrequently. Sometimes he hits other children in kindergarten, but there is no desire to purposefully harm. Appointments: *Calcarea carbonica* 200, *Ratus* 200. Brain rhythm induction programs - P7 (children), P15 (cerebral).

After another 3 months: the child talks, is able to ask and answer questions, dresses himself, takes food on his own. The increased excitement of the nervous system persists. Appointment - *Natrium muriaticum* 200, *Venus mercenaria* 200, induction programs P16, P17, P21.

At the moment, the child communicates normally with adults and other children, can count, read, write. Monitoring continues.

---

## Clinical case 2

Patient M., 5 years old. There is no speech, makes inarticulate sounds, is very hyperactive, does not listen to adults. Diagnosed with mental retardation. He understands the speech addressed to him. Concomitant pathology - 4 tbsp adenoids. (about which an operation was performed six months before the visit, but there was a relapse), an inguinal hernia (also recurred after the operation). Often sick with ARVI (sinusitis, otitis media).

From the anamnesis: the mother had a long labor, there was a small amount amniotic fluid, in connection with which, a cesarean section was performed. After birth, the baby showed muscle spasticity, similar to paralysis. Breastfeeding up to 4 months, then artificial. Physical development was normal. According to computed tomography, hypoplasia of the cerebellar vermis, enlargement of the fourth ventricle (Dandy-Walker syndrome), and enlargement of the sellar cistern were noted. Doppler ultrasound - moderate spasm of the anterior and middle cerebral arteries. Obstruction of venous outflow in all basins.

When diagnosing by R. Voll, there were high indicators on the meridians of the lymphatic, immune systems, lungs, blood circulation, nervous degeneration, endocrine system, small and large intestine. The ART method was used to test loads of Mycobacterium tuberculosis and mumps virus. The following treatment was carried out: Baryta carbonica 30, 200, Medorrhinum 1000, Tuberculinum 1000, Calcarea carbonica 200, Lycopodium 200, programs of brain rhythms P7 (children), P15 (cerebral).

Repeated consultation a year after the start of treatment: emotional contact with the child appeared. The child behaves calmly at the reception, smiles, is able to play, according to his mother, helps other children. I started going to kindergarten. Knows how to turn on household appliances. There is still no speech (speaks individual words and syllables, but does not build a phrase). 4 tbsp adenoids are preserved. Appointment: Venus mercenaria 200. Induction therapy programs P7, P15.

Repeated consultation after another 6 months: the child began to speak in simple phrases, answers the questions "yes" and "no", knows the alphabet and numbers. Violation of nasal breathing no longer bothers (adenoids only 2 tbsp.), ARVI is less likely to hurt. Purpose: P16 induction therapy program (training program).

After another 6 months: he learned to write letters and numbers, counts, reads by syllables, but there is no synthesis of written speech. I began to get sick with ARVI less often, there were reactions with a high temperature. Good appetite. Food addictions: cheese, sausage. Disgust - potatoes. Thirst is strong, drinks a lot. Sweats a lot, mainly feet and head. Prescriptions: Natrium muriaticum 200, Calcium phosphoricum 200, induction therapy programs P17, P21.

Monitoring continues.

Conclusions: despite the fact that both cases cannot yet be considered complete, there is a significant positive dynamics, which makes it possible to socially adapt these children. It can be concluded that cases of developmental delay can be successfully treated using the method of classical homeopathy, using in

supplementing the induction therapy program with the frequencies of the brain rhythms. In addition, the observations made confirm the literature data that one of the causes of developmental delay are infectious and parasitic loads and the consequences of vaccination, therefore, when treating such children, it is very important to pay attention to this aspect (this dictates the need to prescribe miasmatic nosodes in order to activate detoxification mechanisms ).

---

Kozlov, M.V. Homeopathy and bioresonance therapy in the treatment of mental retardation in children / M.V. Kozlov // XXII International Conference "Theoretical and Clinical Aspects of the Application of Bioresonance and Multiresonance Therapy". - M .: IMEDIS, 2016 .-- P.96-100.

[To favorites](#)