Treatment of acute viral and bacterial infection M.N. Kazantsev (Vladivostok, Russia)

Introduction

In recent years, the problem of viral infections has become very urgent. Despite the efforts of official medicine (vaccinations, the use of immune drugs, antibiotics, etc.), epidemics of acute respiratory viral infections and influenza are increasingly common, their course is more complicated, the percentage of complications is growing, and there are deaths. And therefore, every specialist, including a doctor of bioresonance therapy, is often faced with an acute viral and bacterial infection. And in each such case, the BRT doctor faces a difficult task: how to help the patient quickly, effectively, safely. The difficulty in treating this pathology lies in the fact that a patient in an acute condition is heavily tested, his adaptation reserves are in a state of distress and are sharply limited. Consequently, there is a need to use drugs, firstly, highly effective,

Materials and methods

We would like to draw your attention to the option of treating acute diseases in one session. When drawing up a treatment regimen, there are three main factors to keep in mind:

- about the causative agent of the disease;

- about the state of the body's immune system;
- about the conditions conducive to the onset of the disease. Accordingly, three of the above factors must be prescribed three medications.

Preparation number 1

The causative agents of the disease. To identify them, we test nosodes of pathogens of viral, bacterial, fungal infections. As practice shows, for the treatment of any acute infectious disease it is quite enough to use the nosodes of the pathogens of the "Medpharma" company. Moreover, despite the huge variety of viruses in patients, and their annual update (for example, every year we are told about a new influenza virus, for example), it is always possible to find a resonating nosode or nosodes among Medpharma preparations. We test the infection nosodes directly and select those that give a clear decrease in the initial measurement level.

For a complex nosode to work well, it is necessary to arrange the selected nosodes of pathogens (viruses, bacteria, fungi) in decreasing order of their activity. To do this, you can use one of the following complex pointers:

a) the sum of the selected nosodes of nosologies;

b) the sum of the selected organopreparations in all potencies causing

decrease in the initial measuring level;

c) "D-large" - pathological fluctuations written off from the problem area in the position of the handle of the coefficient from 7 to 0.

Through any of the above complex pointers, a hierarchy of selected nosodes of viruses, bacteria, fungi is built. In this case, the nosodes of pathogens are tested and subsequently recorded in inversion. So, drug number 1 is a complex of inverse nosodes of pathogens.

Preparation number 2.

This is a homeopathic drainage complex. It must, firstly, stop the symptoms of the disease, secondly, affect the immune system, and thirdly, work with drainage. To fulfill the above requirements, we use the sum of lymph nodes "Medpharma" as an indicator for its selection and through it we test symptomatic homeopathic complexes in low potencies. The selected medicinal product will meet all three requirements.

Preparation number 3

Conditions in the body conducive to the development of an acute illness. In fact, this is exactly what is the cause of the disease. We select the drug that affects the conditions of the onset of the disease last and assign it to be taken last. Why the last one? If it is taken first, then against its background it will no longer be possible to determine either nosodes or drainage. But as practice shows, the results are much better if three drugs are used: nosode, drainage and a drug for the cause of the disease. As a guide, we use the vegetative load scale in the ART window. And through it we define:

- psycho-emotional stress;

- helminthic invasions;
- dysbiosis;
- other.

Having determined the cause, we select a therapeutic drug through the same scale of vegetative load, which we write down and prescribe.

A similar scheme: a complex inverse nosode of pathogens + drainage homeopathy, selected through the sum of lymph nodes + a drug selected through vegetative load, works great in any case of an acute inflammatory process or exacerbation of a chronic one, for example, in acute or subacute pancreatitis, adnexitis, pyelonephritis, acute intestinal infection etc. This scheme is effective, and never, unlike targeted autonosodes and bioresonance drugs, does not cause deterioration of well-being, exacerbations, or a decrease in adaptation reserves. Additionally, the patient needs to be prescribed vitamin C, abundant warm drinks, enterosorbents, bed rest. Recovery or significant improvement in well-being should occur in 2–5 days. If after 5 days there is no recovery,

Output

Treatment of acute viral and bacterial infections with the BRT method is effective, safe and reliable. With the correct management of the patient in 100% of cases, a quick and lasting recovery occurs without the additional use of antiviral, antibacterial, immune allopathic drugs.

Kazantseva, M.N. Treatment of acute viral and bacterial infection / M.N. Kazantseva // XXII International Conference "Theoretical and Clinical Aspects of the Application of Bioresonance and Multiresonance Therapy". - M .: IMEDIS, 2016 .-- P.116-118.

<u>To favorites</u>