

Experience in the use of NSF drugs (violation of functional systems)

T.G. Podoplekina
(GBUZ AOKB, Arkhangelsk, Russia)

The theory of functional systems is the basis of integrative medicine and physiology.

Functional systems (FS) according to Anokhin are self-organizing self-regulating dynamic central-peripheral organizations, united by nervous and humoral regulations, all of whose constituent components interact to provide various adaptive results useful for the FS themselves and for the body as a whole. Evaluation of the parameters of the achieved results in each FS is constantly carried out according to the feedback principle.

A whole organism with the help of nervous, humoral, informational mechanisms unites many harmoniously interacting PSs, often belonging to different structural formations and providing homeostasis and adaptation to the environment with their friendly activities. Man is an open biological nonlinear system, self-regulating and self-healing, but damaging factors can affect both the system itself and the organs that it regulates, and then the system itself is blocked by these factors.

Damaging factors of physical, chemical, biological nature form pathological systems, then other PSs, as far as possible, provide an optimal level of vital activity.

FS organization levels:

- metabolic;
- homeostatic;
- behavioral;
- mental;
- social.

The metabolic level determines the achievement of the final stages of chemical reactions in the tissues of the body, it either stops them or activates them.

The homeostatic level unites the neuro-humoral mechanisms and ensures the optimal level of blood mass, blood pressure, temperature, osmotic pressure.

The behavioral level is a person's achievement of a certain level of need for water, nutrients, protection from the damaging effects of substances, removal of waste products, sexual activity.

The mental level is a person's ideal reflection of his emotional state, properties, objects of the surrounding world with the help of languages, symbols and thinking processes. This is a reflection in the mind of his subjective experiences, concepts, abstract ideas, instructions, knowledge.

The social level determines the achievements in spirituality, in communication with culture, art, in environmental protection. All FS interact in a complex manner and determine the normal parameters of the body's metabolism in

the whole. This determines the health of a person.

All FS are hierarchically dominant in turn (according to Ukhtomsky) and are built vertically.

The interaction between them is multiparametric, if one thing changes, then the other also follows it, which is especially evident in homeostasis.

FS interact sequentially. For example, in the process of feeding, firstly, FS provide the search for and consumption of food, the processing of food in the mouth, then swallowing, then mechanical and chemical processing in the stomach, and its entry into the duodenum. Further, PS are changed to PS, which form the excretion of feces, the act of defecation.

Varieties of sequential impact-system genesis-formation of separate discrete system-quanta: need-motivation-satisfaction of needs. The assessment of the final result goes to the acceptor of the result of the action.

Sequential, hierarchical, mixed quantization of life processes are distinguished.

Systemic relationship with the environment

The body and the environment are one, especially society. A person is not a set of organs linked by nervous and humoral regulation. This is a set of many interacting FSs of various levels of organization, each of which, selectively combining various organs and tissues, as well as the necessary objects of the surrounding reality, ensures the achievement of adaptive results useful for the body, which ultimately determine the stability of metabolic processes.

FS of the social level may be a component of the cosmic level (Vernadsky, Chizhevsky, Kaznacheev).

A healthy organism is characterized by systemic and intersystemic harmony.

Psychoemotional stress develops if the subject does not satisfy his leading needs. Negative emotions grow, stationary brain excitement grows: neuroses, psychosis, blood pressure rises, angina pectoris, impaired immunity, hormonal disorders, diabetes, gastrointestinal ulcers, sleep disturbances, heart rhythm appear. As a result of a violation of self-regulation, tissues move to local pathological mechanisms of regulation and dystrophic, degenerative processes and tumors develop. The pathological system changes the activity of functional systems, and they either try to eliminate it, or create a new compensatory level of intersystem relationships. FS ceases to function harmoniously, and a pathological syndrome is formed.

The disease affects the activity of many FS. For each disease, it is necessary to determine which FS has affected the pathological process and aggravates it, and which activity has a compensatory orientation and supports them (pathogenetic and sanogenetic blockages).

In chronic diseases, the regulation is always upset.

From the standpoint of the regulatory system, the task of therapy is to restore a clear regulatory mechanism.

From the point of view of the structural level, the task of therapy is to restore, regenerate the disturbance of the cell and tissue, while it should be borne in mind that regulation is carried out by structures that themselves require restoration.

Two years ago in the selector "IMEDIS" there appeared NSF drugs 1, 2, 3 in various potencies, which restore the capabilities of the FS and thereby provide invaluable assistance at any stage of treatment of chronic patients.

If the regulation is restored, then our task is to build therapy into naturally existing mechanisms, regularities of the organism, through which it carries out the renewal of structures and their sanitation under the influence of pathogenic factors and after it.

To integrate into these mechanisms and patterns means entering into resonance with the regulatory systems, and any method that is subtly embedded will be an effective therapeutic method.

If NSF drugs are tested - all three or one or two - I determine their potency. At the initial stage of harmonizing therapy, they are often tested in the 30 or 50 potency. I write them down on globules, each separately, I determine the dose - usually one grain of Potency 50 is prescribed with an interval of two days for each drug. If 2 or 3 NSF drugs are prescribed, then they are taken not on one day, but on the next in turn). The duration of admission is different - up to 2-3 months, and NSF 3 - sometimes longer.

If these single doses of NSF are added to the testing circuit, then many previously tested indicators change for the better: biological indices, adaptation reserves, state scale and TSS, morphoscales, many mesenchymal blocks are no longer tested. In the conditions of unremoved blocks, you can test something superfluous, but you cannot see something necessary, and in the conditions of unremoved blocks, previously unresolved problems hidden by them become better visible and it is easier to choose which organ should be helped in the first place.

When the block touches the hypothalamus, toxic viral information is often detected, and the hypothalamus itself is tested not in D6 but in D10 – D12, the encephalitis nosode in D26 begins to be tested. The appointment of a drainage for the nervous system and a resonant-frequency preparation of the virus (usually Coxsackie, but CMV and herpes type 1 and influenza can also fall out) removes this toxic information, the restored most important part of the FS begins to work successfully. It should be noted that patients with such a problem have a lot of complaints from upset vegetation, headaches of varying intensity up to migraine, a feeling of unclear, clogged head, endocrine disorders, etc.

In general, therapy against the background of NSF drugs is proceeding softer, it is obvious that the restored FS with many problems deal with themselves, and the main thing is brought to the surface for us. Cleansing is often accompanied by all sorts of emissions on the skin - dermatitis, dermatoses, rashes, the return of old symptoms for a short time according to the Hering-Hannemann law.

It should be noted that the level of hereditary miasmatic information also reacts to the NSF drug towards a higher potency by 1–2 divisions.

The selection of therapy for the most affected organ is also based on the background of NSF drugs.

In dynamics, higher potencies of the NSF preparation can be tested, the intervals of which are increased, for example, the potency 100 - 1 grain once a week, the potency 200 - 1 grain once every 10-14 days, the duration of administration according to the test results, but mainly from 3 months

I do not dwell on all aspects of work, they must meet the general principles of cleansing the body, and everyone has their own methods.

NSF was not prescribed to everyone in a row, at first it was investigated on myself, then on patients who had already gone some way of purification and harmonization (about 50 people in total), who had already removed IVs, their psyche was corrected, work began with foci, interference fields, blockades, the most affected organs were treated. With the appointment of the NSF, a new layer of possibilities for this work opened up: it was more successful to solve the problem of foci, since their deeper causes were revealed (probably, as in ART +, but at the same time, the FS themselves, which began to recover, helped to cope with the task. Listerella was found in 4 patients with severe chronic pharyngitis and constantly exacerbating tonsillitis, and before that, a lot of other pathogens were eliminated, the latter was removed completely against the background of taking NSF, to solve the problem of the focus and move on. In 2 patients, Coxsackie B4 encephalomyocarditis (an old process) was treated, where the damage concerned the FS itself - its most important part - the hypothalamus. Almost all patients improved their condition: there were positive shifts in general and particular morphological scales, biological indices, stress reactions were replaced by lower-level reactions of calm activation.

In general, the drugs are of great interest and require further study of the experience of their use.

Literature

1. Makhonkina L.B., Sazonova I.M. Resonance test of diagnostic capabilities and therapy. - M., 2000. -- 737 p.
2. Garkavi L.Kh., Kvakina E.B, Kuzmenko T.S. Antistress reactions and activation therapy. - M.: IMEDIS, 1998. -- 565 p.
3. Vijaykar P. Theory of suppression, part one. - M., 2007. -- 157 p.
4. Vijaykar P. The final understanding of the miasms. - M., 2006. -- 256 p.
5. Anokhin PK Essays on the physiology of FS. - M., 1974.
6. Sudakov KV Functional systems of the body. - M., 1997.
7. Sudakov KV Theory of FS / Ed. B.K. Nuvakhova - M., 1996.

Podoplekina, T.G. Experience of using NSF drugs (violation of functional systems) / T.G. Podoplekina // XXII International Conference "Theoretical and Clinical Aspects of the Application of Bioresonance and Multiresonance Therapy". - M.: IMEDIS, 2016. -- S.165-169.

[To favorites](#)