

The role of classical homeopathy in the practice of ART - BRT.

On the question of constitution and repertorization

T.V. Akaeva¹, I.A. Bobrov, P.D. Bizyaev, O. V. Vasilkovskaya³, K.N. Mkhitaryan²
(¹SSC RF Institute of Biomedical Problems RAS, ²Center "IMEDIS",
Moscow, Russia; ³clinic Vitamed, Gabrovo, Bulgaria)

Summary

The analysis of the current state of constitutional homeopathy within the framework of its use in bioresonance therapy (BRT) under the control of the autonomic resonance test (ART) is given. A strict concept of a homeopathic constitution is formulated, a corresponding description of a constitutional homeopathic remedy is given. The article offers ART methods that allow to identify a constitutional homeopathic remedy from among several repertorized ones. Based on a multicenter study, it has been shown that constitutional therapy is fully compatible with other ART and BRT techniques and, moreover, significantly improves the use of these techniques. The conclusion is made about the expediency of using constitutional therapy within the framework of ART and BRT techniques.

Key words: bioresonance therapy, homeopathy, constitution, vegetative resonance test, homeopathic constitution, KMH marker.

Introduction

It is believed that the predecessors of the methods of BRT and ART are both classical acupuncture (Zhen-Tszyu) and homeopathy, including classical, and one should not forget and, moreover, ignore this invaluable experience. This is largely true of homeopathy, especially in its classical version. The classical approach in homeopathy implies the following algorithm for choosing a suitable homeopathic remedy: first, repertorization, and then the use of Materia Medica - to obtain a holistic picture of the action of the selected remedy.

Repertorization became the greatest invention in homeopathy after the very discovery of S. Hahnemann. Its essence lies in a detailed description of the symptoms corresponding to a particular drug [1]. These symptoms are obtained either as the results of tests (provings) in healthy people, or as the results of toxicological studies in animals and humans. Each homeopathic remedy, or rather, the clinical picture of poisoning with its tincture (the starting material for the manufacture of its potencies), corresponds to a holistic symptom complex: from specific morphological changes in tissues of a poisoned organism to specific changes at the level of the psyche of its "owner". This symptom complex in homeopathy is called the pathogenesis of the corresponding homeopathic remedy. The main method of therapy in homeopathy is the reception of the potencies of a homeopathic preparation, the pathogenesis of which is similar to the symptom complex of the disease - "similia similibus", that is, "like to like". Repertory precisely allows you to accurately track

symptom complex of the disease and compare it to the only homeopathic remedy.

The next achievement of homeopathy was the description of psychophysical types of people who are more actively (than other people) affected by one or another homeopathic drug. Together, these psychophysical types are called homeopathic constitutions. The homeopathic constitution from modern positions can be described as a systemic error, stably allowed by the body in the process of self-realization and described in the language of homeopathic pathogenesis.

The concept of a homeopathic constitution closely correlates (but does not coincide!) With the concept of a constitution as a result of the individual development of a genotype into a phenotype under the influence of the environment, with all its psychophysical characteristics [2].

In accordance with the concepts of homeopathy, the body reacts to any influences, both beneficial and pathogenic:

- At first, exclusively within the framework of their homeopathic constitutions;
- secondly, solely for the purpose of staying within this constitution and in the future.

Therefore, it would be worthwhile to strictly formulate the indicated principles of constitutional response, first replacing the concept of homeopathic with a pathological constitution - that is, just a systemic error, consistently admitted by the body in the process of self-realization, without specifying its language descriptions. It is this systemic error that is a pathological element of the constitution of the organism, which determines its programmed inadequacy of any adaptive response and allows limiting the possibility of healing with its help. But, admitting this liberty of speech, we will talk further about homeopathic constitution of the body, identifying it with the pathological constitution.

Within the homeopathic approach, any chronic disease of the body always develops according to the laws dictated by its homeopathic constitution. But as a result of the interaction of an external or internal pathogenic factor and the constitution, a stable program of pathological homeostasis is formed in the body. This program becomes part of his homeopathic constitution. That is, after the pathological process developing in it is included in its constitution, the body strives:

- firstly, to the pathological, including the symptom complex of the disease, the way of responding to any impact, including the one aimed at treating this disease;
- secondly, to a return to the initial, in particular, pathological, state as a result of this response.

At the same time, despite the fact that the morbid state of the organism is, in principle, worse than its "ideal health", it can exist in this state at any current moment of time. And the body strives to keep this painful

state because it is already part of his constitution.

In view of the above, an attempt to transfer the body to a "healthy" state can cause a "conflict of programs" [3]:

- "disease" to which the body is already adapted and which it identifies as an internal constitutional norm;
- and "health" to which the body is not adapted, and which it identifies as a pathological (extra-constitutional!) State.

The result such conflict will constitutional reaction, preventing (sometimes very sharply) the restoration of health, since she:

- is aimed at preserving what has already been included in the homeopathic the constitution of the body of the pathological process, manifestation which is the disease;
- Requires for the implementation of a large amount of biochemical energy and other resources of the body, resulting in its depletion, stress of its systems, and, as a consequence, the progression of pathological and even gerontogenetic processes in it.

In other words, as a result of any (including homeopathic!) Therapy, not taking into account the constitutional response, the body will "replace" the healed diseases with similar pathogenesis and even more heavy - corresponding to the next stage of the pathological process. The latter phenomenon in homeopathy has a special name "suppression", or (in scientific terminology) progressive vicarization of the disease. The effect of "suppression" - the progressive vicarization of the disease, if not properly treated, is the subject of, for example, the three-volume work of Dr. Prafull Vijaykar [4].

"Conflict of programs" can arise, in principle, even with seemingly correct testing and the use of constitutionally oriented and system-wide drugs [3]. It reflects a certain problem that rises in the body with any sufficiently deep attempt at its therapy. This problem must be overcome for the therapy to be successful.

In this case, the constitutional approach is indispensable, that is, therapy with selected, including, on the basis of repertorization, constitutional homeopathic medicine (CGP). Such a drug can be very effective as both intercurrent and final treatment means.

At the moment, the software of the devices produced by the IMEDIS Center contains a sufficient number of homeopathic repertory, of which the authors would like to mention the headache repertory and, of course, the Kent repertory. Their combined use makes it possible to carry out competent repertorization and select, based on its results, a limited group of "constitutionally close" (suspected of constitutionality) homeopathic remedies. Usually this group includes two to three, maximum five drugs. The subsequent use of ART tests for constitutionality, for example, KMX, allows testing for their effectiveness.

The originally proposed test for the constitutionality of a homeopathic preparation (GP) is as follows:

KMH - + Pot-GP -, (1)

moreover, condition (1) must be satisfied for any values of the potentiation coefficient - [5]. Here Pot- - operation of electronic potentiation homeopathic (or other informational) drug, carried out by rewriting it from the second container into the first one by turning the potency regulator knob, for example, on the front panel of the IMEDIS-EXPERT apparatus, to the position -. Thus, if condition (1) is satisfied for any -, then the checked GP is recognized as constitutional and denoted as CCP.

It is clear that the use of only the ART criterion (1) is not enough for the selection of a suitable QGP. Formally, in this case, it is necessary to carry out several hundred or even thousands of ART tests. But then completely different problems arise, for example, the loss of reliability of the ART results with such a number of measurements. It is necessary to have a preliminary filter that selects 3-5 drugs, which could then be subjected to a test for constitutional consistency: using the KMH marker, the CFFF test, or other methods. The role of such a filter can be played either by the physician's extremely voluminous homeopathic knowledge, or by repertorization. But, one way or another, some kind of repertory filter is needed before using ART tests for constitutionality.

Later T.V. Akayeva and K.N. Mkhitaryan, as well as O.V. Vasilkovskaya and K.N. Mkhitaryan developed more convenient in practical application modifications of the originally proposed test (1) for constitutionality, described in [6-8] and [9], respectively.

The classical homeopathic method (CGM) can be used both independently and together with various methods of BRT and ART. Moreover, classical homeopathy can be applied both before, during and after therapy with the help of ART and BRT techniques.

Undoubtedly, KGM requires from the doctor "long forgotten" (or not learned!) Methods of examination, questioning, collection of anamnesis and physical examination methods. As well as the ability to dialectically synthesize the data obtained to obtain a holistic view of the patient. A feature of CGM is a detailed approach to examination with understanding of all the characteristics of both the patient and his disease: how, where, when, what hurts, what is better, what is worse (impact, temperature, emotions, behavior, etc.). The examination is accompanied by highlighting the degree of significance of signs and symptoms. All this allows for competent repertorization, thereby obtaining the best result and saving a lot of time and effort.

The use of KGM both independently and before BRT often allows us to limit ourselves exclusively to the KGM itself.

Examples of using the constitutional approach and repertorization
in information medicine

1. Individual therapy for difficult cases

using a constitutional approach and repertory. The following examples illustrate the second of the described in the introduction case of using the classical homeopathic approach in ART and BRT. This refers to the situation when, mild or severe, but unpleasant, difficult to tolerate for the patient nosology does not lend itself to therapy within the framework of the most modern combined techniques of ART and BRT. However, it is easily inferior to a properly selected homeopathic remedy, for example, by repertorization.

Clinical example 1

Patient K., 30 years old. Has addressed about prolonged sciatica. The pains were localized in the right gluteal region, exclusively at rest, lying down. Clearly better from motion. Based on the results of repertorization (constitutional level), additional questions were asked, as a result of which it was found that the patient had severe headaches for a long time with previous visual impairment, which disappeared as the headaches worsen. The combination of symptoms corresponded to the preparation Potassium bichrom., Which was prescribed to the patient in increasing potencies. After two months, the radicular pains were relieved, as were the headaches. No pain relapses were observed. No further treatment was required. Follow-up for three years.

Clinical example 2

Patient A., 42 years old. Addressed about sciatica with pain in the area of the right buttock at night lying down. These pains literally drove him out of bed. Previous treatment with the BRT method with the preparation of OBR and PBS had no effect. With a careful history taking, it turned out that the patient was worried for a long time with recurrent humeral-scapular peri-arthritis, more often and more strongly on the left. In addition, from his youth he suffers from overweight, up to obesity. According to the results of repertorization (constitutional approach), according to the indicated symptoms, the patient was prescribed the homeopathic drug Ferrum metallicum in increasing potencies. After a month, the patient had no complaints. After four years of follow-up, both radicular and arthritic pain in the shoulder scapular region did not recur. In addition, there was a slight decrease in weight and, very remarkably,

2. Using a constitutional approach in combination with targeted nosode therapy

It is possible to carry out a complete therapy for a patient using only (or almost only) one type of system-wide therapy, for example, therapy with constitutionally oriented autosodes of the patient's blood, and the subsequent intake of constitutional homeopathic medicines. Long-term full-scale research in this direction is carried out by Ph.D. T.V. Akayev [6–8]. She checks the constitutionality of the drug in accordance with the ART criterion:

KMH - + NANCr - + KGP -, (2)
where NANCr = Pot-ANKr - pre-constitutionally oriented,

that is, satisfying the condition:

KMH - + Pot-ANKr - (3)

autonosode of the patient's blood. It is shown that criterion (1) statistically reliably distinguishes the same constitutional homeopathic remedies as the originally proposed criterion (1), but is more stable and requires a significantly smaller number of measurements.

Currently T.V. Akaeva collected materials on four nosological groups of patients:

- patients with disorders of elemental metabolism;
- patients with infertility;
- patients with hepatitis B and C;
- patients with psychoemotional disorders.

In all of these groups, combined therapy with autosodes and a constitutional drug gave a high percentage of cure (70–90%). Moreover, using statistical criteria (Fisher's * criterion) it is not possible to distinguish between the effectiveness of therapy in different groups, which can be interpreted as evidence that the nosological characteristics of the disease is, in fact, insignificant (insignificant) for its constitutional therapy.

Within the framework of the described method, QGP can be considered not only as an independent therapeutic drug, but as a means that eliminates the “program conflict” that occurs during system-wide therapy with a constitutionally oriented nosode.

3. Use of constitutional homeopathic remedies

within the framework of the systemic nosological approach

In his clinic in Gabrovo, Bulgaria, O.V. Vasilkovskaya is developing a slightly different approach to information medicine, based on the use of a single therapy algorithm, which currently consists of three main blocks: elimination, regeneration and constitutional block. Detailed structural description of this method is given in the work of V.A. Shadrachev [10], published in this collection. Some of the results of the work of O.V. Vasilkovskaya were published in the journal Traditional Medicine [9]. O.V. Vasilkovskaya and K.N. Mkhitarian showed, in particular, that there are patient conditions in which the constitutional block must be included in his therapy. This is exactly the state of the patient when the VRT indicators that determine the use of the elimination unit no longer work, and the indicators that determine the use of the regeneration unit do not work yet. Such results of ART examination indicate that the patient is in the stage of constitutional response to the previous block of therapy. His body is not yet ready for any of the special programs of regeneration or elimination and usually needs help for a full constitutional response. O.V. Vasilkovskaya uses something different than T.V. Akayeva, criterion of constitutionality:

[KMH] 2 - + KGP -... (4)

Moreover, before testing, the patient takes a therapeutic dose of constitutionally oriented blood autonosode (NANC), made in accordance with the criterion (3). Here [KMH]2 - the second gain KMX [10], for which the original CMH is copied from the 4th to the 1st container, for example, the IMEDIS-EXPERT apparatus, with an increase in the dose of the overwritten drug, up to the occurrence of a vegetative response (resonance) of the body, when it is placed in the measuring circuit ... Similarly, with the help of the next rewriting through the 4th container, the [KMX] marker is obtained² and so on increasing. The complete block of constitutional therapy usually looks like:

1. NANKr / KMH.
2. KGP / [KMH] 2.
3. - SDA / [KMH] 3.

The accumulated O.V. Vasilkovskaya clinical material (about 500 patients) is now being processed and analyzed. But already the first results [9] allow us to speak about the high efficiency of the method.

4. Using a constitutional approach and repertory
intercurrently
with chronosemantic therapy

Constitutional therapy becomes an especially important resource when it is used to stabilize the constitutional response of the patient's body against the background of chronosemantic therapy [6]. Recall that with the help of repeated chronosemantics, as a rule, chronic polynological diseases, often with an unclear pathogenesis, are treated. In this case, the goal of treatment is, in fact, changing the patient's response system at the level of his chronosemantic homeostasis. Such a change, even theoretically, cannot proceed without constitutional reaction. Moreover, perhaps the "true" - the deepest - the patient's constitution should be determined (say, with the help of repertorization, or the KMX test) precisely after taking a chronosemantic drug, since it is in this case that the most profound, close to the primary constitution, response of the organism should be observed ... However, even at our level of knowledge about the interaction of constitutional homeopathy and chronosemantic therapy, it has been shown that in the process of carrying out the latter, chronosemantic drugs themselves must necessarily alternate with CGP leveling their effects, and the end of such therapy, in most cases, is the use of CGP, and not chronosemantic preparation. The roles of the chronosemantic drug and CGP in the course of therapy are separate. The chronosemantic drug raises the history of the problem, making its solution relevant to the body again. It cancels the "pathological", defective adaptation to external influences or internal problems, which the body could not completely overcome at one time. The constitutional drug solves the newly raised problem.

Clinical case 3

Patient B., 36 years old. She underwent treatment for a variety of somatic diseases and "life" problems in the family. Chronosemantic therapy was carried out, during which there was an aggravation in the form of muscle pain "as after a bruise" and a memory of the situation in her youth, when she was attacked and injured. The drug Arnica 200 was prescribed, as a result of which not only muscle pains were stopped, but also the general well-being improved in almost all parameters. Chronosemantic therapy was continued with positive dynamics, against the background of which the feeling of fear and fear recurred. The drug Opium 200 with dynamization was prescribed. As a result, both the physical and mental state of the patient improved significantly, moreover, there were obvious improvements in her personal life and in life situations "in general". At this stage, therapy was completed. Follow-up
- five years.

Conclusions:

1. The concept of the homeopathic constitution of the body is the most important the concept of information medicine as a whole, without recourse to which it is impossible to organize a patient's treatment without "replacing" compensated nosologies with others similar to them in pathogenesis. Moreover, without controlling the constitutional response of the organism, it is impossible to avoid the progressive vicarization of the disease as a result of its therapy.

2. At the current level of development of information medicine, much to objectify the concept of a homeopathic constitution and develop a convenient toolkit for managing constitutional response. An isopathic constitutional model has been built, tests have been created for the objective determination of constitutional drugs, and methodologies have been created for combining constitutional and systemic nosological therapy. At the same time, the classical homeopathic approach, based on the questioning and repertorization of the patient's symptoms, does not lose its significance today.

3. The equipment "IMEDIS" provides the doctor with ample opportunities for implementation of both the most modern and classical approaches to constitutional therapy and its combination with other forms of therapy.

Bibliography

1. Kent J.T. Lectures on the philosophy of homeopathy. - Homeopathic medicine, 2000 .-- 60 p.

2. Bobrov I.A., Gotovsky Yu.V., Mkhitaryan K.N. Traditional acupuncture with the point of view of modern theories of physiology, pathology, and therapy. Message 1. Methodology of traditional acupuncture in the light of the modern theory of functional systems. - Reflexotherapy, 2003, No. 1 (4). - pp. 14-20.

3. Bobrov I.A., Mkhitaryan K.N. Program conflict, both diagnostic and therapeutic factor // Abstracts and reports. XIV International Conference "Theoretical and Clinical Aspects of Bioresonance and Multiresonance Therapy". - M.: IMEDIS, 2008. - Part II. - pp. 198-203.

4. Vijaykar Prafull. Predictive homeopathy. - M. : Homeopathic medicine, 2008. -- 284 p.

5. Kudaev A.E., Mkhitarian K.N., Khodareva N.K. KMX marker as marker constitutional approval (preliminary report) // Abstracts and reports. XII International Conference "Theoretical and Clinical Aspects of the Application of Bioresonance and Multiresonance Therapy". Part II. - M. : IMEDIS, 2006. - P.92-99.

6. Akaeva T.V., Mkhitarian K.N. Chronosemantics as a method of therapy for chronic polyneurological diseases // Sat. Scientific works. International Forum "Integrative Medicine-2009", Moscow, June 5-7, 2009 - Moscow: publishing house of the Federal Scientific Clinical and Experimental Center for Traditional Diagnostic and Treatment Methods of the Ministry of Health and Social Development, 2009. - P.39-42.

7. Akaeva T.V., Mkhitarian K.N. On the question of objectifying the concept constitutional homeopathic remedy // Abstracts and reports. XX International Conference "Theoretical and Clinical Aspects of the Application of Adaptive Bioresonance Therapy". Part II. - M. : IMEDIS, 2014. - P.64-74.

8. Akaeva T.V., Mkhitarian K.N. Natural science bases of information medicine. Message 3: On the issue of experimental confirmation of the existence of the internal time of the body // Reflexotherapy and complementary medicine. Scientific and practical journal. No. 1 (7) 2014. - pp. 36-48.

9. Vasilkovskaya O.V., Akaeva T.V., Mkhitarian K.N. Autoimmune treatment thyroiditis using bioresonance therapy and vegetative resonance test // Traditional medicine. No. 3 (42). - 2015. - pp. 16-23.

10. Shadrichiev V.A. Systemic-nosological approach, a practitioner's view doctor // Abstracts and reports. XXII International Conference "Theoretical and Clinical Aspects of the Application of Adaptive Bioresonance Therapy". - M. : IMEDIS, 2016.

The role of classical homeopathy in the practice of ART - BRT. On the question of the constitution and repertorization / T.V. Akaeva, I.A. Bobrov, P.D. Bizyaev, O. V. Vasilkovskaya, K.N. Mkhitarian // XXII International Conference "Theoretical and Clinical Aspects of the Application of Bioresonance and Multiresonance Therapy". - M. : IMEDIS, 2016. -- S.225-234.

[To favorites](#)