A marker of psychotoxic stress - making and using a polarized virtual model of a psychological disorder K.E. Truzhenikov, N.A. Dudnikova (Kaliningrad, Russia)

A person's positioning of himself in the surrounding actual situation is a coping factor and is carried out by an individual style (scenario) of behavior. An individual style of behavior allows a person to choose a certain chain of events leading to success. The individual scenario of self-fulfillment has a certain degree of rigidity and keeps the personality from mental, emotional and physical breakdowns. Mismatches of the levels of consciousness begin when, with a rapid change in the actual situation in time, there is no change in the real way of human life. As long as we live, we need to choose, and therefore we have intrapersonal conflicts all the time, causing an intense mental state. Various symptoms of the intensity of the mental state are traced at the interconnected levels of psycho-neuro-endocrine-immune (hereinafter PNEI) functional systems. That allows you to measure the characteristics of a person and carry out the intervention of states not only at the level of physical problems, but also at the level of mental, psychoneuroemotive, and sometimes parapsychological problems. This aspect is extremely important in the treatment of difficult clients, when it is necessary to highlight the main complex of problems or the "core" of pathology associated with latent intoxication, or when problems may lie at the psycho-neuro-emotive level, above the level at which modern medicine works. That allows you to measure the characteristics of a person and carry out the intervention of states not only at the level of physical problems, but also at the level of mental, psychoneuroemotive, and sometimes parapsychological problems. This aspect is extremely important in the treatment of difficult clients, when it is necessary to highlight the main complex of problems or the "core" of pathology associated with latent intoxication, or when problems may lie at the psycho-neuro-emotive level, above the level at which modern medicine works. That allows you to measure the characteristics of a person and carry out the intervention of states not only at the level of physical problems, but also at the level of mental, psychoneuroemotive, and sometimes parapsychological problems. This aspect is extremely important in the treatment of difficult clients, when it is necessary to highlight the main complex of problems or the "core" of pathology associated with latent intoxication, or when problems may lie at the psycho-neuro-emotive level, above the level at which modern medicine works.

Clients of this group come to me, a clinical psychologist, for psychodiagnostics and correction of their mental state, and require the use of special coping techniques. The purpose of complex therapy is psychological wellbeing. To clarify the psychological diagnosis, clients need to determine general integrative indicators reflecting the general and psychological state of the body, record a virtual pattern of psychological disorder (VOPD), polarize VOPD, check polarized VOPD (VOPD) for effectiveness and tolerance, select for a multilevel intervention corrective therapy. At the same time, the GShK polarizer provides an invaluable opportunity in drawing up a spiritual portrait and targeting a psychological disorder. We are based on the methods of using the IMEDIS-EXPERT apparatus and the GShK polarizer, provided by M.M. Shraibman and ART doctor N.A. Dudnikova.

Step one

For measurements, take the Ferrum met pointer. D26 ↑ + Determine the actual indicators of the biological index (BI), photon index (PI), adaptation reserves (RA), geopathogenic load, electromagnetic, radiation load ↓.

Determine the optimal BI indicator associated with psychological

load. If the optimal BI coincides with the actual BI indicator, then this patient is only subject to stopping drug treatment. Our goal is to avoid exacerbation of the disease and deterioration of the patient's well-being, especially if there are low RAs.

Test by ART: the degree of psycho-vegetative psychological load, loads, stress loads.

Determine the type of focus of attention in the CDT and select the appropriate homeopathic remedies, establish the appropriate potencies. Leave and "anchor" only reliably measured readings of drug dilutions.

Select in the EPT database the frequencies from the "Psyche" section that reliably change the measurement level during testing and characterize the client's complaints, for example, headaches, irritability, sleep disturbances, and enter them into the BRT window.

Enter into the circuit simultaneously all of the above factors directly into the drug selector: CDT and ART, and into the BRT frequencies of the "psyche" section, in a simultaneous mode for 3–10 minutes.

We write down pure grains of homeopathic grains for 2-3.

Step two

Duplicate measurements using a filter as an environmental test - the whole set from the folder "metals for testing chakras". For measurements, take the Platinum met. 1000 1 + seven indicators "metals for chakras" 1 and measure their state on the STK scale. The ratio of the chakra activity values will express the initial model of psychological disorder - the convergence of the personality and the corresponding physical functional systems (FFS) of the body. Each of the seven main chakras is responsible for a specific aspect of life and different life situations. The location of the chakras in the body coincides with the location of the nodes of the human endocrine system, and the value of the STK of each chakra is closely related to the functioning of the corresponding node of the FPS structure. Working with the energy centers of the body, which are the key "core" of the central disorder, both in the prevention and in the treatment of any disease. Whatever goals are set, to carry out arresting therapy, it is first necessary to correct the activity of the chakras. We will receive the scale of the intensity of the initial mental state, expressed in terms of STK indicators.

- Ferrum met. D 60. For test chakra 1;
- Mercury sol. D 60. For the test of chakra 2;
- Kuprum met. D 60. For test chakra 3;
- Aurum met. D 60. For the test chakra 4;
- Plumbum met. D 60. For the test of chakra 5;
- Argentum met. D 60. For the test chakra 6;
- Platinum met. D 60. For the test of the chakra 7.

ART pointers "metals for chakras" indicate a complex of violations of various energy-informational processes. They need to be written down on the same crumbs all together. "Chakras are what connects the body, mind and soul" asserted N.G. Tsol (2000) If we detect violations at the entrance of the chakras, then we find a picture of energy-informational load. If we identify violations at the exit, then we already have violations of physical structures.

We enter into the selector all the indicators of chakra disorders in aggregate and write them down on the same crumbs - an exposure of 2 minutes.

Step three

In the "window" of the BRT switch off the connection of the electrodes.

Place the magnetic therapy device (UMT) "loop" on the head next to the "neurasthenia line" area. Connect the UMT by means of the "crocodile" adapter with the 2nd socket of the "IMEDIS-EXPERT" apparatus. In the "window" of the BRT, select the "Swing" mode, set the value of the swing filters along the meridian of the gallbladder in case of aggression or along the meridian of the bladder in case of depression and asthenia. The time for 1 filter is 1 second, and, starting from 145 seconds, at least, conduct a conversation with the client, during which to provide him with the opportunity to freely speak his problem out loud. At the same time, record on the same crumbs as in step 1. VOPR covers all aspects of the client's illness: spiritual portrait, psychological and stress loads, functional states of organs and systems (ART indicators), BRT frequency of the "psyche" section, current process (customer complaints).

A virtual specimen of psychological disorder (VOPD) is made. It is very important to fully assess all the functions of the body, all organs and systems, covering the psychological reasons that destabilize the adaptive state.

Perhaps, if we proceed from the principle that the psyche under the influence of stress begins to destroy the structure of connections of physical functional systems (FFS) of the body, then, as a result, the structure of connections of human functional systems ceases to support energetically and informationally the psyche. Thus, we get an internal picture of the origin of these "psychologically harmful" emotions and a model of the pathogenetic ring of the client's psychological disorder, expressed in the language of ART.

In other words, VOPR fully complies with the laws of neurosomorphology and pathogenesis, reveals the pathogenetic ring of psychological disorder, indicates which nodes of the pathogenetic ring and by what effect can be broken with minimum energy consumption for the client and maximum results from the point of view of a clinical psychologist.

At the end of the process of creating a VOPR, it is necessary to find out the values of the STC scale and the State for the whole organism and individual key functional systems. These two indicators characterize the degree and rate of recovery of psychological functional systems (PPS) and the whole organism as a whole. For example, there may be a STK of the whole organism 100, a state of 7-4, and a person makes complaints. But the VOPR has STK 5, State 3-3. This means that the psychological stability of the client is compromised. That is, under the influence of any external or internal determinants due to a decrease in the ability to self-fulfillment, a violation of the psychoemotional sphere occurs. The client's VOPD helps to isolate the pathological partial FS that reduces the ability

to self-realization, to reveal the origin and morphology of this particular FS.

Step four

In the future, it is very important to use the GShK polarizer. The results that await you along the way are individual, but statistically consistently repeatable, even among people with different mentality.

Switch on the connection of the electrodes in the BRT "window".

Place one UMT "loop" under the client and the other on the head. We enter the above factors into the circuit at the same time into the drug selector directly by the CDT and VRT, and in the BRT the frequencies of the "psyche" section, in the simultaneous mode

We connect the GShK polarizer: the lower side to socket 3 and the upper side to socket 2. We put the VOPR obtained in step two into socket 2 of the IMEDIS-EXPERT apparatus. Using the STK and State scales, select the degree of rotation of the GShK polarizer, first to the left, and, if necessary, to the right - in order to obtain the values of the STK 100 scale, the State VII-4 scale. Then, keeping the angle of rotation of the GShK polarizer, we put the VOPR with the client's complaints into the lower cup of the GShK polarizer, and the lower cup of the GShK polarizer is plugged into socket 3 of the IMEDIS-EKSPERT apparatus, and the upper cup of the polarizer is switched into slot 1 of the IMEDIS-EXPERT apparatus, and put a few grains into the upper cup of the GShK polarizer. To obtain polarization, it is necessary to rewrite the VOPR with the client's complaints from the bottom up.

We turn on the BRT for 3-10 minutes.

Write down all the above steps on 1–2 crumbs in the upper cup of the GShK polarizer for 2 minutes. Polarization of the VOPR will occur.

A polarized virtual specimen of psychological disorder (PVOD) of the client is manufactured. This sample is very different from the customer complaint CDO. It allows you to see what is happening at any level of the body and to identify the key level of damage in the client's VOD. The resulting virtual sample implements - a marker of psychotactic stress (PPOPR). At this stage, the GShK polarizer greatly facilitates the life of the psychologist, allowing one to determine which particular key private functional system (KCFS) is not supported, how it is restored, and how it is initiated. This is critical when aiming a corrective drug composition.

With regard to the MPN (PPOPR), we will be guided by the choice of radiation, the composition of corrective drugs, effective and tolerable for a given client.

Step five

It is known from homeopathy that in a disease it is necessary to treat a central disorder, and not just a pathology. The model of the ratio of chakra activity measured by us represents a deformation of the balance of the general PNEI state, where the central disturbance is a mental block. The mental block is caused by the influence of psychotoxic reactions and leads to a violation of the convergent connection of the structures of the psychological and physical functional systems of a person as a whole, and as a result - to false perception. Expressed at the subconscious level

intense mental state with the formation of the corresponding negative psychoemotional state:

- Chakra 1 is responsible for survival, normal work is blocked by fear;
- Chakra 2 is responsible for joy, normal work is blocked by guilt;
- Chakra 3 is responsible for willpower, normal work is blocked by shame;
- Chakra 4 is responsible for love, normal work is blocked by grief;
- Chakra 5 is responsible for the truth, normal work is blocked by lies;
- Chakra 6 is responsible for illumination, normal work is blocked by illusions;
- Chakra 7 is responsible for energy, the norm is blocked by earthly attachments.

Mental blockage will also manifest itself at the level of the subject's consciousness by neurosis, a feeling of discomfort, loss of strength, fear, the appearance of behavioral and other stereotypes (FFP "fixed forms of behavior" according to G.V. Zalevsky, 1988, 1993).

The main conclusion of the impact on the level of convergence of the personality and the FFS is the possibility of normalizing the energy-informational process of a person, which brings physical structures into balance and brings the human psyche to a normal level of energy consumption, which contributes to the improvement of well-being and mental state. For example, it is desirable to collect a composition of a constitutional preparation, systemic spiritual adaptants, various correctors of a psychological state, corrective radiation preparations, with the intervention of which on the psychological and physical functional systems of the client, the adaptive state and psychological well-being are stabilized.

We record the PPOPR-proadapter for clean crumbs in the 1st container and transfer them to the 3rd container of the IMEDIS-EXPERT apparatus. We write down adaptive preparations of radiation, compositions of corrective drugs, psychosocial load "Medpharma", Bach flowers, Color-light preparations and many others from those available in the selector of the device "IMEDIS-EXPERT", effective and portable for a given client in 1 container for grains, in an amount sufficient for admission for 20-30 days, and we determine the amount, frequency using a mental test. We put a single dose in the load and check for tolerance. If the indicators rise to the ideal value of STK 100 and State 7-4, then a composition of drugs that are consistent with each other can be recommended. And if necessary, when identifying problems of an organic nature, in parallel, it is necessary to recommend consultations of doctors and narrow specialists. During the period of taking the composition of radiation preparations and electronic copies, psychotherapy is used as a way to consolidate the effect of the entire course of treatment in the client's long-term memory. We direct the client's attention to expanding the motivational sphere. A clear evidence of the success of the combination of counseling and appropriate therapy is the flexible individual style of behavior and the client's unconditional trust in the psychologist, only with which it is possible to achieve amazing psychotherapeutic effects, to help the all-round development and psychological well-being of our clients. During the period of taking the composition of radiation preparations and electronic copies, psychotherapy is used as a way to consolidate the effect of the entire course of treatment in the client's long-term memory. We direct the client's attention to expanding the motivational sphere. A clear evidence of the success of the combination of counseling and appropriate therapy is the flexible individual style of behavior and the client's unconditional trust in the psychologist, only with which it is possible to achieve amazing psychotherapeutic effects, to help the all-round development and psychological well-being of our clients. During the period of taking the composition of radiation preparations and electronic copies, psychotherapy is used as a way to consolidate the effect of the entire course of treatment in the client's long-term memory. We direct the client's attention to expanding the motivational sphere. A clear evidence of the success of the combination of counseling and appropriate therapy is the flexible individual style of behavior and the client's unconditional trust in the psychologist, only with which it is possible to achieve amazing psychotherapeutic effects, to help the all-round development and psychological well-being of our clients.

Truzhenikov, K.E. A marker of psychotoxic stress is the production and use of a polarized virtual sample of psychological disorder / K.E. Truzhenikov, N.A. Dudnikova // XXII International Conference "Theoretical and Clinical Aspects of the Application of Bioresonance and Multiresonance Therapy". - M .: IMEDIS, 2016 .-- S.342-347.

To favorites