

Improving the effectiveness of treatment with new homacords

E.A. Beisembaev

("BioTest-Optima", Pavlodar, Kazakhstan)

Homotoxicologists say that in homaccords, different dilutions of the same drug act simultaneously. In our textbook on homeopathy (1999), we proved that homacords always act consistently to decrease, i.e. to relieve hyperergic reactions, to reduce fat intolerance or to reduce allergic reactions. A homeopath can give, for example, Apis 200, but he will not help. If the doctor applies lowering the dilution of the homeopathic remedy, taken one after the other, then the effect comes quickly. The principle of hyposensitization is applied here. Such a sequential intake of the drug allows in such cases to immediately relieve allergic edema, burning pain in the right half of the chest, which was reduced by applying a cold heating pad. In such cases, the Apis homaccord quickly removes cysts of various localization, for example, in the ovary or thyroid gland. In order not to choose which potency to take every time, we created the Apis homaccord, which includes different dilutions of the drug.

When prescribing such a drug, it is necessary to have a real complete, and not an imaginary similarity. For example, if a patient cries when peeling an onion, then homeopathic cultivation of onions (*Allium flail* preparation) will help him with symptoms of hay fever, runny nose, and lacrimation. Only it is necessary in dynamics to reduce the dilution of the drug at the initial intake, for example, *Allium flail* 12 - 6 - 3 - 3X and further, with pollinosis, give the homaccord *Allium flail*. But with the same symptomatology for those who do not cry when peeling onions, the *Allium flake* drug will not help, because complete similarity of the preparation is necessary. For allergic rhinoconjunctivitis, the *Euphrasia* homaccord may be helpful. But it is best to remove *Trichomonas*, *acanthamoeb*, *onchocercias*, *trichinella* in case of pollinosis, and hay fever will disappear in 97% of patients, i.e. pollen is a provocateur of allergic reactions, not an allergen. The villagers do not have pollinosis. From a large dose of pollen, they do not have parasites in the oropharynx. In urban dwellers, a smaller dose of pollen cannot in any way expel parasites through a runny nose and lacrimation. Hence the hay fever.

In chronic urticaria from ultraviolet rays, if you scrape the superficial epidermis, you can find a mass of streptococci, and any antibiotic of the penicillin series will cure recurrent urticaria. If you scrub the skin of healthy people, then you will not find any microbes. If we scrape off a psoriatic plaque, then we will find a nest of *Trichinella* under each plaque, where the female gives birth to 200-2000 of their own kind. Therefore, the skin flakes off. It is very simple to cure psoriasis. To avoid relapses, you must stop eating beef and pork steaks, try minced meat, do not take badger fat in capsules. We published an article in an Austrian journal: "Not every trichinosis

- psoriasis, but any psoriasis is trichinosis. "

Hyperergic polyserositis is removed very quickly by *Brionia*'s homaccord. All pains are relieved or significantly reduced already with the first doses of *Brionia* homaccord. On the basis of worsening from movement, give *Briony* 200, then

30, 6 and 3 dilutions. With each intake of a new grain, the patient becomes easier. Homeopaths usually give one dilution of the drug and wait hard for the effect to come. To stimulate protective reactions, it is necessary to increase the dilutions of homeopathic medicines, and to reduce excessive reactions to remove them. The patient, who was carried in her arms, was able to move her arms already at the reception. The next day, her leg pains subsided and she began to walk. So, Brionia's homaccord acts on people who have not taken non-steroids. If the patients have been treated for a long time by a rheumatologist, you will not help so quickly. Patients are blocked by non-steroids. When cows in India were given diclofenac, all vultures - scavengers that ate dead cows - died. If you first give a single homeopathic dilution of Acidum salicilicum in the highest dilutions, then such drugs start to help quickly. Acidum salicilicum should be given constantly only with Sjogren's syndrome, after which the secretion of saliva immediately appears in the mouth. It is re-taken when dryness occurs. This always helps with arthritis and Sjogren's syndrome, provided that patients stop taking nonsteroids and temporarily exclude raspberries from food.

Any pain should be removed with homeotherapy. All pain relievers and anti-inflammatory drugs, including acetylsalicylic acid (aspirin, thromboass, thrombopol), diclofenac and others, are sometimes simply fatal. In Great Britain alone, 4000 people die annually from the effects of taking anti-inflammatory drugs, and tens of thousands end up in hospitals (E. Schrott, V. Schainger, 1998). There is a trend towards prescribing marijuana for pain relief. It turns out that the drug is less harmful than pain relievers. Nonsteroids block the synthesis of prostaglandins - tissue hormones. Nonsteroids can suppress the secretion of mucous membranes, which causes dry mouth, nose, genitals, intestines, and constipation. In our opinion, Sjogren's syndrome is a systemic suppression of prostaglandin production in persons who are hypersensitive to nonsteroids. Nonsteroids in patients with joint inflammation temporarily relieve their condition, but increase the pain syndrome in the future and cancel the effect of homeopathic remedies. Nonsteroids induce inflammation of the small intestine in 40-70% of patients taking them (N. Davies et al., J. Pharm. Sci., 2000). This enteropathy proceeds with life-threatening complications in the form of bleeding, perforation and intestinal obstruction (E.L. Nasonov et al., 2006, Ter. Archive, No. 5, 2012). 2006, Ter. archive, no. 5, 2012). 2006, Ter. archive, no. 5, 2012).

One patient, due to excessive reactions, had tachycardia, increased blood pressure, deterioration of health on holidays. Koffey's homaccord from 500 to 3X dilution removed these manifestations.

"School" medicine controls, i.e. does not cure disease. She claims to control chronic obstructive pulmonary disease (COPD). At the same time, the incidence of COPD worldwide is only growing. In the United States, it has grown by 41% in 25 years. The incidence covers 10% of the population (V.S. Moiseev et al., 2008). Mortality is also on the rise. We have patented the "Method for the treatment of chronic obstructive pulmonary disease", with the help of it it is possible to radically cure if the patient fulfills our recommendations. If a person with COPD eats

forbidden foods (yeast and sweets), then it will hurt! And the forbidden fruit is sweet! It is not for nothing that Kazakhs call this forbidden fruit "alma", which has a double meaning. The noun is "apple" and the verb is "don't take." Diet is needed to get out of the disease. The healthier you are, the fewer dietary restrictions you have. Then you can forget about the fact that you had COPD! However, it is difficult for "school" medicine to recognize homeopathy, as "it is easier for a woman to kiss the devil than to call someone a beauty" (NV Gogol).

The reason for the development of COPD is that the patient's leukocytes produce an increased amount of enzymes. Enzymes eat away at mucous membranes. Damaged eroded mucosal surfaces are colonized by any microflora, for example, streptococci or fungi. Chronic erosive inflammation of various localization occurs (ulcers in the nose, aphthous stomatitis, chronic rhinitis, chronic pharyngitis, chronic obstructive pulmonary disease - COPD, erosive gastritis and gastroduodenitis, cervical erosion, etc.). Many patients with COPD have a history of erosive stomatitis. Food products are absorbed through eroded surfaces in an undiluted form. Hence, allergic manifestations arise (exudative-catarrhal diathesis, atopic dermatitis, eczema, urticaria, allergic rhinitis, itching of the genitals, etc.).

Leukocytes are activated in the production of enzymes during infection, exacerbation of diseases, with the use of any food, especially yeast and sweet (baked goods, cookies, kvass, beer, wine, whiskey, kumis, kefir, sauerkraut). Yeast is a fungus. It wanders and multiplies in the body. For lovers of the dogmas of a healthy lifestyle, we especially draw attention to the fact that for patients with such problems, vodka, when consumed in moderation, is safer than kvass or kefir, since it does not contain yeast. Sweet food is temporarily prohibited only at the beginning of treatment, since it activates its own yeast in the body, they activate leukocytes, which causes damage to the mucous membrane.

The doctor removes the hyperactivation of leukocytes, corrects the immune system to prevent new infections. Such patients should not take enzyme preparations during treatment (hilak forte, creon, festal, mezim-forte, etc.), lacto- and bifidobacteria, and medical science recommends prescribing them. "Beneficial" bacteria produce enzymes, destroy protective barriers and suppress, rather than activate, immunity in all diseases. It is impossible for such patients to prescribe expectorants that thin sputum (mucolytics) when coughing, as they increase the hyperactivation of leukocytes. Medical standards of therapy recommend that they be prescribed for COPD. Evidence-based medicine categorically asserts the effectiveness of treatment approaches, but mortality is only growing. In addition, we hypothesize that COPD and alpha-1-antitrypsin deficiency associated with antienzyme deficiency

Reception after any meal of the iris homaccord, developed by us, to reduce the synthesis of enzymes, radically prevents episodes of exacerbations (RK patent No. 22649). It's like a dessert - after a meal, you must take one homeopathic grain of iris homaccord containing various dilutions of the monopreparation (200, 30, 15, 12, 7, 6, 5, 3, 3X), and the person does not get sick. If children are sick with data

disease, then one of the parents also suffers from hyperactivation of leukocytes (COPD, gastritis, peptic ulcer, stomatitis, erosion and ulcers of different localization, eczema, etc.). Taking the drug for 1.5 months, as a rule, relieves yeast intolerance and allows you to cancel the iris homaccord. In case of exacerbations, it is necessary to take the iris homaccord again in a shorter course. Hereditary or acquired angioedema is also treated with iris homaccord. This is edema that resembles an allergic one, but proceeds without itching.

In people who constantly take allopathic enzyme preparations, the production of their own enzymes is suppressed. This helps them for a short time. Then there is the phenomenon of recoil, and even more enzymes are produced. As the song says: "then it will be worse for her, but that's only later." In patients with COPD or deficiency of alpha-1-antitrypsin, proceeding with bronchospastic or broncho-obstructive syndrome, with the progression of emphysema, inhalation of enzymes worsens the patient's condition, while a single inhalation of 3-5 ml of 5% aminocaproic acid (ACA) solution reduces clinical signs of obstruction, improves sputum discharge. Among patients diagnosed with bronchial asthma, you can find many patients with poor tolerance of enzymes in inhalation. If ACC inhalation helps, Consideration should be given to confirming the diagnosis of COPD or alpha-1-antitrypsin deficiency and withdrawing the diagnosis of asthma. Deficiency of alpha-1-antitrypsin leads to the destruction of collagen and elastic fibers of the lung stroma by proteases and the development of emphysema. Reduces the production of iris homaccord enzymes. Its use eliminates the need for antienzyme drugs. Considering that COPD affects 7% of the population, plus add erosive and ulcerative lesions of any localization and skin lesions of an allergic nature, exacerbation of chronic pancreatitis, it turns out that the iris homaccord will revolutionize the effectiveness of the treatment of these conditions. The introduction of iris homaccord into medical practice will significantly reduce mortality and the cost of treatment. Exacerbations of allergic dermatoses are often associated with the migration of helminth larvae under the skin.

A new thought comes to mind only to one, when the majority does not think so. As the Greeks say: "They don't go to Olympus in a crowd." We are not hiding anything. "Don't be afraid that someone will steal your ideas. If ideas are worthwhile, then they have to be hammered into people's heads by force" (H. Aiken). An idea generates new ideas. The scientist has "ideas like rabbits. You take a pair and learn to handle them. Pretty soon you will have a dozen of them" (John Steinbeck).

For edema or to improve the absorption of fats, we have developed the homaccord Narlipid, a preparation made from camel fat. The camel can hold up to 130 liters of water in one hump. We have patented the homaccord Narlipid (GN) - a homeopathic dilution of camel fat in different dilutions (from 1000 to 3) in one preparation. We named the drug GN, where "nar" - camel, "lipid" - fat. It is designed to improve the absorption of fats and therefore can be used to treat metabolic disorders in people who cannot get better despite their increased appetite. In some, the non-assimilation of fat reaches such an extent that the appearance of

fat in stools, vomiting or diarrhea after fatty foods, the development of a clinical picture of cystic fibrosis. In such patients, hypovitaminosis is constantly noted with impaired absorption of fat-soluble vitamins A, D and E. It is useless to give such patients preparations containing vitamins A and E. They will leave in transit. Without vitamins A, D and E, immunity suffers. GN ensures the assimilation of animal fats and fat-soluble vitamins A, D and E, corrects immunity, visual impairment, dry skin, etc.

Due to the fact that the body does not assimilate fats, the synthesis of fats in the body from carbohydrates begins, especially in the liver. Fatty degeneration of the liver develops. Then general obesity develops with poor assimilation of fats and hypovitaminosis A, D and E or fatty tissue on the skin and mucous membranes. Women develop lipodystrophy (cellulitis). This own factory for the production of fats needs to be closed. Such obesity is cured by GBV with a diet high in animal fats, and not with a hypocaloric diet. In this case, dyspepsia from fatty foods disappears. Both cellulite and fatty deposits in the skin disappear. All patients, thin and overweight, should be prescribed GN, vitamins A and E during the intake of fatty foods for 1 month, regardless of the season.

GN is indicated not only for obese patients, but also for patients with normal and even low body weight, if they accumulate water in adipose tissue with the development of edema resistant to the appointment of diuretic allopathic agents. After taking the drug, such edema subsides very quickly. GN is indicated for cerebral edema with frequent yawning from cerebral hypoxia, with headaches aggravated by shaking the head; with nasal congestion; with pressing pain in the kidneys from edema of the fatty capsule of the kidney, etc. Our drug relieves ischemic pain in the heart, which does not arise from spasm of the coronary vessels, but from edema of adipose tissue around these vessels, which happens much more often. The drug relieves compression of the coronary vessels by adipose tissue. Therefore, GN should be taken by patients with coronary artery disease. GN relieves vasoconstriction outside and inside,

In relation to edema of any localization, the drug acts very quickly, within a few minutes. With hypotension, narlipid normalizes blood pressure by distilling fluid from the tissues into the bloodstream, without a diuretic effect. With hypertension, it gives a diuretic effect with the normalization of pressure and the removal of edema. Protection document No. 26439.

It is possible to determine the deficiency of vitamins A and E in the body by testing the drug, when the indicators are improved not by 1-2 capsules, but by 6-10 capsules of Aevit. To achieve the effect, it must be taken for one month with fatty foods and GBV.

In case of osteoporosis or gallstones, after taking meat and dairy products, along with the homaccord Narlipid, it is necessary to take the calcarea carbonica homaccord developed by us. It is fatty food that causes contraction of the gallbladder, relieves bile stagnation. When they are prescribed, the stones are destroyed, crushed, and doctors, instead of several stones, see many stones. There are more stones, but their size is smaller. Don't be scared. They will continue to collapse. As M.S. Gorbachev: "The process has begun." The state of health has improved, attacks of bilious

colic is not and never will be. If a pebble gets into the bile duct, it will fall apart and not block the bile duct. He is already very fragile. This means that you have avoided surgery with the removal of the gallbladder! Surgeons will convince you that the gallbladder must be removed. Narlipid homaccord will improve fat tolerance and prevent pain.

Due to the elimination of cholesterol, during the first time of treatment with narlipid, blood cholesterol levels increase and then normalize. So, if the state of health has improved, and blood cholesterol has increased, then this is a favorable sign. Cholesterol dissolves from the walls of blood vessels, fatty deposits in various organs are absorbed, and excreted from the body.

Beisembaev, E.A. Improving the effectiveness of treatment with new homaccords / E.A. Beisembaev // XXII International Conference "Theoretical and Clinical Aspects of the Application of Bioresonance and Multiresonance Therapy". - M.: IMEDIS, 2016. -- S.351-357.

[To favorites](#)