

Results of homeopathic and IRT treatment of comorbidities in patients with epilepsy

G.I. Zotova

(Moscow Homeopathic Center; Department of Homeopathy and EAP,
IPK FMBA of Russia, Moscow, Russia)

According to the WHO definition, epilepsy is a chronic disease of the human brain characterized by repeated seizures (epileptic seizures) that result from excessive neuronal discharges.

Treatment is reduced to constant monitoring by the close people around the patient, adherence to sleep and rest, protection from injury, any environmental, mental, infectious, physical influences and strong irritants of any nature. In addition, treatment consists in the constant and long-term use of antiepileptic drugs, which, along with the suppression of seizure activity, cause chronic poisoning of vital organs and the whole body. However, every doctor knows that only a neurologist and (or) an epileptologist has the right to cancel these drugs after a three-year absence of epi-seizures against the background of normalization of brain rhythms by echo-encephalogenesis (EEG). Cancellation of drugs is carried out gradually, sometimes over several years.

Given the complex and unpredictable pathogenesis of this disease, none of the doctors in specialties related to neurology has a desire to take on the treatment of such patients. At the same time, we all took the Hippocratic Oath and cannot refuse medical assistance to such patients if they turn to us for other diseases. However, they must be treated under constant EEG control and regular supervision of a neurologist.

The purpose of this work: analysis of cases of treatment of patients suffering from epilepsy or increased convulsive readiness, who applied for homeopathic treatment of concomitant diseases, with a successful cure or improvement in the course of their underlying disease.

Methods: homeopathic method, R. Voll method, ART and induction resonance therapy of IRT.

For diagnostics and treatment, the equipment of the "IMEDIS" company was used: the apparatus for electropunctural diagnostics and therapy "MINI-EXPERT-DT", "IMEDIS-BRT-PC" (drug selector) and the "Biotest" device from the "Biotest" company.

Clinical examples

Case 1. Patient P., 21 years old. She came in 2000 with complaints of skin rashes in the form of dry eczema on the back of the hands, which worsened after taking carbamazepine, prescribed by a neurologist for epi-seizures, which began in the postpartum period and occurred 1-2 times a month.

I wrote out a referral to a neurologist with a diagnosis of drug allergy,

Toxicoderma "to correct the treatment and prescribed her homeopathic remedies for the treatment of allergies and detoxification (Apis 6, Arnica 3, 6, Tataxatum 3) and her individual constitutional preparation, Datura Stramonium 6, selected by the method of examination, questioning and control according to R. Voll.

After my translation of the names of the drugs into Russian, the patient reported that she had been poisoned with dope as a child, and she was hardly rescued in the hospital. During the follow-up examination, she reported that on the 4th day of taking homeopathy, she developed an aura, but did not develop an attack. After that, twice during the course, she had a fear of an attack, but there were no more attacks. Positive follow-up - 2 years. No further observation was made.

Case 2. Patient K., 16 years. Presented in September 2001 with psoriasis in the form of dry scaly plaques on the skin around the elbows, knees and the back of the head. History of closed craniocerebral trauma - concussion at the age of 3.

Loads identified by R. Voll's method: fungi of the genus candida, penicillium and trichophyton kanis; bacteria: Helicobacter, Clostridium; protozoa: intestinal lamblia; Herpes simplex virus 1, 2.

The loads were relieved in stages by classical homeopathy, tropic to these nosodes of pathogens, and in addition, Apis 6, Arnica 3, 6, Cuprum arsenicosum 6 (constitutional remedy) were prescribed at all stages simultaneously, drainage means were constantly changed.

After 6 months from the beginning of the course, the manifestations of psoriasis disappeared, with the exception of a small spot on the back of the head, and a year later the patient's mother reported that he had no epi-seizures during this year, which bothered him for several years 2-3 times a year. At the beginning of treatment, she hid from me that her son suffers from epilepsy, since she came to treat psoriasis. Positive follow-up - 6 years.

Case 3. Patient N., 53 years old. In 2013, she fell while skiing. She broke her right forearm and received multiple injuries.

After the fracture healed, for several months, she periodically received injuries to her face, head, legs under incomprehensible circumstances, that is, she did not understand how it happened. In March 2014, she applied for autoimmune thyroid nodular disease and exacerbation of chronic gastritis.

An examination using the ART method revealed loads of protozoa (Toxoplasma gondi, intestinal lamblia), bacteria (Helicobacter, Clostridia). The influence of clostridia along the logical chains of ART extended to the motor area of the brain, the red nucleus (which is responsible for the speed of reactions), the auditory nerve and the thyroid gland. According to ART, the response was tested for all four rhythms of the brain, however, for treatment, according to the ART indicators, only the alpha rhythm was shown, which coincided with the EEG. The rest of the rhythms were of an adaptive nature.

Homeopathic therapy was started, aimed at eliminating bacteria and protozoa, stabilizing the thyroid gland: Calciumjodatum 12, once a day, 2 times a week; her constitutional remedy Assa foetida 6 in

complex with homeopathy, tropic to these microbes, protozoa and drainage agent. IRT according to the p1 program was carried out 2-3 times a month, then less often. In parallel, the patient was observed by a neurologist. Along with the disappearance of microbial loads, the patient's condition stabilized, traumatism and syncope stopped, and 2 nodes in the thyroid gland disappeared. Then, within a year, the rhythms of the brain normalized, according to the data of ART and EEG.

Conclusions:

1. Correctly identified cause of primary damage (including when epilepsy) and its elimination can start the healing process.
2. Causal relationships of the disease (in this case, epilepsy) collapse under the influence of a properly selected homeopathic constitutional remedy that acts on the entire body, and not only on concomitant diseases.
3. In case of severe illnesses proceeding with a decrease in vitality (in this case of epilepsy), the constitutional agent can be used in low dilutions in combination with etiotropic and drainage agents.
4. Electropuncture diagnostics and therapy complement well etiopathogenetic, homeopathic and neurological treatment of epilepsy.

Zotova, G.I. Results of homeopathic and IRT treatment of comorbidities in patients with epilepsy / G.I. Zotova // XXIII International Conference "Theoretical and Clinical Aspects of the Application of Bioresonance and Multiresonance Therapy". - M.: IMEDIS, 2017. -- S. 149-151.

[To favorites](#)