

New possibilities for determining the causes and treatment of skin diseases using quantum control methods, developed in the center "Medicine Of the future "

O.V. Bessarabov, E.V. Pisareva, T.F. Kovtun, V.E. Avseenko  
(Treatment and Diagnostic Center "Medicine of the Future", Kaliningrad, Russia)

In mid-March 2016, a young woman of 29 years old contacted our center. The purpose of the appeal is to diagnose and treat skin diseases. The patient had a higher medical education. Ill for 10 years.

Complaints: rashes in the area of the hands and on the fingers of both hands, hyperemia, itching and dryness of the skin. Recurrent swelling on the back of the hands that leads to cracks in the skin. Rashes and hyperemia, cracks in the skin of the feet. Frequent exacerbations of the symptoms of the disease. Sometimes, when complications occurred, rashes appeared on the thighs. There was a periodic appearance of small red spots on the skin of the hands from hand to elbow and a regular rash on the skin between the fingers in the form of small constantly bursting bubbles. In case of significant exacerbations, the patient underwent inpatient examinations and treatment at the dermatovenerologic dispensary and other medical institutions in Kaliningrad and St. Petersburg. A few weeks before going to Medicine of the Future, she underwent another course of treatment at the Kaliningrad KVD: antibiotics, hormones, hemodialysis.

The attending physicians made various diagnoses: allergies, allergic dermatitis, neurodermatitis, eczema, and others. There were speculations about the genetic origin of the disease, because the mother and brother of the patient also had skin diseases. Suspected but not identified bacterial, viral, and fungal infections were treated with antibiotics and hormones. Tests were carried out to determine tick-borne infections - the result is negative. As a result, the final diagnosis was never made. Allergic reactions: poplar fluff, penicillin antibiotics, disinfectants. In 2005, she was ill with tonsillitis, during treatment with the antibiotic "Amoxiclav", an acute allergic reaction appeared.

All attempts at symptomatic treatment for unexplained diagnoses were unsuccessful and did not bring any positive effect. According to the patient, conservative medicine used all the methods of drug treatment and could not offer anything new. Contacting our center became her last hope for solving her skin problem.

As prescribed by a dermatologist, the patient used zinc ointment several times a week. Dermatologists convinced the patient that this ointment is absolutely safe and necessary for her to reduce inflammation and other symptoms of the disease. The patient was convinced that this ointment was the only effective remedy for her in suppressing the symptoms of the disease.

In fact, experts in allopathic medicine signed their powerlessness to cure the patient and predicted her lifelong symptomatic treatment using hormonal drugs. Due to the risks,

arising in the treatment of hormone therapy, and the lack of positive results after its use, the patient decided to contact our center.

03/15/2016, the primary diagnosis of the body was carried out according to the available us standards for skin diseases. During the examination, skin inflammation was revealed on the front surface of the ankle joints of the right and left legs, in the abdomen. On the rest of the body, the skin is clean, smooth, with no visible areas of inflammation, dryness or other signs of disease.

Our diagnostics is a new direction in the development of the "Vegetative resonance test" diagnostics and was developed on the basis of 16 years of experience of our center. This direction is based on the study of the magnetic properties of the tissues of organs and the reasons that led to the disruption of the interactions of atoms and molecules of substances in the tissues of organs.

Such a diagnosis makes it possible to assess the level of hormones and, in particular, histamine, directly at the sites of inflammation and compare this amount with previous values. The doctor can analyze the course of treatment according to the following diagnostic criteria:

1. The amount of histamine in the inflammation focus. With an increase in its amount an increase in the allergic reaction can be predicted. A decrease in the amount of histamine allows you to assess the positive dynamics and make sure that the treatment is correct.

2. Quantification of any toxins and pathogens. This analysis allows the doctor to determine which pathogen or other toxin is the most pathogenic in comparison with others and has become the main cause of metabolic disorders.

3. Toxin or pathogen causing the highest concentration histamine in the focus of inflammation. According to this criterion, the doctor can identify the main allergen and take targeted actions to eliminate it.

According to the results of the diagnosis, the patient was found to have the following indicators: 1. The level of histamine at the sites of skin inflammation is 2.5 times exceeds the permissible rate. An acute allergic reaction has been identified.

2. Identified pathogens on the skin of the hands: green streptococcus (excess permissible values by 40 times), herpes zoster (exceeding the permissible values by 12 times), Pseudomonas aeruginosa (exceeding the permissible values by 4 times).

In other tissues and organs: Staphylococcus aureus, herpes type 1, lamblia. Inflammatory processes and disturbances in the magnetic properties of tissues were revealed: the skin of the arms, legs and abdomen, the posterior lobe of the pituitary gland, the liver, the left ovary, the mucous membrane of the small intestine, the large internal nerve.

03/20/2016 BRT session No. 1 was carried out. After 6 sessions of BRT and 12 resonant frequency therapy (RFT), the patient complained of increased skin rashes, the appearance of periodic pain in the left hypochondrium.



Rice. 1. Condition of the patient's hands 04/08/2016.

On April 14, 2016, due to the complexity of the problem, it was decided to conduct medical council. Additional diagnostics have been carried out.

An increase in the level of histamine was revealed by 2 times in comparison with the primary diagnosis.

Identified parasitic infections - *Echinococcus granulosus*, *Paragonimus westermani*, localization sites - liver, right lung, intestines. The toxins of these parasites influenced the metabolic processes of the skin between the fingers and caused the formation of bursting bubbles. However, these parasites and lamblia had no effect on the increase in the level of histamine directly on the affected skin areas. The reason for the increase in histamine levels on the hands and fingers remained unclear.

Amendments were made to the RFT, a decision was made to divide it into two parts: 1st part of RFT - 2-3 times a week for previously identified bacteria and viruses; 2nd part of RFT - 2-3 times a week for newly identified parasitic infections.

On April 15, 2016, there were complaints of an increase in the rash on the ankles, on the lower legs, thighs, hands and elbows.

04/22/2016 area of distribution of rash, skin cracks and itching increased.

04/27/2016, according to the results of control diagnostics, an increase in the level of histamine at the sites of inflammation is 7 times compared to the beginning of treatment. It became clear that the measures taken were not enough, and there were other

the causes of the disease that are not yet known to us. It was decided to diagnose all parasitic infections exclusively at the sites of inflammation on the skin of the hands. *Dirofilaria immitis* was found in these foci. This parasitic infection was also found in other places where inflammation was observed: skin on the back of the palms, right knee, umbilical region, ankles of both legs. At the same time, it was found that the appearance of red spots on the surface of the skin of the hands from the hands to the elbow is not associated with *Dirofilaria immitis*, but with a sharp increase in the level of histamine and is an allergic reaction.

Thus, we were faced with three causes of inflammation that were not related to each other. Three factors of influence on the skin have been identified:

1. *Dirofilaria immitis* is the main cause of chronic skin disease.
2. Parasitic diseases (*Echinococcus granulosus*, *Paragonimus westermani*) in the liver, right lung and intestines, which caused the formation of bubbles between the fingers.
3. Acute allergic processes that occurred regardless of the first two factors.

04/27/2016 in connection with the clarification of the cause of the origin of the disease in the course RFT modified and started therapy to suppress *Dirofilaria immitis*.

On 05/07/2016, there were swelling in the area of the hands and a small amount of new elements of the rash on the hands. The patient complained of severe swelling of the hands and fingers in the morning. Due to edema, it is difficult for her to bend her fingers, when squeezing into a fist, cracks form on the skin of the back side. Then, within a few hours, the swelling subsides. The patient was afraid that these symptoms were due to our therapy. We informed the patient that our treatment restores magnetic properties and metabolic processes in tissues and does not cause exacerbations. The causes of all cases of exacerbations known to us have always been other factors: new pathogens, chemical medicines, dietary supplements, herbs, traditional medicine, homeopathy, self-medication with network marketing devices, etc.

As a result of analytical work, we came to the conclusion that the difference between the treatment of this patient and others lies in one single factor. This factor is the regular use of zinc ointment. Several times a week, the patient smeared her hands with zinc ointment in the evening, and in the morning she developed severe swelling. It was decided to check this assumption in the diagnosis.

05/13/2016 there is a significant increase in the swelling of the hands, new rashes appeared, itching in the evening. The patient complained that the red spots began to rise faster than usual up the arm.

Diagnostics of the causes of an acute allergic reaction on the skin of the hands was carried out. An increase in the level of histamine was revealed by a factor of 10 in comparison with the primary diagnosis. It was found that the inflammation was caused by an overdose of zinc ointment, which the patient periodically uses.

The patient was warned that the allergic reaction was provoked by the use of zinc ointment. Unfortunately, she did not believe us, and it was not possible to convince her to give up the zinc ointment. It became clear that the patient was consulted by other doctors who convinced her that zinc ointment

completely harmless and necessary. In the practice of allopathic medicine, the necessity and safety of regular use of zinc ointment, including for children, is constantly declared. By this time, all possibilities of persuasion to refuse zinc ointment had already been exhausted. Under the influence of the advice of outside doctors, she stopped trusting us. It was clear from the patient's behavior that she was going to refuse further treatment in our center.

On the same day, the director of the center made efforts to study the chemical and magnetic properties of zinc, and as a result, the following assumptions were made:

1. According to its chemical properties, zinc ointment causes toxic exposure to overdose.
2. A thin film of zinc ointment may interfere with recovery magnetic properties of skin tissues and cause a weak electron flow - super-weak currents on the skin surface. These currents can interfere with the restoration of the magnetic properties of tissues.

On May 20, 2016, in the morning, the patient was at the next BRT session. No new complaints presented, new edema did not appear. However, at 8 pm in the evening, the patient sent photographs with severe swelling in both hands.



Rice. 2. Condition of the patient's hands 05/20/2016

On May 21, 2016, additional diagnostics were carried out in order to clarify factors that cause a sharp exacerbation of inflammatory and allergic processes on the skin. Compared to the initial visit on 03/15/2016, the level of histamine increased 12 times. Due to an acute allergic reaction, the skin on the hands began to burst, many small cracks formed, weeping

wounds through which infections began to penetrate, increasing inflammation. The patient was warned that ignoring our recommendations and further use of zinc ointment threatens her with an acute allergic reaction in the form of anaphylactic shock. There was a danger that the next use of zinc ointment could bring her to intensive care.

It became clear that we have to fight not only with infections. A difficult struggle with a much more formidable enemy lies ahead. Unfortunately, this enemy very often becomes the winner - these are chemical medications.

Revealed secondary infections that appeared on the skin due to edema and cracks. It was decided to postpone treatment for the underlying problem of *Dirofilaria immitis* and focus only on suppressing secondary infections. Intensive (twice a day) endogenous bioresonance therapy was started to restore metabolic processes and magnetic properties of skin tissues.

05/25/2016 against the background of refusal of zinc ointment, the level of histamine decreased by 17% compared to the maximum values, but still 10 times higher than the primary indicators. It has been established that the reason for the abnormally high level of histamine and the occurrence of allergic processes is the very high content of zinc. When determining quantitative values according to the methodology of our center, the amount of this trace element was 125 times higher than the permissible norm. Such an amount of an extraneous microelement radically changed the interaction of atoms and molecules of substances in skin tissues.

06/01/2016, the patient finally got out of the influence of doctors of allopathic medicine and reported that she completely abandoned the use of zinc ointment. The skin condition improved significantly: edema and inflammation decreased, but the itching persisted.

06/07/2016 complaints of edema, hyperemia and a rash on the hands and in the forearm area persist, there is no itching anymore.

06/08/2016 vesicular eruptions persist, swelling decreases. Histamine - the level is 5 times higher than in the initial diagnosis.

Zinc - a decrease in the level by 2 times compared to previous studies.

It was decided to resume treatment for *Dirofilaria immitis* and other parasitic infections.

06/21/2016 inflammatory processes are already absent, but still noted single rashes on the inner surface of the fingers.

06/22/2016 periodic vesicular eruptions between the toes, slight itching, no inflammation.

On June 25, 2016, control diagnostics were carried out.

A decrease in the level of histamine by 6 times compared with the maximum values was revealed, which is 2 times higher than the values determined in the primary diagnosis.

A decrease in the level of zinc by 5 times was revealed.

*Dirofilaria immitis* - there was a decrease in quantitative values by 40 times compared to the initial ones.

On July 25, 2016, the skin condition is close to normal. Treatment continued.



Rice. 3. Condition of the patient's hands 28.07.2016

On August 24, 2016, the skin condition returned to normal. Inflammatory processes and rashes are absent. The magnetic properties of the skin tissues are completely restored. Metabolic processes are completely normalized. The treatment was completed successfully. The histamine level has completely returned to normal. There are no allergic processes.

The main reason that made effective treatment difficult was the unprecedented pressure on our patient from the doctors of allopathic medicine. Without outside interference, we could have cured her about twice as fast, and accordingly, her treatment would have cost half the price. There was a need for careful analytical measures to study all possible causes of exacerbation of the disease. The work with this patient took place against the background of constantly increasing pressure on the methods of bioresonance therapy. The course of treatment was closely monitored by her colleagues from at least three medical centers. It is impossible to accuse us that in this case the cure is a placebo effect.

#### Output

The author's methodology of the Medical and Diagnostic Center "Medicine of the Future" for determining the amount of microelements, hormones and pathogens makes it possible to determine the cause of the disease and the causes of its exacerbation. Unlike conventional methods of laboratory diagnostics and drug therapy, we

it is possible to identify and eliminate such factors that doctors of allopathic medicine cannot cope with for 10 years. The equipment of the IMEDIS Center is very well suited for the implementation of such treatment. For correct research in the field of bioresonance therapy and its development, it is necessary to create an institute of quantum biology, and all research should be carried out there.

Over the past year, new frequencies of the following pathogens have shown high efficiency: *dirofilaria immitis*, hemolytic streptococcus, *ankylostoma caninum*, *paragonimus westermani*, *toxoplasma*, *yersinia*, herpes viruses and others.

We consider it necessary to direct efforts to create new frequencies: *salmonella enteridis*, *borrellia* of other species, *mycobacterium bovine tuberculosis* (Moro), *brucella*, Coxsackie viruses.

---

New possibilities for determining the causes and treatment of skin diseases using quantum control methods, developed in the center "Medicine of the Future" / O.V. Bessarabov, E.V. Pisareva, T.F. Kovtun, V.E. Avseenko // XXIII International Conference "Theoretical and Clinical Aspects of the Application of Bioresonance and Multiresonance Therapy". - M.: IMEDIS, 2017. -- S.370-378.

[To favorites](#)