

Results of the XVIII International Conference "Theoretical and Clinical aspects of the use of bioresonance and multiresonance therapy "

M.Yu. Gotovsky  
(LLC "CIMS" IMEDIS ", Moscow)

Outcomes

In the Moscow House of Scientists of the Russian Academy of Sciences, on April 20-21, 2012, the annual XVIII International Conference "Theoretical and Clinical Aspects of the Application of Bioresonance and Multiresonance Therapy" was held. The organizer of the conference is the Center for Intelligent Medical Systems "IMEDIS" (Moscow). The conference was attended by over 400 medical specialists in the field of traditional medicine: electropuncture diagnostics, bioresonance therapy, homeopathy and other non-drug methods of treatment. Among the conference participants there were specialists from the CIS and Baltic countries (Ukraine, Belarus, Kazakhstan, Azerbaijan, Latvia, Lithuania, etc.), as well as from Romania, Serbia, Austria, Germany, Great Britain, Switzerland.

The main part of the results of experimental and clinical studies, diagnostics, treatment reported at the conference was obtained with the use of diagnostic and therapeutic equipment produced by the IMEDIS Center.

B.I. Islamov et al. (Institute of Theoretical and Experimental Biophysics, Russian Academy of Sciences, Pushchino) assessed the state of the bronchopulmonary system and adaptation reserves in patients with chronic obstructive pulmonary disease using a vegetative resonance test. A reliable possibility of using the autonomic resonance test as an independent electropunctural method for assessing the state of the bronchopulmonary system in chronic obstructive pulmonary disease has been shown.

In the report of S.V. Bachinina, O.A. Roika (Yekaterinburg, Moscow) "Modern technologies in the prevention of drug addiction" thoroughly analyzes theoretical and practical issues of prevention, diagnosis and treatment of drug addiction. The results of the reported studies are based on the examination of students of three Ural universities using an electropunctural vegetative resonance test to establish the fact of the use of psychoactive substances, followed by treatment of the identified mental and behavioral disorders using bioresonance therapy. The prospects of new approaches to the diagnosis and elimination of risk factors when using the methods of electropuncture testing and bioresonance therapy are shown. The importance of the training of professional personnel in the effectiveness of prevention and treatment of drug addiction is emphasized separately.

In the message of N.I. Soft (Moscow) reflects the experience of organizing primary preventive examinations in the system of the Ministry of Internal Affairs of Russia using the method of electropuncture vegetative resonance test. Total volume of examinations

to identify the facts of the use of psychoactive substances using the electropunctural vegetative resonance test, conducted among candidates for service in 2011, was 13,860 people. The results of the studies carried out indicate a high level (on average, about 25%) of revealing the facts of the use of psychoactive substances, which correlate with the data on the use of a polygraph (more than 90% coincidences). Consequently, according to the author, there is now a need to use the method of vegetative resonance test as an effective screening technology for the preliminary selection of persons potentially using psychoactive substances.

The results of comparing the informativeness of the autonomic resonance test and methods of objective audiometry in patients with various forms of hearing loss were reported by M.G. Abakarov et al. (Makhachkala, Moscow). The studies involved 21 patients with sensory and mixed forms of hearing loss, who, in addition to the accepted examinations of ENT organs, underwent autonomic resonance testing using the MINI-EXPERT-DT apparatus. The results obtained unambiguously indicate the high information content of the autonomic resonance test method in diagnosing the level of damage to the structures of the inner ear, and this method can be a valuable addition to audiological research methods.

Many reports present clinical studies on the use of bioresonance therapy in the treatment of various diseases.

The results of complex treatment of bronchial asthma using bioresonance therapy in a hospital setting in 50 patients are presented in the report of V.I. Gustomesova et al. (Voronezh). It was found that after 1-2 sessions of bioresonance therapy, 95% of patients showed an improvement in general well-being, a decrease in the number or complete cessation of seizures. The results obtained show a positive effect of bioresonance therapy in the complex treatment of bronchial asthma, which, according to the authors, makes it possible to recommend the use of this method in the complex treatment of this category of patients.

S.K. Makina (Petropavlovsk, Kazakhstan) reported the results of an open-controlled controlled study of the effectiveness of the use of bioresonance therapy in patients with chronic lumbosacral dorsopathy in an outpatient setting. The results of the studies performed indicate that complex therapy with the use of optimized adaptive bioresonance therapy turned out to be the most effective in the treatment of patients with the above pathology.

The experience of using electropunctural diagnostics and bioresonance therapy for overweight and obesity is presented in the report of V.M. Taneva (Burgas, Bulgaria). The results of the use of the equipment manufactured by the IMEDIS Center for this pathology indicate the existence of extremely broad possibilities of traditional medicine methods for identifying the causes of obesity, individual selection of homeopathic remedies, food products, as well as for effective treatment with the use of exogenous and endogenous bioresonance

---

therapy.

In the report of L.A. Palchikova. (Togliatti) reflects 5 years of experience in the use of autonomic resonance test and bioresonance therapy in the complex diagnosis and treatment of frequently ill children and adults. As a result of the pathogenetic and symptomatic therapy, which included exogenous and endogenous bioresonance therapy, homeopathic remedies, probiotics, etc., both in adult patients and in children, the frequency, duration and severity of ARI and influenza diseases have significantly decreased.

The analysis of the results of the use of electropuncture diagnostics in dental diseases was carried out in the studies of M.V. Goryacheva et al. (Altai State Medical University, Barnaul). As one of the methods for studying the state of the oral mucosa, we used electropuncture diagnostics according to the method of R. Voll, carried out with the help of hardware-software complexes "IMEDIS-FALL" and "IMEDIS-EXPERT". More than 13 years of experience in the use of electropunctural diagnostics and bioresonance therapy in the diagnosis and treatment of dental diseases allows the authors to conclude that it is advisable to widely use these methods in the work of dentists for the examination and treatment of dental patients.

The next, XIX conference will be held in the Moscow House of Scientists of the Russian Academy of Sciences on April 19-20, 2013.

General manager  
LLC "CIMS" IMEDIS "  
M.Yu. Gotovsky

---

Gotovsky, M.Yu. Results of the XVIII International Conference "Theoretical and Clinical Aspects of the Application of Bioresonance and Multiresonance Therapy" / M.Yu. Gotovsky // Traditional medicine. - 2012. - No. 2 (29). - P.4-5.

[To favorites](#)